


Digitized by the Internet Archive in 2010

Harda J. Zhow The second second -- ( E '= 1 -





#### NEWCOMB'S

# MATHEMATICAL COURSE.

#### I. SCHOOL COURSE.

Algebra for Schools.

Key to Algebra for Schools.

Plane Geometry and Trigonometry, with Tables.

The Essentials of Trigonometry.

## II. COLLEGE COURSE.

Algebra for Colleges.

Key to Algebra for Colleges.

Elements of Geometry.

Plane and Spherical Trigonometry, with Tables.

Trigonometry (separate).

Tables (separate).

Elements of Analytic Geometry.

Elements of the Differential and Integral Calculus.

Astronomy, Advanced Course, by Newcomb and Holden.

Astronomy, Briefer Course, by Newcomb and Holden.

HENRY HOLT & CO., Publishers, New York.

# LOGARITHMIC AND OTHER

# MATHEMATICAL TABLES

WITH EXAMPLES OF THEIR USE AND HINTS ON THE ART OF COMPUTATION

BY

# SIMON NEWCOMB

Professor of Mathematics, in the Johns Hopkins University.



NEW YORK
HENRY HOLT AND COMPANY



# CONTENTS.

# INTRODUCTION TO TABLES. .

# TABLE I.

LOGARITHMS OF NUMBERS.	PAGE
Introductory Definitions	
The Use of Logarithms	. 4
Arrangement of the Table of Logarithms	. 6
Characteristics of Logarithms	
Interpolation of Logarithms	
Labor-Saving Devices	
Number Corresponding to Given Logarithm	-
Adjustment of Last Decimal	
The Arithmetical Complement	
Practical Hints on the Art of Computation	
Imperfections of Logarithmic Calculation	. 20
Applications to Compound Interest and Annuities	. 25
Accumulation of an Annuity	. 28
iccumulation of an immung	
TABLE II.	
MATHEMATICAL CONSTANTS.	
Explanation	. 31
Explanation	• ••
TABLES III. AND IV.	
LOGARITHMS OF TRIGONOMETRIC FUNCTIONS.	
	90
Angles less than 45°	. 32
Angles between 45° and 90°	. 55
Angles greater than 90°	. 30
Methods of Writing the Algebraic Signs	. 36
Angle Corresponding to a Given Function	
Cases when the Function is very Small or Great	. აგ
TABLE V.	
NATURAL SINES AND COSINES.	
Explanation	. 42
Даринамон,	

# CONTENTS.

# TABLE VI.

ADDITION AND SUBTRACTION LOGARITHMS.	
Use in Addition	13
TT 1 0 1 1 1	14
Special Cases	
DEPOCIAL CANCELLA CAN	.0
TABLE VII.	
SQUARES OF NUMBERS.	
Explanation	
дариананон 4	Ð
TABLE VIII.	
Hours, Minutes, and Seconds into Decimals of a Day.	
Explanation 5	1
	-
TABLE IX.	
To Convert Time into Arc.	
Explanation 5	3
CARLE V	
TABLE X.	
Mean and Sidereal Time.	
Explanation 5	55
OF DIFFERENCES AND INTERPOLATION.	
General Principles	56
Fundamental Formulæ.	
Transformations of the Formulæ	
Formulæ of Stirling and Bessel6	
Special Cases of Interpolation—Interpolation to Halves	
Interpolation to Thirds 6	
Interpolation to Fifths	0
FORMULÆ FOR THE SOLUTION OF PLANE AND SPHERICIAL	
TRIANGLES.	
Remarks	74
Formulæ 7	75

TABLES I. TO X.

# TABLE I.

# LOGARITHMS OF NUMBERS.

# 1. Introductory Definitions.

Natural numbers are numbers used to represent quantities.

The numbers used in arithmetic and in the daily transactions of life are natural numbers.

To every natural number may be assigned a certain other number,

called its logarithm.

The **logarithm** of a natural number is the exponent of the power to which some assumed number must be raised to produce the first number. The assumed number is called the **base**. E.g., the logarithm of 100 with the base 10 is 2, because  $10^2 = 100$ ; with the base 2, the logarithm of 64 would be 6, because  $2^6 = 64$ .

A system of logarithms means the logarithms of all posi-

tive numbers to a given base.

Although there may be any number of systems of logarithms, only two are used in practice, namely:

1. The natural or Napierian system, base = e = 2.718282.

2. The common system, base = 10.

The natural system is used for purely algebraic purposes.

The common system is used to facilitate numerical calculations and is the only one employed in this book.

If the natural number is represented by n, its logarithm is called  $\log n$ .

A logarithm usually consists of an integer number and a decimal part.

The integer is called the **characteristic** of the logarithm. The decimal part is called the **mantissa** of the logarithm.

A table of logarithms is a table by which the logarithm of any given number, or the number corresponding to any given logarithm, may be found.

The most simple form of table is that on the first page of Table I., which gives the logarithms of all entire numbers from 1 to 150; each logarithm being found alongside its number. The student may begin his exercises with this table.

Mathematical tables in general enable us, when one of two related quantities is given, to find the other.

In such tables the quantity supposed to be given is called the argument.

The argument is usually printed on the top, bottom, or side of the table.

The quantities to be found are called functions of the argument, and are found in the same columns or lines as the argument, but in the body of the table.

In a table of logarithms the natural number is the argument. and the logarithm is the function.

#### The Use of Logarithms. 2.

The following properties of logarithms are demonstrated in treatises on algebra.

I. The logarithm of a product is equal to the sum of the logarithms of its factors.

II. The logarithm of a quotient is found by subtracting the logarithm of the divisor from that of the dividend.

III. The logarithm of any power of a number is equal to the logarithm of the number multiplied by the exponent of the power.

IV. The logarithm of the root of a number is equal to the logarithm of the number divided by the index of the root.

We thus derive the following rules:

To find the product of several factors by logarithms.

Rule. Add the logarithms of the several factors. table with the sum as a new logarithm, and find the number corresponding to it.

This number is the product required.

Example 1. To multiply  $7 \times 8$ .

We find from the first page of Table I.

 $\log 7 = 0.84510$ 

" 8 = 0.90309

Sum of logs = 1.74819 = log of product.

Having added the logarithms, we look in column log for a num-

ber corresponding to 1.7\$8 19 and find it to be 56, which is the product required.

Ex. 2 To find the continued product  $2 \times 6 \times 8$ .

log 2, 0.301 03 6, 0.778 15 8, 0.903 09

Sum of logs, 1.982 27 = log product.

The number corresponding to this logarithm is found to be 96, which is the product required.

Ex. 3. To find the quotient of  $147 \div 21$ .

log 147, 2.167 32 " 21, 1.322 22

Difference, 0.845 10

We find this difference to be the logarithm of 7, which is the required quotient.

Ex. 4. To find the quotient arising from dividing the continued croduct  $98 \times 102 \times 148$  by the continued product  $21 \times 37 \times 68$ .

log 21, 1.322 22 log 98, 1.991 23
" 37, 1.568 20 " 102, 2.008 60
" 68, 1.832 51 " 148, 2.170 26

Sum = log divisor, 4.722 93 Sum = log dividend, 6.170 09 log divisor, 4.722 93

Difference = log quotient, 1.447 16

Looking into the table, we find the number corresponding to this logarithm to be 28, which is the required quotient.

Note. The student will notice that we have found this quotient without actually determining either the divisor or dividend, having used only their logarithms. If he will solve the problem arithmetically, he will see how much shorter is the logarithmic process.

Ex. 5. To find the seventh power of 2.

We have  $\log 2 = 0.30103$ 

 $\frac{7}{2.10721} = \log 128$ 

Hence 128 is the required power.

Ex. 6. To find the cube root of 125.

 $\begin{array}{r} 3 & 2.09691 \\ \hline 0.69897 \end{array}$ 

The index of the root being 3, we divide the logarithm of 125 by it. Looking in the tables, we find the number to be 5, which is the root required.

#### EXERCISES.

Compute the following products, quotients, powers, and roots by logarithms.

1. 11.13. Ans. 143. 5. 
$$\frac{22 \cdot 8^2}{\sqrt{121}}$$
. Ans. 128.

2. 12<sup>2</sup>. Ans. 144. 6. 
$$\frac{51.98 \sqrt{81}}{34.63}$$
. Ans. 21.

3. 
$$\frac{12^3}{6^2}$$
. Ans. 48. 7.  $\frac{2^7 \cdot 3^5}{6^3}$ . Ans. 144.

4. 
$$\frac{2 \cdot 9^2 \cdot 91 \cdot 78}{13^2 \cdot 21 \cdot 3}$$
. Ans. 108. 8.  $\frac{54 \cdot 48}{8 \cdot 9}$ . Ans. 36.

# 3. Arrangement of the Table of Logarithms.

A table giving every logarithm alongside its number, as on the first page of Table I., would be of inconvenient bulk. For numbers larger than 150 the succeeding parts of Table I. are therefore used. Here the first three figures of the natural number are given in the left-hand column of the table. The first figure must be understood where it is not printed. The fourth figure is to be sought in the horizontal line at the top or bottom. The mantissa of the logarithm is then found in the same line with the first three digits, and in the column having the fourth digit at the top.

To save space the logarithm is not given in the column, but only its last three figures. The first two figures are found in the first column, and are commonly the same for all the logarithms in any one line.

Example 1. To find the logarithm of 2090.

We find the number 209, the figure 2 being omitted in printing, in the left-hand column of the table, and look in the column having the fourth figure, 0, at its top or bottom. In this column we find 320 15, which is the mantissa of the logarithm required.

Ex. 2. To find the logarithm of 2092.

Entering the table with 209 in the left-hand column, and choosing the column with 2 at the top, we find the figures 056. To these we prefix the figures 32 in column 0, making the total logarithm .320 56. Therefore

Mantissa of  $\log 2092 = .32056$ .

#### Exercises.

Find in the same way the mantissæ of the logarithms of the following numbers:

2240;		5133;
2242;	•	5256;
2249;		5504;
2895;		8925;
3644;		9557;
4688;		9780.

When the first two figures of the mantissa are not found in the same line in which the number is sought, they are to be found in the first line above which contains them.

Example. The first two figures of log 6250 are 79, which belongs to all the logarithms below as far as 6309. Therefore mantissa of log 6250 = .79588.

#### EXERCISES.

Find the mantissæ of the logarithms of

	6300;	answer,	.79934.
	6309;	66	.79996.
	6434;		
	6653;		
	6755;		
	6918;		
•	7868.		

Exception. There are some cases in which the first two figures change in the course of the line. In this case the first two figures are to be sought in the line above before the change and in the line next below after the change.

Example. The mantissa of log 6760 is .82995. But the mantissa of log 6761 is .83001. In this case the figures 83 are to be found in the next line below. To apprise the computer of these cases, each of the logarithms in which the two first figures are found in the line below is indicated by an asterisk.

#### EXERCISES.

Find the mantissa of

log 1022; answer, .009 45. log 1024; ".010 30.

1231;		1999;
1387;		3988;
1419;		4675;
1621;		4798;
1622;		5377;
1862;	•	8512;
1863;		1009.

# 4. Characteristics of Logarithms.

The part of the table here described gives only the *mantissa* of each logarithm. The characteristic must be found by the general theory of logarithms.

The following propositions are explained in treatises on algebra:

$\mathbf{T}$ he	logarithm	of	1	is	0.
66		66	10	"	1.
"	"	"	100	66	2.
"	66	"	1000	"	3.
66	"	66	$10^{n}$	66	n.

Since any number of one digit is between 0 and 10, its logarithm is between 0 and 1; that is, it is 0 plus some fraction. In the same way, the logarithm of a number of two digits is 1 + a fraction. And in general,

The characteristic of the logarithm of any number greater than 1 is less by unity than the number of its digits preceding the decimal point.

Example. The characteristic of the logarithm of any number between 1 and 10 is 0; between 10 and 100 it is 1; between 100 and 1000 it is 2, etc.

It is also shown in algebra that if a number be divided by 10 we diminish its logarithm by unity.

Logarithms of numbers less than unity are most conveniently expressed by making the characteristic alone negative.

For example:

$$\log 0.2 = \log 2 - 1 = -1 + .301 03;$$
" 
$$0.02 = \log 2 - 2 = -2 + .301 03.$$

Hence: The mantissæ of the logarithms of all numbers which differ only in the position of the decimal point are the same.

Hence, also, in seeking a logarithm from the table we find the mantissa without any reference to the decimal point. Afterward we affix the characteristic according to the position of the decimal point.

For convenience, when a negative characteristic is written the minus sign is put above it to indicate that it extends only to the characteristic below it and not to the mantissa. Thus we write

$$\log .02 = \overline{2}.30103.$$

In practice, however, it is more common to avoid the use of negative characteristics by increasing them by 10. We then write  $\log .02 = 8.30103 - 10$ .

If we omitted to write -10 after the logarithm, the latter would, in strictness, be the log of  $2 \times 10^{\circ}$ . But—numbers—so great as this product occur so rarely in practice that it is not generally necessary to write -10 after the logarithm. This may be understood.

A convenient rule for remembering what characteristic belongs to the logarithm of a decimal fraction is:

The characteristic is equal to 9, minus the number of zeros after the decimal point and before the first significant figure.

Examples. 
$$\log 34060 = 4.53224$$

"  $340.60 = 2.53224$ 

"  $3.4060 = 0.53224$ 

"  $0.3406 = 8.53224 - 10$ 

"  $0.0003406 = 6.53224 - 10$ 

It will be seen that we can find the logarithms of numbers from 1 to 150 without using the first page of the table at all, since all the mantissæ on this page are found on the following pages as logarithms of larger numbers.

## EXERCISES.

Find the logarithms of the following numbers:

	O
1.515	003 899
.01 702	0.4276
18.62	464 700
.03 735	98 030

Find the numbers corresponding to the following logarithms:

$$3.241\ 80;$$
  $8.750\ 35\ -10;$   $9.999\ 91\ -10;$   $1.191\ 45;$   $7.411\ 28\ -10;$   $5.999\ 96;$   $5.653\ 21;$  ans.  $450\ 000$   $6.889\ 97\ -10;$   $2.960\ 28;$   $6.748\ 27;$  ans.  $5\ 601\ 000$   $9.116\ 94\ -10;$   $0.886\ 27;$   $7.560\ 03;$  ans.  $36\ 310\ 000$   $7.250\ 18$   $0.000\ 87.$ 

A always with the 10 - 1 web wise and

# 5. Interpolation of Logarithms.

In all that precedes we have used only logarithms of numbers containing not more than 4 significant digits. But in practice numbers of more than four figures have to be used. To find the logarithms of such numbers the process of interpolation is necessary. This process is one of simple proportion, which can be seen from the following example.

To find log. 1167.23.

The table gives the logarithms of 1167 and of 1168, which we find to be as follows:

 $\log 1167 = 3.06707$ " 1168 = 3.06744Difference of logarithms = .00037

Now the number of which we wish to find the logarithm being between these numbers, its logarithm is between these logarithms; that is, it is equal to 3.067 07 plus a fraction less than .000 37.

Since the difference 37 corresponds to the difference of unity in the two numbers, we assume that the quantity to be added to the logarithm bears the same proportion to .23 that 37 does to unity. We therefore state the proportion

1:.23:: 37: increase required.

The solution of this proportion gives  $.23 \times 37 = 8.51$ , which is the quantity to be added to log 1167 to produce the logarithm required.\* The result is 3.0671551.

But our logarithms extend only to five places of decimals, while the result we have written has seven. We therefore take only five places of decimals. If we write the mantissa 3.06715, the result will be too small by .51. If we write 3.06716, it will be too great by .49. Since the last result is nearer than the first, we give it the preference, and write for the required logarithm

 $\log 1167.23 = 3.06716.$ 

We thus have the following rule for interpolating:

Take from the table the logarithm corresponding to the first four significant digits of the number.

Considering the following digits as a decimal fraction, multiply the difference between the logarithm and the next one following by such decimal fraction.

of the propriety of this assumption is them after the ded within of the legalithmile series in sec 608 well

<sup>\*</sup> In this multiplication we have used a decimal point to mark on the fifth order of decimals. This is a convenient process in all such computations

This product being added to the logarithm of the table will give the logarithm required.

The whole operation by which we have found log 1167.23 would

then be as follows:

The products for interpolation, 7.4 and 1.11, may be found by multiplying by the fifth and sixth figures of the number separately.

To facilitate this multiplication, tables of proportional parts are given in the margin. Each difference between two logarithms will be readily found in heavy type not far from that part of the table which is entered, and under it is given its product by .1, .2, etc., . . .9. We therefore enter this little table with the fifth figure, and take out the corresponding number to be added to the logarithm. Then if there is a sixth figure, we enter with that also and move the decimal one place to the left. We then add the two sums to the logarithm.

# 6. Labor-saving Devices.

In using a table of logarithms, the student should accustom himself to certain devices by which the work may be greatly facilitated.

In the first place it is not necessary to take the whole difference between two consecutive logarithms. He has only to subtract the last figure of the preceding logarithm from the last one of the following, increased by 10 if necessary, and thus find the last figure of the difference.

The nearest difference in the margin of the table having this same last figure will always be the difference required.

Example. If the first four figures of the number are 1494, instead of subtracting 435 from 464 we say 5 from 14 leaves 9, and look for the nearest difference which has 9 for its last figure. This we readily find to be 29, at the top of the next page.

Note. In nearly all cases the difference will be found on the same page with the logarithm. The only exception is at the bottom of the first page, where, owing to the number of differences, they cannot all be printed.

In the preceding examples we have written down the numbers in full, which it is well that the beginner should do for himself. But after a little practice it will be unnecessary to write down anything but the logarithm finally taken out. The student should accustom himself to take the proportional parts mentally, adding them to the logarithm of the table and writing down the sum at sight. The habit of doing this easily and correctly can be readily acquired by practice.

Exercises. Find the logarit	hms of
792 638;	0.99997;
1000.77;	949.916;
1000.07;	20.8962;
100 007;	660 652;
181 982;	77.642;
281.936;	8.8953.

As a precaution in taking out logarithms, the computer should always, after he has got his result, look into the table and see that it does really fall between two consecutive logarithms in the table.

If the fraction to be interpolated is nearly unity, especially if it is equal to or greater than 9, it will generally be more convenient to multiply the difference of the logarithms by the complement\* of the fraction and subtract the product from the logarithm next succeeding. The following are examples of the two methods, which may always be applied whether the fraction be large or small:

Example 1.  $\log 1004.28 = \log (1005 - .72)$ . .001 73  $\log 1005$ , log 1004, .002 17 pr. pt. for -30.8pr. pt. for 8.8 .7, 66 66 66 66 66 66 .08. 3.5 .02, log, 3.001 S5 log, 3.001 85  $\forall x. \ 2. \ \log 154993 = 155000 - 7.$ .19005.190 33  $\log 1549$ , 1550, pr. pt. for -.07, -1.9bpr. pt. for .9. 25.266 66 66 .03, 0.8log, 5.190 31 log, 5.19031

<sup>\*</sup>By the complement or arithmetical complement of a decimal fraction is here meant the remainder found by subtracting it from unity or from a unit of the next order higher than itself. Thus:

co. .723 = .277 co. .1796 = .8204 co. .9932 = .0068.

# 7. To find the Number corresponding to a given Logarithm.

The reverse process of finding the number corresponding to a given logarithm will be seen by the following example:

To find the number of which the logarithm is 2.02790.

Entering the table, we find that this logarithm does not exactly occur in the table. We therefore take the next smaller logarithm which we find to be as follows:

 $\log 1066 = 2.02776.$ 

Subtracting this from the given logarithm we find the latter to be greater by 14, while the difference between the two logarithms of the table is 40. We therefore state the proportion

40:14::1 to the required fraction.

The result is obtained by dividing 14 by 40, giving a quotient .35. The required number is therefore 106.635. It will be remarked that we take no account of the characteristic and position of the decimal until we write down the final result, when we place the decimal in the proper position.

The table of proportional parts is used to find the fifth and sixth

figures of the number by the following rule:

If the given logarithm is not found in the table, note the excess of the given logarithm above the next smaller one in the table, which call  $\Delta$ .

Take the difference of the two tabular logarithms, and find i among the large figures which head the proportional parts.

That proportional part next smaller than  $\Delta$  will be the fifth

figure of the required number.

Take the excess of  $\Delta$  above this proportional part; imagine its decimal point removed one place to the right, and find the nearest number of the table.

This number will be the sixth figure of the required number.

Example. To find the number of which the logarithm is 2.193 59.

Entering the table, we find the next smaller logarithm to be .193 40. Therefore  $\Delta = 19$ .

Also its tabular difference = 28.

Entering the table of proportional parts under 28, we find 16.8 opposite 6 to be the number next smaller than 19 the value of  $\triangle$ . Therefore the fifth figure of the number is 6.

The excess of 19 above 16.8 is 2.2. Looking in the same table for the number 22, we find the nearest to be opposite 8.

Therefore the fifth and sixth figures of the required number are 68. Now looking at the log .193 40 and taking the corresponding number, we find the whole required number to be

156 168.

The characteristic being 2, the number should have three figures before the decimal point. Therefore we insert the decimal point at the proper place, giving as the final result 156.168.

# 8. Number of Decimals necessary.

In the preceding examples we have shown how with these tables the numbers may be taken out to six figures. In reality, however, it will seldom be worth while to write down more than five figures. That is, we may be satisfied by adding only one figure to the four found from the table. In this case, when we enter the table of proportional parts, we take only the number corresponding to the nearest proportional part.

To return to the last preceding example, where we find the number corresponding to 2.19359. We find under the difference 28 that the number nearest 19 is 19.6, which is opposite 7.

Therefore the number to be written down would be 156 17.

In the following exercises it would be well for the student to write six figures when the number is found on one of the first two pages of the table and only five when on one of the following pages. The reason of this will be shown subsequently.

#### EXAMPLES AND EXERCISES.

1. To find the square root of 3.

We have  $\log 3, 0.477 12$  " 2, 0.301 03  $\log \frac{3}{2}, 0.176 09$   $\div 2, \log \sqrt{\frac{3}{2}}, 0.088 04$ 

Here we have a case in which the half of an odd number is required. We might have written the last logarithm 0.088 045, but we should then have had six decimals, whereas, as our tables only give five decimals, we drop the sixth. If we write 4 for the fifth figure it will be too small by half a unit, and if we write 5 it will be too large by half a unit. It is therefore indifferent which figure we write, so far as mere accuracy is concerned.

A good rule to adopt in such a case is to write the nearest EVEN number. For example,

for the half of .261 81 we write .130 90; .261 83 .130 92; 66 66 .261 85 .130 92; 66 66 .130 94; .261 87 66 66 .130 94; .261 89 66 .261 97 .130 98; 66 66 .26199.131 00.

Returning to our example, we find, by taking the number corresponding to 0.088 04,

$$\sqrt{\frac{3}{2}} = 1.22472.$$

2. To find the square root of  $\frac{2}{3}$ .

$$\log 2, 0.301 03$$

$$3, 0.477 12$$

$$\log \frac{2}{3}, 9.823 91 - 10$$

$$\frac{1}{2} \log \frac{2}{3}, 4.911 96 - 5 = \log \sqrt{\frac{2}{3}}.$$

The last logarithm is the same as

$$9.91196 - 10,$$

which is the form in which it is to be written in order to apply the rule of characteristics. The corresponding number is 0.816 50.

We have here a case in which, had we neglected considering the surplus -10 as we habitually do, the characteristic of the answer would have been 4 instead of -1. The easiest way to treat such cases is this:

When we have to divide a logarithm in order to extract a root, instead of increasing the characteristic by 10, increase it by 10  $\times$  index of root.

Thus we write  $\log \frac{2}{3} = 19.823 \ 91 - 20.$  Dividing by 2,  $\log \sqrt{\frac{2}{3}} = 9.911 \ 96 - 10,$  which is in the usual form.

3. To find the cube root of  $\frac{1}{2}$ .

which we write in the form

$$\log \frac{1}{2} = 29.69897 - 30.$$

Dividing this by 3,

$$\frac{1}{3}\log\frac{1}{2} = \log^{8}\sqrt{\frac{1}{2}} = 9.89966 - 10.$$

This logarithm is in the usual form, and gives

$$\sqrt[3]{\frac{1}{2}} = 0.79370.$$

The affix -30, or  $-10 \times$  divisor, can be left to be understood in these cases as in others. All that is necessary to attend to is that instead of supposing the characteristic to be one or more units less than 10, as in the usual run of cases, we suppose it to be one or more units less than  $10 \times$  divisor.

Find:

- 4. The square root of  $\frac{1}{2}$ ;
- 5. The cube root of 2;
- 6. The fourth root of  $\frac{3}{4}$ ;
- 7. The fifth root of 20;
- 8. The tenth root of 10;
- 9. The tenth root of 10.

# 9. The Arithmetical Complement.

When a logarithm is subtracted from zero, the remainder is called its arithmetical complement.

If L be any logarithm, its arithmetical complement will be — L. Hence if

 $L = \log n$ ,

hen

arith. comp. = 
$$-L = \log \frac{1}{n}$$
;

that is,

The arithmetical complement of a given logarithm is the logarithm of the reciprocal of the number corresponding to the given logarithm.

Notation. The arithmetical complement of a logarithm is written co-log. It is therefore defined by the form

$$\operatorname{co-log} n = \log \frac{1}{n}.$$

Finding the arithmetical complement. To find the arithmetical complement of  $\log 2 = 0.30103$ , we may proceed thus:

0.000 00 log 2, 0.301 03

co- $\log 2$ , 9.69897 - 10.

We subtract from zero in the usual way; but when we come to the characteristic, we subtract it from 10. This makes the remainder too large by 10, so we write -10 after it, thus getting a quantity which we see to be  $\log 0.5$ .

We may leave the - 10 to be understood, as already explained.

The arithmetical complement may be formed by the following rule:

Subtract each figure of the logarithm from 9, except the last significant one, which subtract from 10. The remainders will form the arithmetical complement.

For example, having, as above, the logarithm 0.301 03, we form, mentally, 9-0=9; 9-3=6; 9-0=9; 9-1=8; 9-0=9; 10-3=7; and so write

as the arithmetical complement.

To form the arithmetical complement of 3.284 00 we have 9-3=6; 9-2=7; 9-8=1; 10-4=6. The complement is therefore

The computer should be able to form and write down the arithmetical complement without first writing the tabular logarithm, the subtraction of each figure being performed mentally.

Use of the arithmetical complement. The co-log is used to substitute addition for subtraction in certain cases, on the principle: To add the co-logarithm is the same as to subtract the logarithm.

Example. We may form the logarithm of  $\frac{3}{2}$  in this way by addition:

Here there is really no advantage in using the co-log. But there is an advantage in the following example:

To find the value of  $P = \frac{2763 \times 419.24}{99}$ . We add to the logarithms of the numerator the co-log of the denominator, thus:

The use of the arithmetical complement is most convenient when the divisor is a little less than some power of 10.

#### EXERCISES.

Form by arithmetical complements the values of:

1. 
$$\frac{109 \times 216.26}{0.99316}$$

2. 
$$\frac{8263 \times 9162.7}{92 \times 99.618}$$

$$3. \quad \frac{4\times6\times8219}{9\times992}$$

# 10. Practical Hints on the Art of Computation.

The student who desires to be really expert in computation should learn to reduce his written work to the lowest limit, and to perform as many of the operations as possible mentally. We have already described the process of taking a logarithm from the table without written computation, and now present some exercises which will facilitate this process.

1. Adding and subtracting from left to right. If one has but two numbers to add it will be found, after practice, more easy and natural to write the sum from the left than from the right. The method is as follows:

In adding each figure, notice, before writing the sum, whether the sum of the figures following is less or greater than 9, or equal to it.

If the sum is less than 9, write down the sum found, or its last figure without change.

If greater than 9, increase the figure by 1 before writing it down.

If equal to 9, the increase should be made or not made according as the first sum following which differs from 9 is greater or less than 9.

If the first sum which differs from 9 exceeds it, not only must we increase the number by 1, but must write zeros under all the places where the 9's occur. If the first sum different from 9 is less than 9, write down the 9's without charge.

· The following example illustrates the process:

Here 7 and 8 are 15. 5+2 being less than 9, we write 15 without change. 3+0 being less than 9, we write 7 without change. 9+2 being greater than 9, we increase the sum 3+0 by 1 and write down 4. 7+1 being

less than 9, we write the last figure of 9+2, or 1, without change. 6+7 being greater than 9, we increase 7+1 by 1 and write down 9. Under 6+7 we write down 3 or 4. To find which, 8+1=9; 3+6=9; 5+4=9; 7+5=12. This first sum which is different from 9 being greater than 9, we write 4 under 6+7, and 0's in the three following places where the sums are 9. 7+5=12. Since 8+0<9, we write down 2. Before deciding whether to put 8 or 9 under 8+0, we add 5+4=9; 8+1=9; 8+1=9; 9+0=9; 2+2=4. This being less than 9, we write 8 under 8+0, and 9's in the four following places. Since 5+8=13>9, we write 5 under 2+2. Since 9+3=12>9, we write 4 under 5+8. Since 8+7=15>9, we write 3 under 9+3. Finally, under 8+7 we write 5.

This process cannot be advantageously applied when more than two numbers are to be added.

#### EXERCISES.

Let the student practise adding each consecutive pair of the following lines, which are spaced so that he can place the upper margin of a sheet of paper under the lines he is adding and write the sum upon it.

2	5	0	9	1	7	2	8	5	3	1	6	9	8	1	2	0	8
2	5	1	2	3	5	9	6	4	6	9	2	1	8	4	3	6	8
7	9	1	6	1	5	8	3	2	3	1	6	6	4	6	8	9	1
2	0	8	5	3	2	1	6	4	3	7	9	1	0	2	9	0	9
8	6	8	5	8	8	9	6	4	3	4	2	9	4	4	8	2	5
9	8	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	4

Subtracting. We subtract each figure of the subtrahend from the corresponding one of the minuend (the latter increased by 10 if necessary), as in arithmetic.

Before writing down the difference, we note whether the following figure of the subtrahend is greater, less, or equal to the corresponding figure of the minuend.

If greater, we diminish the remainder by 1 and write it down.\*

If less, we write the remainder without change.

If equal, we note whether the subtrahend is greater or less than the minuend in the first following figure in which they differ.

If greater, we diminish the remainder by 1, as before, and write 9's under the equal figures.

<sup>\*</sup> If the student is accustomed to carrying 1 to the figures of the minuend when he has increased the figure of his subtrahend by 10, he may find it easier to defer each subtraction until he sees whether the remainder is or is not to be diminished by 1, and, in the latter case, to increase the minuend by 1 before subtracting.

If less, write the remainder unchanged, putting 0's under the equal figures.

Example.

							6 8						
$\frac{-}{4}$	8	0	2	4	9	9	8	2	0	Ó	1	9	6

Here 7-2=5; because 4>2, we write 4. 12-4=8; because 2=2 and 6<9, we write 8; and write 0 in the following place. 9-6=3; because 8>3, we write 2. 13-8=5; 5=5; 1=1; 8>6; so under 13-8 we write 4, with 9's in the two next places. 16-8=8; because 0<2, we write 8. 2-0=2; 1=1; 4=4; 1<3; so under 2-0 we write 2, followed by 0's. 3-1=2; because 9=9, 8>4, we write 1, with 9 in the next place. 14-8=6, which we write as the last figure.

#### EXERCISES.

The preceding exercises in addition will serve as exercises in subtraction by subtracting each line from that above or below it. The student should be able to subtract with equal facility whether the minuend is written above or below the subtrahend.

Mental addition and subtraction. When an expert computer has to add or subtract two logarithms, as in forming a product or quotient of two quantities, he does not necessarily write both of them, but prefers to write the first and, taking the other mentally, add (or subtract) each figure in order from left to right, and write down the sum (or difference). He thus saves the time spent in writing one number, and, sometimes, the inconvenience of writing it where there is not sufficient room for it.

This process of inverted addition is most useful in adding the proportional part in taking a logarithm from the table. It is then absolutely necessary to save the computer the trouble of copying-both logarithm and proportional part.

Expert computers can add seven-figure logarithms in this way without trouble. But with those who do not desire to become experts it will be sufficient to learn to add two or three figures, so as to be able to take a five-figure or seven-figure logarithm from the table without writing anything but the result.

# 11. Imperfections of Logarithmic Calculations.

Nearly all practical computations with logarithms are affected by certain sources of error, arising from the omission of decimals. It is important that these errors should be understood in order not only to avoid them so far as possible, but to avoid spending labor in aiming at a degree of accuracy beyond that of which the numbers admit.

Mathematical results may in general be divided into two classes: (1) those which are absolutely exact, and (2) those which are only to a greater or less degree approximate.

As an example of the former case, we have all operations upon entire numbers which involve only multiplication and division. For example, the equations

$$\frac{16^2 = 256}{\frac{8^2}{6^2} = \frac{16}{9}}$$

are absolutely exact.

But if we express the fraction  $\frac{1}{7}$  as a decimal fraction, we have

$$\frac{1}{7} = .142857...$$
, etc., ad infinitum.

Hence the representation of  $\frac{1}{4}$  as a decimal fraction can never be absolutely exact. The amount of the error will depend upon how many decimals we include. If we use only two decimals we shall certainly be within one hundredth; if three, within one thousandth, etc. Hence the degree of accuracy to which we attain depends upon the number of decimals employed. By increasing the number of decimals we can attain to any degree of accuracy. As an example, it is shown in geometry that if the ratio of the circumference of a circle to its diameter be written to 35 places of decimals, the result will give the whole circumference of the visible universe without an error as great as the minutest length visible in the most powerful microscope.

There are no numbers, except the entire powers of 10, of which the logarithms can be exactly expressed in decimals. We must therefore omit all figures of the decimal beyond a certain limit. The number of decimals to be used in any case depends upon the degree of accuracy which is required. The large tables of logarithms contain seven decimal places, and therefore give results correct to the ten-millionth part of the unit. This is sufficiently near the truth in nearly all the applications of logarithms.

With five places of decimals our numbers will be correct to the hundred-thousandth part of a unit. This is sufficiently near for most practical applications.

Accumulation of errors. When a long computation is to be made, the small errors are liable to accumulate so that we cannot rely upon this degree of accuracy in the final result. The manner

in which the tables are arranged so as to reduce the error to a minimum may be shown as follows:

We have to seven places of decimals

$$\log 17 = 1.2304489$$
"  $18 = 1.2552725$ 

When the tables give only five places of decimals the two last figures must be omitted. If the tables gave log 17=.23044, the logarithm would be too small by 89 units in the seventh place. It is therefore increased by a unit in the fifth place, and given .23045. This quantity is then too large by 11, and is therefore nearer the truth than the other. The nearest number being always given, we have the result:

Every logarithm in the table differs from the truth by not more than one half a unit of the last place of decimals.

Since the error may range anywhere from zero to half a unit, and is as likely to have one value as another between those limits, we conclude:

The average error of the logarithms in the tables is one fourth of a unit of the last place of decimals.

Errors in interpolation. When we interpolate the logarithm we add to the tabular logarithm another quantity, the proportional part, which may also be in error by half a unit, but of which the average error will only be one fourth of a unit.

As most logarithms have to be interpolated, the general result will be:

An interpolated logarithm may possibly be in error by a unit in the last place of decimals.

The sum of the average errors will, however, be only half a unit. But these errors may cancel each other, one being too large and the other too small. The theory of probabilities shows that, in consequence of this probable cancellation of errors, the average error only increases as the square root of the number of erroneous units added-

The square root of 2 is 1.41.

If, therefore, we add two quantities each affected with a probable error  $\pm$  .25, the result will be, for the probable error of the sum,

$$1.41 \times .25 = 0.35$$
.

We therefore conclude:

The average error of a logarithm derived from the table by interpolation is 0.35 of a unit of the last place.

Applying the above rule of the square root to the case in which

several logarithms are added or subtracted to form a quotient, we find the results of the following table:

No. of logs added or subtracted.	Average error.
1	0.35
2	0.50
3	0.63
4	0.72
5	0.31
6	0.88
7	0.95
8	1.02
9	1.08
10	1.14

From this table we see that if we form the continued product of eight factors, by adding their logarithms the average error of the sum of the logarithms will be more than a unit in the last place.

As an example of the accumulation of errors, let us form the product 11.13.

We have from the table

$$\log 11 = 1.041 39 \\
" 13 = 1.113 94 \\
\log \text{ product}, 2.155 33$$

We see that this is less than the given logarithm of the product 143 by a unit of the fifth order. But if we use seven decimals we have log 11, 1.041 392 7

Comparing this with the computation to five places, we see the source of the error.

If the numbers with which we enter the tables are affected by errors, these errors will of course increase the possible errors of the logarithms.

In determining to what degree of accuracy to carry our results, we have the following practical rule:

It is never worth while to carry our decimals beyond the limit of precision given by the tables, which limit may be a considerable fraction of the unit in the last figure of the tables.

Let us have a logarithm to five places of decimals, 1.92949, of which we require the corresponding number. Entering the table, we

perceive that the corresponding number is between 85.01 at.J 85.02. If this logarithm is the result of adding a number of logarithms, each of which may be in error in the way pointed out, we may suppose it probably affected by an error of half a unit in the last figure and possibly by an error of a whole unit or more. That is, its true value may be anywhere between 92 948 and 92 950.

The number corresponding to the former value is 85.012, and that corresponding to the latter 85.016. Since the numbers may fall anywhere between these limits, we assign to it a mean value of 85.014, which value, however, may be in error by two units in the last place. It is not, therefore, worth while to carry the interpolation further and to write more than five digits.

Next suppose the logarithm to be 2.02170. Entering the table, we find in the same way that the number probably lies between the limits 105.121 and 105.126. There is therefore an uncertainty of five units in the sixth place, or half a unit in the fifth place. If the greatest precision is desired, we should write 105.124. But our last figure being doubtful by two or three units, the question might arise whether it were worth while to write it at all. As a general rule, if the sixth figure is required to be exact, we must use a six- or seven-place table of logarithms.

Still, near the beginning of the table, the probable error will be diminished by writing the sixth figure.

Now knowing that at the beginning of the table a difference of one unit in the number makes a change ten times as great in the logarithm as at the end of the table, we reach the conclusions:

In taking out a number in the first part of the table, it can never be worth while to write more than six significant figures, and very little is added to the precision by writing more than five.

In the latter part of the table it is never worth while to write more than five significant figures.

Sometimes no greater accuracy is required than can be gained by using four-figure logarithms. There is then no need of writing the last figure. If, however the printed logarithm is used without change, the fourth figure must be increased by unity whenever the fifth figure exceeds 5. When the fifth figure is exactly 5, the increase should or should not be made according as the 5 is too small or too great. To show how the case should be decided, a stroke is printed above the 5 when it is too great. In these cases the fourth figure should be used as it stands, but, when there is no stroke, it should be increased by unity.

# 12. Applications of Logarithms to the Computation of Annuities and Accumulations of Funds at Compound Interest.

One of the most useful applications of logarithms is to fiscal calculations; in which the value of moneys accumulating for long periods at compound interest is required.

Compound interest is gained by any fund on which the interest is collected at stated intervals and put out at interest.

As an example, suppose that \$10 000 is put out at 6 per cent interest, and the interest collected semi-annually and put out at the same rate. The principal will then grow as follows:

Principal at starting Six months' interest = 3 per cent	\$10 000.00 300.00
Amount at end of 6 months  Interest on this amount = 3 per cent	
Amount at end of 1 year	
Amount at end or $1\frac{1}{2}$ years	
Amount at end of 2 years	\$11 255.09

Although in business practice interest is commonly payable semi-annually, it is in calculations of this kind commonly supposed to be collected and re-invested only at the end of each year. This makes the computation more simple, and gives results nearer to those obtained in practice, because a company cannot generally invest its income immediately. If it had to wait three months to invest each semi-annual instalment of interest collected, the general result would be about the same as if it collected interest only once a year and invested it immediately.

If r be the rate per cent per annum, the annual rate of increase will be  $\frac{r}{100}$ . Let us put

- $\rho$ , the annual rate of increase  $=\frac{r}{100}$ ;
- p, the amount at interest at the beginning of the time, or the principal;
  - a, the amount at the end of one or more years.

Continuing the process, we see that at the end of n years the amount will be

 $a = p (1 + \rho)^n. \tag{1}$ 

To compute by logarithms, let us take the logarithms of both members. We then have

 $\log a = \log p + n \log (1 + \rho). \tag{2}$ 

Example. Find the amount of \$1250 for 30 years at 6 per cent per annum.

Here

$$ho = .06$$
 $1 + \rho = 1.06$ 
 $\log (1 + \rho) = 0.025306 \text{ (end of Table I.)}$ 
 $n \log (1 + \rho), \quad 300$ 
 $\log p, \quad 3.09691$ 
 $\log a, \quad 3.85609$ 
 $a, $7179.50 = \text{required amount.}$ 

#### EXERCISES.

- 1. Find the amount of \$100 for 100 years at 5 per cent compound interest.
- 2. A man bequeathed the sum of \$500 to accumulate at 4 per cent interest for 80 years after his death. After that time the annual interest was to be applied to the support of a student in Harvard College. What would be the income from the scholarship?
- 3. If the sum of one cent had been put out at 3 per cent per annum at the Christian era, and accumulated until the year 1800, what would then have been the amount, and the annual interest on this amount?

It is only requisite to give three significant figures, followed by the necessary number of zeros.

4. Solve by logarithms the problem of the horseshoeing, in which a man agrees to pay 1 cent for the first nail, 2 for the second, and so on, doubling the amount for every nail for 32 nails in all.

NOTE. It is only necessary to compute the amount for the 32d nail, because it is easy to see that the amount paid for each nail is 1 cent more than for all the preceding ones.

- 5. A man lays aside \$1000 as a marriage-portion for his new-born daughter, and invests it so as to accumulate at 8 per cent compound interest. The daughter is married at the age of 25. What does the portion amount to?
- 6. A man of 30 pays \$2000 in full for a \$5000 policy of insurance on his life. Dying at the age of 80, his heirs receive \$7000, policy and dividends. If the money was worth 4 per cent to him, how much have the heirs gained or lost by the investment?
- 7. What would have been the answer to the previous question, had the man died at the age of 40, and the amount paid been \$6000?

Other applications of the formulæ. By means of the equations (1) and (2) we may obtain any one of the four quantities  $a, p, \rho$ , and n when the other three are given.

CASE I. Given the principal, rate of interest, and time, to find the amount.

This ease is that just solved.

CASE II. Given the amount, time, and rate per cent, to find the principal.

Solution. Equation (1) gives

$$p = \frac{a}{(1+\rho)^n}.$$

Taking the logarithms,

$$\log p = \log a - n \log (1 + \rho),$$

by which the computation may be made.

Case III. Given the *principal*, amount, and time, to find the rate. Solution. Equation (2) gives

$$\log (1+\rho) = \frac{\log a - \log p}{n} = \frac{1}{n} \log \frac{a}{p}.$$

Example. A man wants a principal of \$600 to amount to \$1000 in 10 years. At what rate of interest must he invest it?

Solution.

$$\log a = 3.000\ 00$$

$$\log p = 2.778\ 15$$

$$\log \frac{a}{p} = 0.221\ 85$$

$$\frac{1}{10} \log \frac{a}{p} = 0.022\ 185 = \log (1 + \rho).$$

Hence, from last page of logarithms.

$$1 + \rho = 1.05241;$$
  
rate = 5.241,

and

or 51 per cent, nearly.

#### EXERCISES.

- 1. At what rate of interest will money double itself every ten years?

  Ans. 7.177.
  - 2. At what rate will it treble itself every 15 years? Ans. 7.599.
- 3. A man having invested \$1000, with all the interest it yielded him, for 25 years, finds that it amounts to \$3386. What was the rate of interest?

  Ans. 5 per cent.
- 4. A life company issued to a man of 20 a paid-up policy for \$10,000, the single premium charged being \$3150. If he dies at the age of 60, at what rate must the company invest its money to make itself good?

  Ans. 2.93 per cent.
- 5. A man who can gain 4 per cent interest wants to invest such a sum that it shall amount to \$5000 when his daughter, now 5 years old, attains the age of 20. How much must he invest? Ans. \$2776.62.
- 6. How much must a man leave in order that it may amount to  $$1,000,000 \text{ in } 500 \text{ years at } 2\frac{1}{2} \text{ per cent interest?}$  Ans.  $$4.36\frac{1}{2}$
- 7. How much if the time is 1000 years, the rate being still  $2\frac{1}{2}$  per cent, and the amount \$1,000,000? Ans. 0.0019 of a cent.
- 8. A man finds that his investment has increased fivefold in 25 years. What is the average rate of interest he has gained?

Ans. 6.65.

9. An endowment of \$7500 is payable to a man when he attains the age of 65. What is its value when he is 45, supposing the rate of interest to be 4 per cent?

Ans. \$3423.

# 13. Accumulation of an Annuity.

It is often necessary to ascertain the present or future value of a series of equal annual payments. Thus it is very common to pay a constant annual premium for a policy of life insurance. The value of such a series of payments at any epoch is found by reducing the value of each one to the epoch, allowing for interest, and taking the sum. Supposing the epoch to be the present time, the problem may be stated as follows:

A man agrees to pay p dollars a year for n years, the first payment being due in one year, and the total number of payments n. What is the present value of all n payments?

Putting, as before,  $\rho = \frac{\text{rate of interest}}{100}$ , the present value of p dollars payable after y years will, by § 12, Case II., be

$$\frac{p}{(1+\rho)^y}$$
.

Putting in succession, y = 1, y = 2, ... y = n, the sum of the present values is

$$\frac{p}{1+\rho} + \frac{p}{(1+\rho)^2} + \frac{p}{(1+\rho)^3} + \cdots + \frac{p}{(1+\rho)^n}.$$

This is a geometrical progression in which

First term 
$$=\frac{p}{1+\rho}$$
;  
Common ratio  $=\frac{1}{1+\rho}$ ;

Number of terms = n.

By College Algebra, § 212, the sum of this progression will be

$$\Sigma_{1} = \frac{p}{1+\rho} \cdot \frac{1 - \left(\frac{1}{1+\rho}\right)^{n}}{1 - \frac{1}{1+\rho}} = p \frac{(1+\rho)^{n} - 1}{(1+\rho)^{n+1} - (1+\rho)^{n}}$$
$$= \frac{p}{(1+\rho)^{n}} \cdot \frac{(1+\rho)^{n} - 1}{\rho} \cdot \tag{1}$$

If the first payment is to be made immediately, instead of at the end of a year, the last or *n*th payment will be due in n-1 years, and the progression will be

$$p + \frac{p}{1+\rho} + \frac{p}{(1+\rho)^2} + \cdots + \frac{p}{(1+\rho)^{n-1}}$$

We find the sum of the geometric progression to be

$$\Sigma_{i} = p \frac{(1+\rho)^{n} - 1}{(1+\rho)^{n} - (1+\rho)^{n-1}}.$$
 (2)

#### EXERCISES.

1. What is the present value of 15 annual payments of \$85 each, of which the first is due in one year, the rate being 5 per cent? We find by substitution

Present value = 
$$85 \frac{1.05^{15} - 1}{1.05^{16} - 1.05^{16}} = \frac{85}{1.05^{16}} \cdot \frac{1.05^{15} - 1}{.05}$$
  
=  $\frac{1700 (1.05^{16} - 1)}{(1.05)^{16}}$ .  
log 1.05, 0.021 189 1.05<sup>16</sup>, 2.078 95  
15 1.05<sup>16</sup> - 1, 1.078 95  
log 1.05<sup>15</sup>, 0.317 84 log, 0.033 00  
co-log 1.05<sup>16</sup>, 9.682 16  
log 1700, 3.230 45  
Value, \$882.28 log value, 2.945 61

2. The same thing being supposed, what would be the present value if the rate of interest were 4 per cent?

Ans. \$945.80

3. What is the present value of 25 annual payments of \$1000 each, the first due immediately, if the rate of interest is 3 per cent?

Ans. \$17,935

4. A debtor owing \$10,000 wishes to pay it in 10 equal annual instalments, the first being payable immediately. If the rate of interest is 6 per cent, how much should each payment be?

Ans. \$1281.76.

Note. This problem is the reverse of the given one, since, in the equation (2), we have given  $\Sigma_2 = 10\,000$ ,  $\rho = 0.06$ , and  $n \doteq 10$ , to find p.

5. The same thing being supposed, what should be the annual payment in case the payments should begin in a year?

Ans. \$1358.69.

Perpetual annuities. If the rate of interest were zero, the present value of an infinity of future payments would be infinite. But with any rate of interest, however small, it will be finite. For if, in the first equation (1), we suppose n infinite,  $\left(\frac{1}{1+\rho}\right)^n$  will converge toward zero, and we shall have

$$\Sigma = \frac{p}{(1+\rho)\left(1-\frac{1}{1+\rho}\right)} = \frac{p}{\rho}.$$
 (3)

This result admits of being put into a concise form, thus:

Since  $\Sigma$  is the present value of the perpetual annuity p, the annual interest on this value will be  $\rho\Sigma$ . But the equation (3) gives  $\rho\Sigma = p$ .

Hence:

The present value of a perpetual annuity is the sum of which the annuity is the annual interest.

*Example.* If the rate of interest were  $3\frac{1}{2}$  per cent, the present value of a perpetual annuity of \$70 would be \$2000.

#### EXERCISES.

1. A government owing a perpetual annuity of \$1000 wishes to pay it off by 10 equal annual payments. If the rate of interest is 4 per cent, what should be the amount of each payment?

Ans. \$3082.30.

2. A government bond of \$100 is due in 15 years with interest at 6 per cent. The market rate of interest having meanwhile fallen to  $3\frac{1}{2}$  per cent. what should be the value of the bond?

NOTE. We find, separately, the present value of the 15 annual instalments of interest, and of the principal.

## TABLE II.

## MATHEMATICAL CONSTANTS.

14. In this table is given a collection of constant quantities which frequently occur in computation, with their logarithms.

The logarithms are given to more than five decimals, in order to be useful when greater accuracy is required. When used in five-place computations, the figures following the fifth decimal are to be dropped, and the fifth decimal is to be increased by unity in case the figure next following is 5 or any greater one.

## TABLES III. AND IV.

## LOGARITHMS OF TRIGONOMETRIC FUNCTIONS.

15. By means of these tables the logarithms of the six trigonometric functions of any angle may be found.

The logarithm of the function instead of the function itself is

given, because the latter is nearly always used as a factor.

We begin by explaining Table IV., because Table III. is used only in some special cases where Table IV. is not convenient.

I. Angles less than 45°. If the angle of which a function is sought is less than 45°, we seek the number of degrees at the top of the table and the minutes in the left-hand column. Then in the line opposite these minutes we find successively the sine, the tangent, the cotangent, and the cosine of the angle, as given at the heading of the page.

Example.

log sin 31° 27′ = 9.717 47; 
$$^{\prime\prime}$$
0 log tan 31° 27′ = 9.786 47;  $^{\prime\prime}$ 0 log cotan 31° 27′ = 0.213 53;  $^{\prime\prime}$ 0 cos 31° 27′ = 9.931 00.

The sine, tangent, and cosine of this angle being all less than unity, the true mantissæ of the logarithm are negative; they are therefore increased by 10, on the system already explained.

If the secant or cosecant of an angle is required, it can be found by taking the arithmetical complement of the cosine or sine. It is shown in trigonometry that

$$secant = \frac{1}{cosine}$$

and

$$cosecant = \frac{1}{sine}.$$

Therefore  $\log \operatorname{secant} = 0 - \log \operatorname{cosine} = \operatorname{co-log cosine}$ ;  $\log \operatorname{cosee} = 0 - \log \operatorname{sine} = \operatorname{co-log sine}$ .

We thus find

log sec 
$$31^{\circ} 27' = 0.06900;$$

 $\log \csc 31^{\circ} 27' = 0.28253.$ 

After each column, upon intermediate lines, is given the differ-

Stand when taken from the take - 10 should be

ence between every two consecutive logarithms, in order to facilitate interpolation.

In the case of tangent and cotangent, only one column of differences is necessary for both functions.

If we use no fractional parts of minutes, no interpolation is necessary; but if decimals of a minute are employed, we can interpolate precisely as in taking out the logarithms of numbers.

Where the differences are very small they are sometimes omitted.

Tables of proportional parts are given in the margin, the use of which is similar to those given with the logarithms of numbers.

Example 1. To find the log sin of 31° 27'.7.

We have from the tables, log sin  $31^{\circ} 27' = 9.71747^{-10}$ Under diff. 20, P.P. for 7,

 $\log \sin 31^{\circ} 27'.7 = 9.71761 - 0$ 

Ex. 2. To find log cot  $15^{\circ}$  44'.34.

The tables give  $\log \cot 15^{\circ} 44' = 0.550 19$ Under diff. 48, opposite 0.3, P.P., -14.4

"  $0.4 \div 10$ , - 1.9

log cot 15° 44′.34, 0.550 03

Since the tabular quantity diminishes as the angle increases, the proportional parts are subtractive.

#### EXERCISES.

Find from the tables:

- 1. log cot 43° 29′.3;
  - 2. log tan 43° 29'.3;
  - 3. log cos 27° 10′.6;
  - 4. log sin 27° 10′.6;
  - 5. log tan 12° 9'.43;
  - 6. log cot 12° 9'.43.

In the case of sines and tangents of small angles the differences vary so rapidly that in most cases the exact difference will not be found in the table of proportional parts. In this case, if the proportional parts are made use of, a double interpolation will generally be necessary to find the fraction of a minute corresponding to a given sine or tangent. If only tenths of minutes are used, an expert computer will find it as easy to multiply or divide mentally as to refer to the table.

II. Angles between 45° and 90°. It is shown in trigonometry that if we compute the values of the trigonometric functions for the



first 45°, we have those for/the whole circle by properly exchanging them in the different parts of the circle. First, if we have

 $\alpha + \beta = 90$ , 90

then  $\alpha$  and  $\beta$  are complementary functions, and

 $\sin \beta = \cos \alpha;$  $\tan \beta = \cot \alpha$ .

Therefore if our angle is between 45° and 90°, we may find its complement. Entering the table with this complement, the complementary function will then be the required function of the angle.

Example. To find the sine of 67° 23', we may enter the table with  $22^{\circ} 37'$  (=  $90^{\circ} - 67^{\circ} 23'$ ) and take out the cosine of  $22^{\circ} 37'$ , which is the required sine of 67° 23.

To save the trouble of doing this, the complementary angles and the complementary denominations of the functions are given at the bottom of the page.

The minutes corresponding to the degrees at the bottom are given on the right hand. Therefore:

To find the trigonometric functions corresponding to an angle between 45° and 90°, we take the degrees at the bottom of the page and the minutes in the right-hand column. The values of the four functions log sine, log tangent, log cotangent, and log cosine, as read at the bottom of the page, are then found in the same line as the minutes.

Example 1. For  $52^{\circ}$  59' we find

 $\log \sin = 9.90225;$  $\log \tan = 0.12262;$  $\log \cot = 9.87738;$  $\log \cos = 9.77963.$ 

To find the trigonometric functions of 77° 17'.28.

Find the logarithms of the six functions of the following angles:

inotherd

1. 45° 50′.74; 3. 74° 0′.68; 48° 49′.37; 4. 83° 59′.62.

Find an I less that To corresponding to the follows is Mex sed 1. Log 211 @ = 9.90 Id3 - 10 5: Leg tand. . 02481 Z. Legens d . 9.90142 10 6, for fam a = .97519 7. Los tom a 9.13690-10 3. hertan 2 -

4/ 1+ 1/21/2

III. When the angle exceeds 90°.

Rule. Subtract from the angle the greatest multiple of 90° which it contains.

If this multiple is 180°, enter the table with the excess of the angle over 180° and take out the functions required, as if this excess were itself the angle.


If the multiple is 90° or 270°, take out the complementary function to that required.

By then assigning the proper algebraic sign, as shown in trigonometry, the complete values of the function will be obtained.

The computer should be able to assign the proper algebraic sign according to the quadrant, without burdening his memory with

the special rules necessary in each case. This he can do by carrying in his mind's eye the following scheme. He should have at command the arrangement of the four quadrants as usually represented in trigonometry, so as to know, when an angle is stated, where it will fall relatively to the horizontal and vertical lines through the centre of the circle. Then, in the case of—

Sine or cosecant. If the angle is above the horizontal line (which



it is between 0° and 180°), the sine is positive; if below, negative.

Cosine or secant. If the angle is to the right of the vertical central line (as it is in the first and fourth quadrants), the cosine and secant are positive; if to the left (as in the second and third quadrants), negative.

Tangent or cotangent. Through the opposite first and third quadrants, positive; through the opposite second and fourth quadrants, negative.

Example 1. To find the tangent and cosine of 122° 44′. Subtracting 90°, we enter the table with 32° 44′ and find

log cot 
$$32^{\circ} 44' = 0.19192$$
;  
log sin  $32^{\circ} 44' = 9.73298$ .

'Increfore, writing the algebraic sign before the logarithm, we have

log tan 122° 44′ = 
$$-0.19192$$
;  
log cos 122° 44′ =  $-9.73298$ .

Ex. 2. To find the sine and cotangent of 322° 58'.

Entering the table with  $52^{\circ} 58' = 322^{\circ} 58' - 270^{\circ}$ , and taking out the complementary functions, we find

$$\log \sin 322^{\circ} 58' = -9.779 80;$$
  
 $\log \cot 322^{\circ} 58' = -0.122 36.$ 

Ex. 3. To find the sine and tangent of 253° 5'.

Entering with 73° 5', we take out the sine and tangent, finding

$$\log \sin 253^{\circ} 5' = -9.89079;$$
  
 $\log \tan 253^{\circ} 5' = +0.51693.$ 

Ex. 4. To find the six trigonometric functions of 152° 38'. We have

#### Exercises.

Find the six trigonometric functions of the following angles:

```
276° 29′.3;
66° 0′.5;
96° 59′.8;
252° 20′.3;
318° 10′.7;
- 25° 22′.2;
-155° 30′.7.
```

## 16. Method of Writing the Algebraic Signs.

As logarithms are used in computation, they may always be considered positive. It is true that the logarithms of numbers less than unity are in reality negative, but, for convenience in calculation, we increase them by 10, so as to make them positive.

The number corresponding to a given logarithm may, in computation, be positive or negative. There are two ways of distinguishing the algebraic sign of the number, between which the computer may choose for himself.

I. Write the algebraic sign of the number before the logarithm. As usually interpreted, the algebraic sign written thus would apply to the logarithm, which it does not. It is therefore necessary for the

computer to bear in mind that the sign belongs, not to the logarithm, as written, but to the number.

II. Write the letter n after the logarithm when the number is negative. This plan is theoretically the best, but, should the computer accidentally omit the letter, the number will be treated as positive, and a mistake will be made. It therefore requires vigilance on his part. An improvement would be to write a letter not likely to be mistaken for n, s for instance, after all positive logarithms.

## 17. To Find the Angle Corresponding to a Given Trigonometric Function.

Disregarding algebraic signs, there will always be four angles corresponding to each function, one in each quadrant. These angles will be:

The smallest angle, as found in the table;

This angle increased by 180°;

The complementary angle increased by 90°;

The complementary angle increased by 270°.

For instance, for the angle of which log tan is 0.611 92, we find 76° 16′. But we should get this same tangent for 103° 44′, 256° 16′, and 283° 44′.

Of the four functions corresponding to the four angles, two will always be positive and two negative; so that, in reality, there will only be two angles corresponding to a function of which both the sign and the absolute value are given. These values are found by selecting from the four possible ones the two for which the functions have the given algebraic sign. After selecting them, they may be checked by the following theorems, which are easily deduced from the relations between the values of each function as given in trigonometry:

The sum of the two angles corresponding to the same sine is  $180^{\circ}$  or  $540^{\circ}$ .

The sum of the two angles corresponding to the same cosine is  $360^{\circ}$ .

The difference of the two angles corresponding to the same tangent is 180°.

Which of the two possible angles is to be chosen depends upon the conditions of the problem or the nature of the figure to which the angle belongs. If neither the conditions nor the figure decide the question, the problem is essentially ambiguous, and either or both angles are to be taken.

#### EXERCISES.

Find the pairs of values of the angle  $\alpha$  from the following values of the trigonometric functions:

```
1. \log \sin \alpha = +9.90243;
                                     12. \log \sec \alpha = +0.22106;
 2. \log \sin \alpha = -9.90243;
                                      13. \log \sec \alpha = -0.22106;
 3. \log \cos \alpha = +9.90243;
                                     14. \log \sec \alpha = -0.09920;
 4. \log \cos \alpha = -9.90243;
                                     15. \log \sec \alpha = +0.12346;
                                     16. \log \sin \alpha = + 8.99030;
 5. \log \tan \alpha = + 0.14316;
 6. \log \tan \alpha = -0.14316;
                                     17. \log \sin \alpha = -8.99030;
 7. \log \cot \alpha = +0.14316;
                                     18. \log \cos \alpha = +9.21867;
 8. \log \cot \alpha = -0.14316;
                                     19. \log \cos \alpha = -9.21867;
 9. \log \tan \alpha = -9.02481;
                                     20. \log \tan \alpha = -9.13690;
10. \log \tan \alpha = -0.97519;
                                     21. \log \tan \alpha = +9.13690;
11. \log \tan \alpha = +0.97519;
                                     22. \log \cot \alpha = +9.13690.
```

## 18. Cases when the Function is very Small or Great.

When the angle of which we are to find the functions approaches to zero, the logarithms of the sine, tangent, and cotangent vary so rapidly that their values to five figures cannot be readily interpolated. The same remark applies to the cosine, cotangent, and tangent of angles near 90° or 270°. The mode of proceeding in these cases will depend upon circumstances.

In the use of five-place logarithms, there is little advantage in carrying the computations beyond tenths of minutes, though the hundredths may be found when the tangent or cotangent is given. Where greater accuracy than this is required, six- or seven-place tables must be used.

If the angles are only carried to tenths of minutes, there is no necessity for taking out the sine, tangent, or cotangent to more than four decimals when the angle is less than 3°, and three decimals suffice for angles less than 30′. The reason is that this number of decimals then suffice to distinguish each tenth of minute.

When the decimals are thus curtailed, an expert computer will be able to perform the multiplication and division for the tenths or minutes mentally. If, however, this is inconvenient, the following rule may be applied.

To find the log sine or log tangent of an angle less than 2° to four places of decimals:

Rule. Enter the table of logarithms of numbers with the value

of the angle expressed in minutes and tenths, and take out the logarithm.

To this logarithm add the quantity 6.4637.- . •

The sum will be the log sine, and the log tangent may be assumed to have the same value.

Example 1. To find log sin 1° 22′.6. 1° 22′.6 = 82′.6 log 82′.6 = 1.9170 constant, 6.4637 = 1° log sin 1° 22′.6, 8.3807 = 1°

This rule is founded on the theorem that the sines and tangents of very small arcs may be regarded as equal to the arcs themselves. Since, in using the trigonometric functions, the radius of the circle is taken as unity, an arc must be expressed in terms of the unit radius when it is to be used in place of its sine or tangent. Now, it is shown in trigonometry that the unit radius is equal to 57°.2958 or 3437'.747 or 206 264".8. Hence we must divide the number of angular units in the angle by the corresponding one of these coefficients to obtain the length of the corresponding arcs in unit radius. Now,

 $\log 3437.747 = 3.5363$  $eo-\log.....6.4637 - 10$ 

which may be added instead of subtracting the logarithm.

To find the cosine of an angle very near 90°, we find the sine of its complement, which will then be a very small angle, positive or negative.

#### EXERCISES.

Find to four places of decimals:

1. log sin 22'.73;

2. log sin 1° 1′.12;

3. log cos 90° 0′.78;

4. log tan 88° 59′.35;

5. log eot 90° 28′.76;

6. log cos 89° 22′.23;

7. log sin 0° 0'.25.

If an angle corresponding to a given sine or tangent is required, the rule is:

From the given log sine or tangent subtract 6.4637 or add 3.5363. The result is the logarithm of the number of minutes.

Of course this rule applies only to angles less than 2°, in the value of which only tenths of minutes are required.

#### EXERCISES.

Find  $\alpha$  from:

1.  $\log \sin \alpha = 7.2243$ ; 10 3.  $\log \tan \alpha = + 2.8816$ ;

2.  $\log \cot \alpha = 2.8816$ ; 4.  $\log \cos \alpha = 6.9218$ .

When the small angle is given in seconds. Although the computer may take out his angles to tenths of minutes, cases often arise in which a small angle is given in seconds, or degrees, minutes, and seconds, and in which the trigonometric function is required to five decimals. In this case the preceding method may not always give accurate results, because the arc and its sine or tangent may differ by a greater amount than the error we can admit in the computation.

Table III. is framed to meet this case. The following are the

quantities given:

In the second column: The argument, in degrees and minutes, as already explained for Table IV.

In the first column: This argument reduced to seconds. From this column the number of seconds in an arc of less than 2°, given in degrees, minutes, and seconds, may be found at sight.

Example. How many seconds in 1° 28′ 39″? In the table, before 1° 28′, we find 5280″, which being increased by 39″ gives 5319″, the number required.

Col. 3. The logarithm of the sine of the angle. This is the same us in Table IV.

Col. 4. The value of log sine minus log arc; that is, the difference between the logarithm of the sine and the logarithm of the number of seconds in the angle.

Col. 5. The same quantity for the tangent.

Cols. 6 and 7. The complements of the preceding logarithms, distinguished by accents.

The use of the tables is as follows.

To find the sine or tangent of an angle less than 2°:

Express the angle in seconds by the first two columns of the table.

Write down the logarithm in column S or column T, according as the sine or a tangent is required.

Find from Table I. the logarithm of the number of seconds.

Adding this logarithm to S or T, the sum will be the log sine or log tangent.

Example. Find log sin 1° 2′ 47".9.

S, 4.685 55 1° 2′ 47″.9 = 3767″.9; log, 3.576 10

log sin 1° 2' 47".9, 8.261 65

# The radian measure of the small Lt" is \$\frac{1}{206265}\$. Let \$\frac{5\int''}{2} = X (almost) \text{ Y canbe computed for 5 mall Ls , 5 any (between 20626) \$\frac{206265}{206265}\$ = \$\log 2'' + S \\

Then \$\frac{5\int''}{206265}\$ is log \$\frac{5\int''}{2}\$ log \$\frac{1}{2}\$ log \$\fra

Sand I all the with, com plenews of sand 1. For y 5= Yog sint then Go. 7"= lea sin t"-5 = log sin t"+5".

## WHEN THE FUNCTION IS VERY SMALL OR GREAT.

To find the arc corresponding to a given sine or tangent:

Find in the column L. sin. the quantity next greater or next smaller than the given logarithm.

Take the corresponding value of S' or T' according as the given function is a sine or tangent, and add it to the given function.

The sum is the logarithm of the number of seconds in the required ale.

Example. Given log tan x = 8.401 25, to find x.

log tan x, 8.401 25 -10

T', 5.314 33

 $\log x$ , 3.715 58

 $x = 5194''.9 = 1^{\circ} 26' 34''.9$ , from col. 2.

#### EXERCISES.

Find:

- 1. log sin 0° 20′ 20″.25;
- 2. log tan 0° 0′ 1″.2273;
- 3. log sin 1° 59′ 22″.7;
- 4. log tan 1° 0′ 59″.7.

Find x from:

- 1.  $\log \tan x = 8.42796$ ; -10
- 2.  $\log \tan x = 7.42796$ ; -10
- 3.  $\log \tan x = 6.42796$ ; -10
- 4.  $\log \sin x = 5.35435$ ; -10
- 5.  $\log \sin x = 4.22619$ ;
- 6.  $\log \sin x = 8.540 \, 78.$

When the cosine or cotangent of an angle near 90° or 270° is required, we take its difference from 90° or 270°, and find the complementary function by the above rules.

Remark. The use of the logarithms of the trigonometric functions is so much more extensive than that of the functions themselves that the prefix "log" is generally omitted before the designation of the logarithmic function, where no ambiguity will result from the omission.

Column 3 Table II contains the value of S for each men its for and between 6° and 20; 5 = leg Rind" - leg?"

Similarly T= log tent" - log t" thence the rules given below and the formulas on the first page of table II. (5 and T in the table are increased by 10).

### TABLE V.

## NATURAL SINES AND COSINES.

19. This table gives the actual numerical values of the sine and cosine for each minute of the quadrant.

To find the sine or cosine corresponding to a given angle less than 45°, we find the degrees at the top of a pair of columns and the minutes on the left.

In the two columns under the degrees and in the line of minutes we find first the sine and then the cosine, as shown at the head of the column.

A decimal point precedes the first printed figure in all cases, except where the printed value of the function is unity.

If the given angle is between 45° and 90°, find the degrees at the bottom and the minutes at the right.

Of the two numbers above the degrees, the right-hand one is the sine and the left-hand one the cosine.

For angles greater than 90° the functions are to be found according to the precepts given in the case of the logarithms of the sines and tangents.

## TABLE VI.

## ADDITION AND SUBTRACTION LOGARITHMS.

**20.** Addition and subtraction logarithms are used to solve the problem: Having given the logarithms of two numbers, to find the logarithm of the sum or difference of the numbers.

The problem can of course be solved by finding the numbers corresponding to the logarithms, adding or subtracting them, and taking out the logarithm of their sum or difference. The table under consideration enables the result to be obtained by an abbreviated process.

I. Use in addition. The principle on which the table is constructed may be seen by the following reasonings. Let us put

$$S \doteq a + b$$
,

a and b being two numbers of which the logarithms are given. We shall have

$$S = a\left(1 + \frac{b}{a}\right) = a\left(1 + x\right);$$

putting, for clearness,  $x = \frac{b}{a}$ .

We then have

$$\log S = \log a + \log (1 + x).$$

Since  $\log a$  and  $\log b$  are both given, we can find  $\log x$  from the equation

$$\log x = \log b - \log a,$$

which is therefore a known quantity.

Now, for every value of  $\log x$  there will be one definite value of each of the quantities x, 1 + x, and  $\log (1 + x)$ . Therefore a table may be constructed showing, for every value of  $\log x$ , the corresponding value of  $\log (1 + x)$ .

Such a table is Table VI.

The argument, in column A, being  $\log x$ , the quantity B in the table is  $\log (1+x)$ .

Example.  $\log 0.25 = 9.39794$ .

Entering the table with A = 9.39794, we find

B = 0.09691,

which is the logarithm of 1.25.

Therefore, entering the table with  $\log x$  as the argument, we take out  $\log (1+x)$ , which added to  $\log a$  will give  $\log S$ .

We have therefore the following precept for using the table in addition:

Take the difference of the two given logarithms.

Enter the table with this difference as the argument A, and take out the quantity B.

Adding B to the subtracted logarithm, the sum will be the required logarithm of the sum.

It is indifferent which logarithm is subtracted, but convenience in interpolating will be gained by subtracting the greater logarithm from the lesser increased by 10. The number B will then be added to the greater logarithm.

Example. Given  $\log m = 1.62974$ ,  $\log n = 2.20386$ ; find  $\log (m + n)$ .

The required logarithm is found in either of the following two ways:

The figures in parentheses show the order in which the numbers are written.

#### EXERCISES.

Log a and log b having the following values, find log (a + b).

- 1.  $\log a = 1.70037$ ;  $\log b = 0.92169$ .
- 2.  $\log a = 0.62460$ ;  $\log b = 9.88126$ .
- 3.  $\log a = 9.79186$ ;  $\log b = 9.39209$ .
- 4.  $\log a = 1.601 62$ ;  $\log b = 1.306 06$ .
- 5.  $\log a = 0.79290$ ;  $\log b = 9.22127$ .
- 6.  $\log a = 0.60132$ ;  $\log b = 9.00168$ .
- 7.  $\log a = 4.79643$ ;  $\log b = 3.98186$ .

II. Use in subtraction. The problem is, having given  $\log a$  and  $\log b$ , to find the logarithm of

$$D = a - b.$$
We have 
$$D = b \left(\frac{a}{b} - 1\right);$$
whence 
$$\log D = \log b + \log \left(\frac{a}{b} - 1\right).$$

Since  $\log \frac{a}{b}$  is found by subtracting  $\log b$  from  $\log a$ , if we can

find  $\log \left(\frac{a}{b} - 1\right)$  from  $\log \frac{a}{b}$ , the problem will be solved.

From the construction of the table already explained, if we have

$$B = \log \frac{a}{b},$$

we must have

$$A = \log\left(\frac{a}{b} - 1\right).$$

We now have the following precept for subtraction:

Subtract the lesser of the given logarithms from the greater.

Enter the table so as to find the difference of the logarithms in the numbers B of the table.

Add the corresponding value of A to the lesser of the given logarithms. The sum will be the logarithm of the difference.

Example. Find  $\log (n-m)$  in the example of the preceding section.

$$\log n$$
, 2.203 86 (1)

$$\log m$$
, 1.629 74 (2)

$$A, 0.43945$$
 (4)

$$\log \frac{n}{m} = B, 0.57412 \quad (3)$$

$$\log (n - m), 2.06919$$
 (5)

#### EXERCISES.

Find the logarithms of the differences of the quantities a and v in the preceding section.

Remark. In the use of addition and subtraction logarithms, the precepts apply to numerical sums and differences, without respect to the algebraic signs of the quantities. For example, the algebraic difference between + 1473 and - 29 462 is to be found by addition, and the algebraic sum of a positive and negative quantity by subtraction.

Case where the quotient is large. Near the end of the table, A and B become nearly equal; the structure of the table is therefore changed so as to simplify its use. It is evident that if b is very small compared with a, the logarithms of a + b and a - b will not differ much from the logarithm of a itself. Hence, in this case, we shall have smaller numbers to use if we can find the quantity which must be added to  $\log a$  to give  $\log (a + b)$ , or subtracted from

or

log a to give log (a - b). Now, the equations already written give, when a > b,  $\log a = \log b + A$ ,

$$\log (a+b) = \log b + B;$$

whence, by subtraction,

$$\log (a + b) - \log a = B - A,$$
  
$$\log (a + b) = \log a + B - A. \text{ (with Arg. A)}$$

We find in the same way,

$$\log (a - b) = \log a - (B - A). \text{ (with Arg. B)}$$

Now, whenever  $\log a - \log b$  is greater than 1.65, we shall find it more convenient to take out B - A from the table than either A or B. We notice that the last two figures of B in this part of the table vary slowly, and we need only attend to them in interpolating. For instance, in the horizontal line corresponding to A = 1.66 we find:

The interpolation of B-A is now very easy whether the quantity given is A or B. We note that B-A has but three significant figures, of which the first is found in column zero, and the other two are the last two figures of B as printed.

As an example, let us find  $\log (a + b)$  from

$$\log a = 2.79163$$

$$\log b = 1.12819$$

$$A = 1.66344$$

Entering the table with this value of A, we find by column 0 that B-A falls between .009 40 and .009 19. Following the horizontal line A=1.66 to column 3 and interpolating the last two figures between 33 and 31 for .44, with the difference -2, we find

$$B - A = .00932$$
  
 $\log a = 2.79163$ 

Then

$$\log (a+b) = 2.80095$$

Next, if  $\log (a - b)$  is required, we have to find the difference 1.663 44 in the part B of the table. We find in the table:

for 
$$B = 1.66255$$
;  $B - A = .00955$ ;  
for  $B = 1.66353$ ;  $B - A = .00953$ .

Therefore

for 
$$B = 1.66344$$
;  $B - A = .00953$ .

Subtracting this from  $\log a$ , we have

$$\log (a - b) = 2.782 \, 10.$$

#### EXERCISES.

Find  $\log (a + b)$  and  $\log (a - b)$  from:

8.  $\log a = 0.36702$ ;  $\log b = 8.46283$ .

9.  $\log a = 0.00126$ ;  $\log b = 8.32907$ .

10.  $\log a = 2.06923$ ;  $\log b = 0.11085$ .

11.  $\log a = 5.80735$ ;  $\log b = 3.83809$ .

For values of A and B greater than 2.00, the table is so arranged that no interpolation at all is necessary. The computer has only to find what value of A or B given in the table comes *nearest* his value of  $\log a - \log b$  and take the corresponding value of B - A. He must remember that column A is to be entered for addition, and B for subtraction.

In this part of the table A and B are given to fewer than five decimals; because five decimals are not necessary to give B-A with accuracy. The nearer the end of the table is approached, the fewer the decimals necessary in taking the difference.

Example. Find  $\log (a + b)$  and  $\log (a - b)$  from

 $\log a = 1.26532$ 

 $\log b = 9.22230$ 

 $\log a - \log b$ , 2.043 02

Entering column A with this difference, we find the nearest tabular value of A to be 2.0425, to which corresponds B - A = .00392 Hence

$$\log (a + b) = 1.26532 + .00392 = 1.26924.$$

Entering column B with the same difference, we find B - A = .00395; whence

 $\log(a-b) = 1.26532 - .00395 = 1.26137.$ 

#### EXERCISES.

Find  $\log (a + b)$  and  $\log (a - b)$  from:

1.  $\log a = 4.06905$ ;  $\log b = 2.00132$ .

2.  $\log a = 3.92693$ ;  $\log b = 1.20159$ .

3.  $\log a = 3.06164$ ;  $\log b = 0.12615$ .

4.  $\log a = 1.220$  68;  $\log b = 7.321$  56.

5.  $\log a = 0.69317$ ;  $\log b = 6.01023$ .

6.  $\log a = 2.30620$ ;  $\log b = 7.02301$ .

Case of nearly equal numbers. Near the beginning of the table the reverse is true: it is not possible to find A with accuracy to five places of decimals. But here the value of A taken from the tables, though it be found to only two, three, or four places of decimals, will give as accurate a result as the computation of a and b to five places will admit of. Let us suppose, for example, that we have to find  $\log (a - b)$  from

$$\log a = 9.883 \, 15$$

$$\log b = 9.882 \, 96$$

$$B = 0.000 \, 19$$

$$A = 6.64 - 10;$$

$$\log (a - b) = 6.52 - 10.$$

We find whence

We note that the value of A may be 6.63 or 6.65 as well as 6.64, so that the result cannot be carried beyond two decimals. To show that these two are as accurate as the work admits of, we find the natural numbers a and b from Table I.

$$a = 0.764 10$$

$$b = 0.763 77$$

$$a - b = 0.000 33$$

Since a - b has but two significant figures, and the first of these is less than 5, two figures in the logarithm are all that can be accurate.

## TABLE VII.

## SQUARES OF NUMBERS.

21. By means of this table the square of any number less than 1000 may be found at sight, and that of any number less than 10000 by a simple and easy interpolation.

The first page gives the squares of the first 100 numbers, which

it is often convenient to have by themselves.

On the second and third pages (98 and 99) the hundreds of the number to be squared are found at the tops of the several columns, and the tens and units in the left-hand column. The first three or four figures of the square are in the column under the hundreds, and opposite the tens and units, and the last two figures on the right of the page after the column 9  $\spadesuit$ 

Examples. The square of 634 is 401 956;

" 329 " 108 241;

" 265 " 70 225;

" 153 " 23 409;

" 999 " 998 001.

The same table may be used for any number of three significant figures by attention to the position of the decimal-point. Thus:

$$51100^{2} = 2611210000;$$

$$511^{2} = 261121;$$

$$51.1^{2} = 2611.21;$$

$$5.11^{2} = 26.1121;$$

$$0.511^{2} = 0.261121.$$

When there are four significant figures, an interpolation may be executed in several ways. If n be the nearest number the square of which is found in the table, and h the excess of the given number over this, so that n + h is the number whose square is required, we shall have

$$(n+h)^2 = n^2 + 2nh + h^2 = n^2 + h(2n+h)$$
  
=  $n^2 + h(N+n)$ :

where N = n + h, the given number.

We may therefore find the square of 257.4 in the following way:

$$\begin{array}{r}
257^2 = 66\ 049 \\
514.4 \times .4 = 205.76 \\
(257.4)^2 = 66\ 254.76
\end{array}$$

· Co find the square of 9037 we proceed thus:

$$\begin{array}{ccc}
9037 \\
9030^2 & = 81540900 \\
\hline
18067 \times 7 & = 126469 \\
9037^2 & = 81667369
\end{array}$$

In many cases only one more figure will be required in the square than in the given number. The square can then be interpolated with all required accuracy by the differences, the last two figures of which are found in the last column of the table, while the remaining figures are found by taking the difference between two consecutive numbers in the principal column.

To return to the last example, we find the difference between 257<sup>2</sup> and 258<sup>2</sup> to be 515, the first figure being the difference between 660 and 665, and the last two, 15, in the last column. Then

$$257^{2} = 66\ 049$$

$$515 \times 0.4 = 206$$

$$(257.4)^{2} = 66\ 255$$

-which is correct to the nearest unit.

It will be remarked that the two methods are substantially the same when only five figures are sought in the result. The substantial identity rests upon the general theorem that

The difference of the squares of two consecutive numbers is equal to the sum of the numbers.

We prove this theorem thus:

$$(n+1)^2 - n^2 = 2n + 1 = n + (n+1).$$

When the tabular difference is taken in the way already described, it will often happen that the difference between the numbers in the columns of hundreds is to be diminished by unity. Thus, although 4173-4160=13, the difference between  $645^{\circ}$  and  $646^{\circ}$  is not 1391, but 1291. These cases are noted by the asterisk after the number in the last column.

The squares of numbers of more than four figures may be found in the same way, but in such cases it will generally be easier to use logarithms than the table of squares.

## TABLE VIII.

# TO CONVERT HOURS, MINUTES, AND SECONDS INTO DECIMALS OF A DAY, AND VICE VERSA.

22. The familiar method of solving this problem is to convert the seconds into decimals of a minute, and the minutes into decimals of an hour, by dividing by 60, and then the hours into decimals of a day by dividing by 24. The reverse problem is solved by multiplying by 24, 60, and 60.

Table VIII. enables us to perform these operations without division. Column D gives each hundredth of a day, but its numbers may also be regarded as ten thousandths or millionths of a day, according to which of the following three columns is used. In column H.M.S. are found the hours, minutes, and seconds corresponding to these hundredths. In the next column is one hundredth of column H.M.S., or the minutes and seconds in the number of ten thousandths of a

day in column D. Finally, column  $\frac{H.M.S.}{100^2}$  shows the number of seconds in the number of millionths of a day found in column D.

Example. To convert 0d. 532 946 into hours, minutes, and seconds.

$$0^{d}.53 = 12^{h} 43^{m} 12^{s}$$
  
 $.002 9 = 4^{m} 10^{s}.56$   
 $.000 046 = 3^{s}.97$   
 $0^{d}.532 946 = 12^{h} 47^{m} 26^{s}.53$ 

It will be seen that we divide the figures of the given decimal of a day into pairs, and enter the three columns of time with these three pairs in succession.

If seven decimals are given, we may interpolate the last number, as in taking out a logarithm.

Example. Convert 
$$0^{d}.050\ 762\ 7$$
.

 $0^{d}.05$  =  $1^{h}\ 12^{m}\ 0^{s}$ 
 $.000\ 7$  =  $1^{m}\ 0^{s}.48$ 
 $.000\ 062$  =  $.5^{s}.36$ 
 $.000\ 000\ 7$  =  $.7\times.08$  =  $0^{s}.06$ 
 $1^{h}\ 13^{m}\ 5^{s}.90$ 

In practice the computer will perform the interpolation mentally, adding  $.7 \times .08 = .06$  to the number 5 36 of the table in his head and writing down  $5^{s}.42$  as the last quantity to be added.

#### EXERCISES.

Convert into hours, minutes, and seconds:

Hence

be 302.

- 1. 0d.203 079 2;
- 2. 0d.783 605 8;
- 3. 0d.010 203 4;
- 4. 0d.990 990 9.

To use the table for the reverse operation, we proceed as in the following example:

It is required to convert  $17^h$   $29^m$   $30^s$ . 93 into decimals of a day. Looking in the table, we find that the required decimal is between 0.72 and 0.73. Hence the first two figures are 0.72, the equivalent of  $17^h$   $16^m$   $48^s$ . Subtracting the latter from the given number, we 0.72 =  $17^h$   $16^m$   $48^s$  have a remainder  $12^m$   $42^s$ . 93, to be sought for in column  $\frac{H.M.S.}{100}$ . This  $\frac{.0088}{.0000302} = \frac{12^m}{.0000302} \frac{42^s}{.0000302}$ 

gives 88 as the next two figures. Subtracting the equivalent of .0088 or  $12^{\rm m}$   $40^{\rm s}.32$ , we have left  $2^{\rm s}.61$ , which we are to seek in column  $\frac{H.M.S.}{100^{\rm s}}$ . We find the corresponding number of column D to

 $17^{\text{h}} 29^{\text{m}} 30^{\text{s}}.93 = 0^{\text{d}}.7288302.$ 

In solving this problem the computer should be able, after a little practice, to perform the subtractions and carry the remainders mentally, thus saving himself the trouble of writing down the numbers.

#### EXERCISES.

Take the answers obtained from the four preceding exercises, subtract each result from  $24^{\rm h}$   $0^{\rm m}$   $0^{\rm s}$ , change the remainder to decimals of a day, and see if when added to the decimals of the preceding exercises the sum is  $1^{\rm d}$ .000 000 0, as it should be.

## TABLE IX.

## TO CONVERT TIME INTO ARC, AND VICE VERSA.

23. In astronomy the right ascensions of the heavenly bodies are commonly given in hours, minutes, and seconds, the circumference being divided into 24 hours, each hour into 60 minutes, and each minute into 60 seconds.

Since 
$$360^{\circ} = \text{one circumference},$$
 we have  $1^{\text{h}} = 15^{\circ};$   $1^{\text{m}} = 15';$   $1^{\text{s}} = 15'';$ 

the signs h, m, and s indicating hours, minutes, and seconds of time. Hence we may change time into arc by multiplying by 15, and arc into time by dividing by 15, the denominations being changed in each case. Table IX. enables us to do this by simple addition and subtraction by a process similar to that employed in changing hours, minutes, and seconds into decimals of a day.

To turn time into arc, we find in the table the whole number of degrees contained in the time denomination next smaller than the given one, and subtract the former time denomination from the latter.

Next we find the minutes of arc corresponding to the given time next smaller than the remainder, and again subtract.

Lastly we interpolate the seconds corresponding to the second remainder.

Example. Change 15<sup>h</sup> 29<sup>m</sup> 46<sup>s</sup>.24 to arc.

Given time, 15<sup>h</sup> 29<sup>m</sup> 46<sup>s</sup>.24

The table gives 
$$232^{\circ} = 15^{h} 28^{m}$$

Remainder,  $1^{m} 46^{s}.24$ 

The table gives  $26' = 1^{m} 44^{s}$ 

Remainder,  $2^{s}.24 = 33''.6$ 

Hence

$$15^{\text{h}} 29^{\text{m}} 46^{\text{s}}.24 = 232^{\circ} 26' 33''.6.$$

The computer should be able to go through this operation without writing down anything but the result.

The operation of changing arc into time is too simple to require description, but it is more necessary to write down the work.

#### EXERCISES.

Change the following times to arc, and then check the results by changing the arcs into time and seeing whether the original times are reproduced:

- 1. 7h 29m 17s.86;
- 2. 0h 4m 0s.25;
- 3. 12<sup>h</sup> 4<sup>m</sup> 0<sup>s</sup>.25;
- 4. 13h 48m 16s.40;
- 5. 19h 7m 59s.92.

### TABLE X.

# TO CONVERT MEAN TIME INTO SIDEREAL TIME, AND SIDEREAL INTO MEAN TIME.

**24.** Since  $365\frac{1}{4}$  solar days =  $366\frac{1}{4}$  sidereal days (very nearly), any period expressed in mean time may be changed to sidereal time by increasing it by its  $\frac{1}{365.25}$  part, and an interval of sidereal time may be changed to mean time by diminishing it by its  $\frac{1}{366.25}$  part.

The first part of the table gives, for each 10 minutes of the argument, its  $\frac{1}{365.25}$  part, by which it is to be increased. The second part of the table gives the  $\frac{1}{366.25}$  part of the argument.

The small table in the margin shows the change for periods of less than 10 minutes.

Example 1. To change 17<sup>h</sup> 48<sup>m</sup> 36<sup>s</sup>.7 of mean time to sidereal time.

Ex. 2. To change this interval of sidereal time back to mean time.

Corr. for 
$$17^{\text{h}}$$
  $50^{\text{m}}$ ,  $-2^{\text{m}}$   $55^{\text{s}}.29$   
Corr. for  $1^{\text{m}}$   $32^{\text{s}}$ ,  $-2^{\text{m}}$   $55^{\text{s}}.54$   
Sidereal time,  $17^{\text{h}}$   $51^{\text{m}}$   $32^{\text{s}}.24$   
Mean time,  $17^{\text{h}}$   $48^{\text{m}}$   $36^{\text{s}}.70$ 

#### EXERCISES.

Change to sidereal time:

Change to mean time:

## OF DIFFERENCES AND INTERPOLATION.\*

## 25. General Principles.

We call to mind that the object of a mathematical table is to enable one to find the value of a function corresponding to any value whatever of the variable argument. Since it is impossible to tabulate the function for all values of the argument, we have to construct the table for certain special values only, which values are generally equidistant. For example, in the tables of sines and cosines in the present work the values of the functions are given for values of the argument differing from each other by one minute.

The process of finding the values of functions corresponding to values of the argument intermediate between those-given is called interpolation.

We have already had numerons examples of interpolation in its most simple form; we have now to consider the subject in a more general and extended way.

In the first place, we remark that, in strictness, no process of interpolation can be applicable to all cases whatever. From the mere facts that

To the number 2 corresponds the logarithm 0.301 03, " " 0.477 12,

we are not justified in drawing any conclusion whatever respecting the logarithms of numbers between 2 and 3. Hence some one or more hypotheses are always necessary as the base of any system of interpolation. The hypotheses always adopted are these two:

- 1. That, supposing the argument to vary uniformly, the function varies according to some regular law.
- 2. That this law may be learned from the values of the function given in the table.

These hypotheses are applied in the process of differencing, the

<sup>\*</sup> The study of this subject will be facilitated by first mastering so much of it as is contained in the author's College Algebra, §§ 299-302.

It is also recommended to the beginner in the subject that, before going over the algebraic developments, he practise the methods of computation according to the rules and formulæ, so as to have a clear practical understanding of the notation. He can then more readily work out the developments.

nature of which will be seen by the following example, where it is applied to the logarithms of the numbers from 30 to 37:

	Function.	$\Delta'$	$\Delta^{\prime\prime}$	⊿'''	⊿iv
log 30.	1.477 12 _	1424			
	$1.491\ 36\ \pm$	1379	-45	<b>1</b> 2	
· 32.	1.505 15	1336	<b>-</b> 43	1 ~	+2
· 33.		1297	<b>—</b> 39	丁二	<b>—</b> 3
" 34.		1259	<b>—</b> 38	T 1	+1
<b>"</b> 35.	$1.544\ 07\ \top$	1223	<b>-</b> 36	T ~	+1
" 36.	1.55630	1225	<b>—</b> 33	4.9	
" 37.	$1.56820^{-4}$	. 1190			

The column  $\Delta'$  gives each difference between two consecutive values of the function, formed by subtracting each number from that next following. These differences are called *first differences*.

The column  $\Delta''$  gives the difference between each two consecutive first differences. These are called second differences.

In like manner the numbers in the succeeding columns, when written, are called *third differences*, *fourth differences*, etc.

Now if, in continuing the successive orders of differences, we find them to continually become smaller and smaller, or to converge toward zero, this fact shows that the values of the functions follow a regular law, and the first hypothesis is therefore applicable.

In order to apply interpolation we must then assume that the intermediate values of the function follow the same law. The truth of this assumption must be established in some way before we can interpolate with mathematical rigor, but in practice we may suppose it true in the absence of any reason to the contrary.

26. Effect of errors in the values of the functions. In the preceding example it will be noticed that if we continue the orders of differences beyond the fourth, they will begin to increase and become irregular. This arises from the imperfections of the logarithms, owing to the omission of decimals beyond the fifth, already described in § 11.

When we find the differences to become thus irregular, we must be able to judge whether this irregularity arises from actual errors in the original numbers, which ought to be corrected, or from the small errors necessarily arising from the omission of decimals.

The great advantage of differencing is that any error, however small, in the quantities differenced, unless it follows a regular law, will be detected by the differences. To show the reason of this, we investigate what effect errors in the given functions will have upon the successive orders of differences. THEOREM. The differences of the sum of two quantities are equal to the sums of their differences.

General proof. Let

$$f_1$$
,  $f_2$ ,  $f_3$ , etc., be one set of functions;  $f'_1$ ,  $f'_2$ ,  $f'_3$ , etc., another set.

 $f_1 + f_1'$ ,  $f_2 + f_2'$ ,  $f_3 + f_3'$ , etc., will then be their sums.

In the first of the following columns we place the first differences of f, in the second those of f', and in the third those of f + f', each formed according to the rule:

$$\begin{array}{cccc} f_2 - f_1 & f_2'' - f_1' & f_2 + f_2' - (f_1 + f_1') \\ f_3 - f_2 & f_3' - f_2' & f_3 + f_3' - (f_2 + f_2') \\ \text{etc.} & \text{etc.} \end{array}$$

It will be seen that the quantities in the third column are the sums of those in the first two.

#### NUMERICAL EXAMPLE.

$f$ $\Delta'$	f' $arDelta'$	$f+f'$ $\Delta'$
$\frac{14}{1} + 25$	$\frac{1}{1} + 2$	15 + 27
$\frac{14}{39} + 25$ $50 + 11$	$\frac{3}{c} + \overset{\sim}{3}$	$\frac{42}{50} + \frac{21}{14}$
$-\frac{50}{1} - 51$	$     \begin{array}{r}       1 + 2 \\       3 + 3 \\       6 + 3 \\       10 + 4     \end{array} $	$\begin{array}{r} 15 \\ 42 + 27 \\ 56 + 14 \\ 9 - 47 \end{array}$
_ 1	10	J

We see that the third set of values of  $\Delta'$  follow the theorem.

Because the second differences are the differences of the first, the third the differences of the second, etc., it follows that the theorem is true for differences of any order.

Now when we write a series of functions in which the decimals exceeding a certain order are omitted, we may conceive each written number to be composed of the algebraic sum of two quantities, namely:

- 1. The true mathematical value of the function.
- 2. The negative of the omitted decimals.

Example. In the preceding collection of logarithms, since the true value of log 30 is 1.477 121 3..., we may conceive the quantity written to be

$$1.47712 = \log 30 - .0000013...$$

Hence the differences actually written are the differences of the true logarithms minus the differences of the errors. Now suppose the errors to be alternately + 0.5 and - 0.5 = the point marking off the last decimal. Their differences will then be as follows:

It is evident that the *n*th order of differences of the errors are equal to  $\pm 2^{n-1}$ . Hence, in this case, if the *n*th order of differences of the true values of the function were zero, still, in consequence of the omission of decimals, the actual differences of the *n*th order would be  $2^{n-1}$ .

This, however, is a very extreme case, since it is beyond all probability that the errors should alternate in this way. A more probable average example will be obtained by supposing a single number to have an error of 0.5, while the others are correct. We shall then have

In this case the maximum value of the difference of the nth order is 1.5 in the differences of the third order, 3 in those of the fourth, 5 in those of the fifth, etc. Its general expression is

$$\frac{1}{2} \frac{n(n-1)(n-2)\dots(n-s+1)}{1 \cdot 2 \cdot 3 \cdot \dots \cdot s},$$

where n is the order of differences, and

$$s = \frac{n}{2} \text{ or } \frac{n-1}{2}$$

according as n is even or odd. Thus:

$$\Delta' = \frac{1}{2};$$

$$\Delta'' = \frac{1}{2} \cdot \frac{2}{1} = 1;$$

$$\Delta''' = \frac{1}{2} \cdot \frac{3}{1} = 1.5;$$

$$\Delta^{iv} = \frac{1}{2} \cdot \frac{4 \cdot 3}{1 \cdot 2} = 3;$$

$$\Delta^{v} = \frac{1}{2} \cdot \frac{5 \cdot 4}{1 \cdot 2} = 5;$$
etc.

This being about the average case, in actual practice the differences may be two or three times as great without necessarily implying an error greater than 0.5 in the numbers written.

We have now the following general rule for judging whether a series of numbers do really follow a uniform law.

Difference the series until we reach an order of differences in which the + and - signs either alternate or follow each other irregularly.

If none of the differences of this order expressed in units of the last place of decimals exceed the limit

$$\frac{n(n-1)\dots(n-s+1)}{1\cdot 2\cdot 3\cdot \dots s}.$$

—tnat is, the value of the largest binomial coefficient of the nth order—the given numbers may be assumed to follow a regular law, and therefore to be correct to a unit in the last figure.

If some differences exceed this limit, their quotient by the above binomial coefficient may be considered to show the maximum error with which the number opposite it is probably affected.

We can thus detect an isolated error in a series of numbers with great certainty. Suppose, for example, an error of 2 in some number of the series. Differencing the series 0, 0, 0, 2, 0, 0, we shall find the four largest differences of the fifth order to be -10, +20, -20, +10, which would enable us to hit at once upon the erroneous number and judge of the magnitude of its error.

An error near the beginning and end of the series of numbers of which the differences are taken cannot be detected by the differences unless it is considerable. If, for instance, the first or last number is in error by 1, the error of each order of differences will only be 1, as we may easily see by the following example:

It is only in those differences which are on or near the same line as the numbers which are magnified in the way we have shown. But at the beginning and end of the series we cannot determine these differences.

Examining the various tables of differences, we see that n numbers have n-1 first differences, n-2 second differences, and so on, the number diminishing by 1 with each succeeding order. Hence, unless the number of given functions exceeds the index expressing the order of differences which we have to form, no certain conclusion can be drawn.

What is here said of the correctness of the numbers when the differences run properly must be understood as applicable to isolated errors only. If all the numbers were subject to an error following a regular law, this error would not be detected by the differences because, from the nature of the case, the latter only show deviations from some regular law.

## 27. Fundamental Formulæ of Interpolation.

We suppose a series of numbers to be differenced in the way already shown, and the various differences to be designated as in the following scheme, which is supposed to be a selection from a series preceding and following it.

It will be seen that the lower indices are chosen so as to styre on which line a difference of any order falls. Thus all quantities with index 2 are on one horizontal line, those with index  $\frac{5}{2} = 2\frac{1}{2}$  are half a line below, etc. This notation is a little different from that used in algebra, but the change need not cause any confusion.

It is shown in algebra that if n be any index, we have

$$u_{n} = u_{0} + n \Delta'_{\frac{1}{2}} + \frac{n(n-1)}{1 \cdot 2} \Delta''_{1} + \frac{n(n-1)(n-2)}{1 \cdot 2 \cdot 3} \Delta'''_{\frac{3}{2}} + \text{etc.};$$
 (a)

the notation being changed as in the preceding scheme.

Now the fundamental hypothesis of interpolation is that this formula, which can be demonstrated only for integral values of n, is true also for fractional values; that is, for values of the function u between those given in the table or in the above scheme. We therefore suppose this formula to express the value of the function u for any value of n between 0 and 1.

For values between + 1 and + 2 we have only to increase the indices of u and its differences by unity, thus:

$$u_{1+n} = u_1 + n\Delta'_{\frac{3}{2}} + \frac{n(n-1)}{1+2}\Delta''_{2} + \text{etc,},$$

and by supposing n to increase from 0 to 1 in this formula we shall have values of u from  $u_1$  to  $u_2$ .

Increasing the indices again—that is, applying our general formulæ to a row of quantities one line lower—we shall have

$$u_{2+n} = u_2 + n\Delta'_{\frac{5}{2}} + \frac{n(n-1)}{1 \cdot 2}\Delta''_{3} + \text{etc.}$$

The equation (a) is known as Newton's formula of interpolation.

## 28. Transformations of the Formula of Interpolation.

In the equation (a) and those following it, the formula of interpolation is not in its most convenient form. We shall therefore transform it so that the differences employed shall be symmetrical with respect to the functions between which the interpolation is to be made.

In working these transformations we shall suppose the sixth and following orders of differences to be so small as not to affect the result. These differences being supposed zero, any two consecutive fifth differences may be supposed equal.

First transformation. Let us first find what the original formula (a) will become when, instead of using the series of differences

$$\Delta'_{\frac{1}{2}}$$
,  $\Delta''_{\frac{1}{2}}$ ,  $\Delta'''_{\frac{3}{2}}$ ,  $\Delta^{iv}_{\frac{v}{2}}$ , etc.,

we use

$$\Delta'_{\frac{1}{2}}$$
,  $\Delta''_{0}$ ,  $\Delta'''_{\frac{1}{2}}$ ,  $\Delta^{iv}_{0}$ , etc.

To effect the transformation we must find the values of the first series of differences in terms of the second, and substitute them in the formula (a).

We find, by the mode of forming the differences,

$$\begin{split} \Delta''_{1} &= \Delta''_{0} + \Delta'''_{\frac{1}{2}}; \\ \Delta'''_{\frac{3}{2}} &= \Delta'''_{\frac{1}{2}} + \Delta^{iv}_{1}; \\ &= \Delta'''_{\frac{1}{2}} + \Delta^{iv}_{0} + \Delta^{v}_{\frac{1}{2}}; \\ \Delta^{iv}_{2} &= \Delta^{iv}_{0} + \Delta^{v}_{\frac{1}{2}} + \Delta^{v}_{\frac{3}{2}}; \end{split}$$

for which, because we suppose the values of  $\Delta^{v}$  to be equal, we may put

$$\Delta^{iv}_{2} = \Delta^{iv}_{0} + 2\Delta^{v}_{\frac{1}{2}};$$
  
 $\Delta^{v}_{\frac{5}{2}} := \Delta^{v}_{\frac{1}{2}}.$ 

Making these substitutions in (a), we have

$$u_{n} = u_{o} + n\Delta'_{\frac{1}{2}} + \frac{n (n-1)}{1 \cdot 2} (\Delta''_{o} + \Delta'''_{\frac{1}{2}})$$

$$+ \frac{n (n-1) (n-2)}{1 \cdot 2 \cdot 3} (\Delta'''_{\frac{1}{2}} + \Delta^{iv}_{o} + \Delta^{v}_{\frac{1}{2}})$$

$$+ \frac{n (n-1) (n-2) (n-3)}{1 \cdot 2 \cdot 3 \cdot 4} (\Delta^{iv}_{o} + 2\Delta^{v}_{\frac{1}{2}})$$

$$+ \frac{n (n-1) \cdot \dots (n-4)}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} \Delta^{v}_{\frac{1}{2}}.$$

Reducing by collecting the coefficients of equal differences, we find

$$u_{n} - u_{o} = n \Delta'_{\frac{1}{2}} + \frac{n (n-1)}{1 \cdot 2} \Delta'''_{o} + \frac{(n+1) n (n-1)}{1 \cdot 2 \cdot 3} \Delta'''_{\frac{1}{2}} + \frac{(n+1) n (n-1) (n-2)}{1 \cdot 2 \cdot 3 \cdot 4} \Delta^{iv}_{o} + \frac{(n+2)(n+1)n(n-1)(n-2)}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} \Delta^{v}_{\frac{1}{2}}.$$
 (b)

Second transformation. Next, instead of the series of this last formula, (b),

 $\Delta'_{i}$ ,  $\Delta''_{0}$ ,  $\Delta'''_{\frac{1}{2}}$ ,  $\Delta^{iv}_{0}$ , etc.,

let us use

$$\Delta'_{-\frac{1}{2}}$$
,  $\Delta''_{0}$ ,  $\Delta''^{i}_{-\frac{1}{2}}$ ,  $\Delta^{iv}_{0}$ , etc.

To effect this transformation we substitute in (b) for  $\Delta'_{\frac{1}{2}}$ ,  $\Delta''_{\frac{1}{2}}$ , etc.,

$$\begin{array}{lll} \varDelta'_{\frac{1}{2}} &= \varDelta'_{-\frac{1}{2}} &+ \varDelta''_{0}; \\ \varDelta'''_{\frac{1}{2}} &= \varDelta'''_{-\frac{1}{2}} &+ \varDelta^{i}v_{0}; \\ \varDelta^{v}_{\frac{1}{2}} &= \varDelta^{v}_{-\frac{1}{2}}. \end{array}$$

The series (b) then changes into

$$u_{n} - u_{0} = n\Delta'_{-\frac{1}{2}} + \frac{n(n+1)}{1 \cdot 2} \Delta''_{0} + \frac{(n+1)n(n-1)}{1 \cdot 2 \cdot 3} \Delta'''_{-\frac{1}{2}} + \frac{(n+2)(n+1)n(n-1)}{1 \cdot 2 \cdot 3 \cdot 4} \Delta^{iv}_{0} + \frac{(n+2)(n+1)n(n-1)(n-2)}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} \Delta^{v}_{-\frac{1}{2}}.$$
 (c)

Third transformation. Stirling's formula. We effect a third transformation by taking the half sum of the equations (b) and (c), which gives us a formula perfectly symmetrical with respect to the lines of differences, namely,

$$u_{n} - u_{0} = n \frac{\Delta'_{-\frac{1}{2}} + \Delta'_{\frac{1}{2}}}{2} + \frac{n^{2}}{2} \Delta''_{0} + \frac{n(n^{2} - 1)}{1 \cdot 2 \cdot 3} \frac{\Delta'''_{-\frac{1}{2}} + \Delta'''_{\frac{1}{2}}}{2} + \frac{n^{2}(n^{2} - 1)}{1 \cdot 2 \cdot 3 \cdot 4} \Delta^{iv}_{0} + \frac{n(n^{2} - 1)}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} \frac{(n^{2} - 4)}{2} \Delta^{v}_{-\frac{1}{2}} + \Delta^{v}_{\frac{1}{2}} + \text{etc.}, (d)$$

which is known as Stirling's formula of interpolation.

It will be seen that we have put

$$n^2 - 1$$
 for  $(n + 1)$   $(n - 1)$ ,  
 $n^2 - 4$  for  $(n + 2)$   $(n - 2)$ ,  
etc.

Fourth transformation. In the equation (b), instead of the series of differences

 $\Delta'_{\frac{1}{2}}$ ,  $\Delta''_{0}$ ,  $\Delta'''_{\frac{1}{2}}$ ,  $\Delta^{iv}_{0}$ , etc.,

let us use

$$\Delta'_{i}$$
,  $\Delta''_{i}$ ,  $\Delta'''_{i}$ ,  $\Delta^{iv}_{i}$ , etc.

To effect this we put

$$\Delta''_{0} = \Delta''_{1} - \Delta'''_{\frac{1}{2}};$$
 $\Delta^{iv}_{0} = \Delta^{iv}_{1} - \Delta^{v}_{\frac{1}{2}}.$ 

Making these substitutions in (b), it becomes

$$u_{n} - u_{0} = n \Delta'_{\frac{1}{2}} + \frac{n(n-1)}{1 \cdot 2} \Delta''_{1} + \frac{n(n-1)(n-2)}{1 \cdot 2 \cdot 3} \Delta'''_{\frac{1}{2}} + \frac{(n+1)n(n-1)(n-2)}{1 \cdot 2 \cdot 3 \cdot 4} \Delta^{iv}_{1} + \frac{(n+1)n(n-1)(n-2)(n-3)}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} \Delta^{v}_{\frac{1}{2}}.$$
 (e)

Fifth transformation. Bessel's formula. Let us take half the sum of the equations (e) and (b). We then have

$$u_{n} - u_{0} = n\Delta'_{\frac{1}{2}} + \frac{n(n-1)}{1 \cdot 2} \frac{\Delta''_{0} + \Delta''_{1}}{2} + \frac{n(n-1)(n-\frac{1}{2})}{1 \cdot 2 \cdot 3} \Delta'''_{\frac{1}{2}} + \frac{(n+1)n(n-1)(n-2)}{1 \cdot 2 \cdot 3 \cdot 4} \frac{\Delta^{iv}_{0} + \Delta^{iv}_{1}}{2} + \frac{(n+1)n(n-1)(n-2)(n-\frac{1}{2})}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} \Delta^{v}_{\frac{1}{2}}, \quad (f)$$

which is commonly known as Bessel's formula of interpolation, and which is the one most convenient to use in practice.

In applying this formula to find a value of the function intermediate between two given values, we must always suppose the index 0 to apply to the given value next preceding that to be found, and the index 1 to apply to that next following. The quantity n will then be a positive proper fraction.

29. Example of interpolation to halves. If we increase the logarithms of 30, 31, etc., already given, by unity, we shall have the logarithms of 300, 310, 320, etc. It is required to find, by interpolation, the logarithms of the numbers half way between the given ones (omitting the first and last), namely, the logarithms of 315, 325, 335, etc.

Here, the required quantities depending upon arguments half way between the given ones, we have  $n = \frac{1}{2}$ , and the values of the Besselian coefficient, so far as wanted, are

$$\frac{n(n-1)}{2} = -\frac{1}{8};$$

$$\frac{n(n-1)(n-\frac{1}{2})}{6} = 0.$$

The subsequent terms are neglected, being insensible. So, if we put  $a_0$  and  $a_1$  for any consecutive two of the numbers 300, 310, etc., we have

and 
$$\log (a_{0} + 5) = \log a_{0} + \left(\frac{1}{2}\Delta'_{\frac{1}{2}} - \frac{1}{8}\frac{\Delta''_{0} + \Delta''_{1}}{2}\right)$$

$$\log (a_{1} - 5) = \log a_{1} - \left(\frac{1}{2}\Delta'_{\frac{1}{2}} + \frac{1}{8}\frac{\Delta''_{0} + \Delta''_{1}}{2}\right),$$

$$(h)$$

where we put  $\Delta_{t}$  for that first difference between  $a_{0}$  and  $a_{1}$ .

These two formulæ are two expressions for the same quantity because  $a_0 + 5 = a_1 - 5$ . They are both used in such a way as to provide a check upon the accuracy of the work. For this purpose we compute the two quantities

$$\log (a_0 + 5) - \log a_0 = \frac{1}{2} \Delta'_{\frac{1}{2}} - \frac{1}{8} \frac{\Delta''_0 + \Delta''_1}{2}, \log a_1 - \log (a_0 + 5) = \frac{1}{2} \Delta'_{\frac{1}{2}} + \frac{1}{8} \frac{\Delta''_0 + \Delta''_1}{2}.$$
 (k)

The most convenient and expeditious way of doing the work is shown in the accompanying table, where we give every figure which it is necessary to write, besides those found on p. 57. The following is the plan of computation:

No. Log. Diff. 
$$\frac{1}{2} \mathcal{A}'_{1}$$
,  $\frac{1}{8} \frac{\mathcal{A}''_{0} + \mathcal{A}''_{1}}{2}$ ,  $\frac{\mathcal{A}''_{0} + \mathcal{A}''_{0}}{2}$ ,  $\frac{\mathcal{A}''_{0} + \mathcal{A}'$ 

We compute the right-hand column by the formula

$$\frac{\Delta''_{\circ} + \Delta''_{1}}{2} = \Delta''_{\circ} + \frac{1}{2}\Delta'''_{\frac{1}{2}} = \Delta''_{1} - \frac{1}{2}\Delta'''_{\frac{1}{2}},$$

using the values of  $\Delta$  given in the scheme, p. 57.

This mode of computing the half sum of two numbers which are nearly equal is easier than adding and dividing by 2.

In the next two columns to the left, the sixth place of decimals

is added in order that the errors may not accumulate by the addition of several quantities. This precaution should always be taken when the interpolated quantities are required to be as accurate as the given ones.

The fourth column from the right is formed by adding and subtracting the numbers of the second and third columns according to the formula (k). The additional figure is now dropped, because no longer necessary for accuracy. The numbers thus formed are the first differences of the series of logarithms found by inserting the interpolated logarithms between the given ones, as will be seen by equation (k).

We write the first logarithm of the series, namely,

$$\log 310 = 2.49136,$$

and then form the subsequent ones by continual addition of the differences, thus:

$$\log 315 = \log 310 + 695;$$
  
 $\log 320 = \log 315 + 684;$   
 $\log 325 = \log 320 + 673;$   
etc. etc. etc.

If the work is correct, the alternate logarithms will agree with the given ones in the former table.

The continuance of the above process for a few more numbers, say up to 450, is recommended to the student as an exercise.

**30.** Interpolation to thirds. Let us suppose the value of a quantity to be given for every third day, and the value for every day to be required. By putting  $n=\frac{1}{3}$  and applying formula (f) to each successive given quantity, we shall have the value for each day following one of those given, and by putting  $n=\frac{2}{3}$  we shall have values for the second day following, which will complete the series But the interpolation can be executed by a much more expeditions process, which consists in computing the middle difference of the interpolated quantities and finding the intermediate differences by a secondary interpolation.

Let us put

 $f_0$ ,  $f_3$ ,  $f_6$ , etc., the given series of quantities;

 $f_0$ ,  $f_1$ ,  $f_2$ ,  $f_3$ ,  $f_4$ , etc., the required interpolated series;

 $\Delta'$ .  $\Delta''$ , etc., the first differences, second differences, etc., of the given series;

 $\delta'$ ,  $\delta''$ , etc., the first differences, second differences, etc., of the interpolated series.

67

We may then put

$$f_3 - f_0 = \Delta'_{\frac{1}{2}}$$
 (in the given series);  
 $f_1 - f_0 = \delta'_{\frac{1}{2}}$  (in the interpolated series).  
 $f_2 - f_1 = \delta'_{\frac{3}{2}}$  (in the interpolated series).

We shall then have

$$\delta'_{\frac{1}{2}} + \delta'_{\frac{3}{2}} + \delta'_{\frac{5}{2}} = \Delta'_{\frac{1}{2}}.$$

The value of  $f_1 - f_0 = \delta_{\frac{1}{4}}$  is given by putting  $n = \frac{1}{3}$  in the Besselian formula (f). Thus we find

$$\begin{split} \delta'_{\frac{1}{2}} &= \frac{1}{3} \varDelta'_{\frac{1}{2}} - \frac{1}{9} \frac{\varDelta''_{_{0}} + \varDelta''_{_{1}}}{2} + \frac{1}{162} \varDelta'''_{\frac{1}{2}} \\ &+ \frac{5}{243} \frac{\varDelta^{\text{iv}}_{_{0}} + \varDelta^{\text{iv}}_{_{1}}}{2} - \frac{1}{1458} \varDelta^{\text{v}}_{\frac{1}{2}}. \end{split}$$

Putting  $n = \frac{2}{3}$ , we have the value of  $f_2 - f_0$ , that is, of  $\delta'_{\frac{1}{2}} + \delta'_{\frac{3}{2}}$ . Thus we find

$$\begin{split} \delta'_{\frac{1}{2}} + \delta'_{\frac{3}{2}} &= \frac{2}{3} \Delta'_{\frac{1}{2}} - \frac{1}{9} \frac{\Delta''_{_{0}} + \Delta''_{_{1}}}{2} - \frac{1}{162} \Delta'''_{\frac{1}{2}} \\ &+ \frac{5}{243} \frac{\Delta^{\text{iv}}_{_{0}} + \Delta^{\text{iv}}_{_{1}}}{2} + \frac{1}{1458} \Delta^{\text{v}}_{\frac{1}{2}}, \end{split}$$

Subtracting these expressions, we have

$$\delta'_{\frac{3}{2}} = \frac{1}{3} \Delta'_{\frac{1}{2}} - \frac{1}{81} \Delta'''_{\frac{1}{2}} + \frac{1}{729} \Delta^{v}_{\frac{1}{2}},$$

which is most easily computed in the form

$$\delta'_{\frac{3}{2}} = \frac{1}{3} \left\{ \Delta'_{\frac{1}{2}} - \frac{1}{27} \left( \Delta'''_{\frac{1}{2}} - \frac{1}{9} \Delta^{v_{\frac{1}{2}}} \right) \right\}. \tag{m}$$

We see that the computation of  $\delta'_{\frac{3}{2}}$ , the middle difference of the interpolated quantities, is much simpler than that of  $\delta'_{\frac{1}{2}}$ . It will therefore facilitate the work to compute only these middle differences, and to find the others by interpolation.

This process is again facilitated, in case the second differences are considerable, by first computing the second differences of the interpolated series on the same plan. The formulæ for this purpose are derived as follows:

Let us put

$$\delta'_{\bar{i}} = f_{4} - f_{3}.$$

The second difference of which we desire the value is then

$$\delta''_{s} = \delta'_{\frac{7}{2}} - \delta'_{\frac{5}{2}}$$

The value of  $\delta'_{\frac{1}{2}}$  is given by the equation

$$\delta'_{\frac{1}{2}} = \Delta'_{\frac{1}{2}} - (\delta'_{\frac{1}{2}} + \delta'_{\frac{1}{2}}),$$

and the value of  $\delta'_{\frac{1}{2}}$  is found from that of  $\delta'_{\frac{1}{2}}$  by simply increasing the indices of the differences by unity, because it belongs to the next lower line.

We thus find

$$\delta'_{\frac{7}{2}} = \frac{1}{3} \Delta'_{\frac{3}{2}} - \frac{1}{9} \frac{\Delta''_{\frac{1}{4}} + \Delta''_{\frac{2}{2}}}{2} + \frac{1}{162} \Delta'''_{\frac{3}{2}} + \frac{5}{243} \frac{\Delta^{iv}_{\frac{1}{4}} + \Delta^{iv}_{\frac{2}{2}}}{2} - \frac{1}{1458} \Delta^{v}_{\frac{3}{2}};$$

$$\delta'_{\frac{5}{2}} = \frac{1}{3} \Delta'_{\frac{1}{4}} + \frac{1}{9} \frac{\Delta''_{\frac{1}{6}} + \Delta''_{\frac{1}{4}}}{2} + \frac{1}{162} \Delta'''_{\frac{1}{4}} - \frac{5}{243} \frac{\Delta^{iv}_{\frac{1}{6}} + \Delta^{iv}_{\frac{1}{4}}}{2} - \frac{1}{1458} \Delta^{v}_{\frac{1}{4}}.$$

Then by subtraction,

$$\begin{split} \delta^{\prime\prime}_{s} &= \frac{1}{3} (\Delta^{\prime}_{\frac{3}{2}} - \Delta^{\prime}_{\frac{1}{2}}) - \frac{1}{9} \frac{\Delta^{\prime\prime}_{o} + 2\Delta^{\prime\prime}_{1} + \Delta^{\prime\prime}_{2}}{2} + \frac{1}{162} (\Delta^{\prime\prime\prime}_{\frac{3}{2}} - \Delta^{\prime\prime\prime}_{\frac{1}{2}}) \\ &+ \frac{5}{243} \frac{\Delta^{\text{i}\,\text{v}}_{o} + 2\Delta^{\text{i}\,\text{v}}_{1}}{2} + \Delta^{\prime\prime}_{2} - \frac{1}{1458} (\Delta^{\text{v}}_{\frac{3}{2}} - \Delta^{\text{v}}_{\frac{1}{2}}). \end{split}$$

Reducing the first of these terms, we have

$$\Delta'_{\frac{3}{4}} - \Delta'_{\frac{1}{4}} = \Delta''_{\cdot}.$$

For the second term,

$$\Delta''_{0} = \Delta''_{1} - \Delta'''_{\frac{1}{2}};$$
 $\Delta''_{0} = \Delta''_{1} + \Delta'''_{\frac{3}{2}};$ 

whence

and

$$\Delta''_{0} + \Delta''_{2} = 2\Delta''_{1} + \Delta'''_{\frac{3}{2}} - \Delta'''_{\frac{1}{2}} = 2\Delta''_{1} + \Delta^{1v}_{\frac{1}{2}},$$

 $\frac{\Delta''_{0} + 2\Delta''_{1} + \Delta''_{2}}{2} = 2\Delta''_{1} + \frac{1}{2}\Delta^{iv}_{1}.$ 

For the third term,

$$\Delta^{\prime\prime\prime}_{\frac{3}{2}} - \Delta^{\prime\prime\prime}_{\frac{1}{2}} = \Delta^{iv}_{1}.$$

For the fourth term, dropping the terms in  $\Delta^{vi}$  as too small in practice, we may put

$$\frac{\Delta^{iv}_{0} + 2\Delta^{iv}_{1} + \Delta^{iv}_{2}}{2} = 2\Delta^{iv}_{1}.$$

The difference of the fifth terms may also be dropped, because they contain only sixth differences.

Making these substitutions in the value of  $\delta''_{3}$ , we find

$$\delta''_{s} = \frac{1}{3} \Delta''_{1} - \frac{1}{9} \left( 2\Delta''_{1} + \frac{1}{2} \Delta^{iv}_{1} \right) + \frac{1}{162} \Delta^{iv}_{1} + \frac{10}{243} \Delta^{iv}_{1},$$

$$= \frac{1}{9} \Delta''_{1} - \frac{2}{243} \Delta^{iv}_{1}$$

$$= \frac{1}{9} \left( \Delta^{\rho r}_{1} - \frac{2}{27} \Delta^{iv}_{1} \right). \tag{n}$$

By this formula we may compute every third value of  $\delta''$ , and then interpolate the intermediate values. By means of these values we find by addition the intermediate values of  $\delta'$ , of which every third value has been computed by formula (m). Then, by continually adding the values of  $\delta'$ , we find those of the function f.

As an example of the work, we give the following values of the sun's declination for every third day of part of July, 1886, for Greenwich mean noon:

The values of  $\Delta^{iv}$  are too small to have any influence.

The whole work of interpolation is shown in the following table, shere, as before, the right-hand column is that first computed, and gives the value of  $\Delta' - \frac{1}{27}\Delta'''$  according to formula (m):

To make the process in the example clear, the computed differences, etc., are printed in heavier type than the interpolated ones.

It is also to be remarked that the sum of the three consecutive values of  $\delta''$ , formed of one computed value and the interpolated values next above and below it, should be equal to the difference between the corresponding computed first differences. For instance,

$$23''.27 + 23''.10 + 22''.93 = 7' 49''.59 - 6' 40''.29.$$

But in the first computation this condition will seldom be exactly fulfilled, owing to the errors arising from omitted decimals and other sources. If the given quantities are accurate, the errors should never exceed half a unit of the last decimal in the given quantities, or five units in the additional decimal added on in dividing.

To correct these little imperfections after the interpolation of the second differences, but before that of the first differences, the sum of the last two figures in each triplet of second differences should be formed, and if it does not agree with the difference of the first differences, the last figures of the second difference should each be slightly altered, to make the sum exact.

The first differences can then be formed by addition.

In the same way, the sum of three consecutive first differences should be equal to the difference between the given quantities. If, as is generally the case, this condition is not exactly fulfilled, the differences should be altered accordingly. This alteration may, however, be made mentally while adding to form the required interpolated functions.

As an exercise for the student we give the continuance of the sun's declination for the remainder of the month, to be interpolated for the intermediate dates from July 15th onward:

	0	,	"
July 21	20	27	16.5
24			
27	19	11	22.7
30	18	29	4.8
Aug. 2	17	44	3.1

As another exercise the logarithms of the intermediate numbers from 998 to 1014 may be interpolated by the following table:

	•	-		_
Number.				Logarithm.
994		 	 	2.9973864
997		 	 	2.9986952
1000		 	 	3.000 000 0
1003		 	 	3.001 300 9
1006		 	 	3.002 598 0
1009		 	 	3.003 891 2
				3.005 180 5
				3.006 466 0
				3.0077478

**32.** Interpolation to fifths. Let us next investigate the formulæ when every fifth quantity is given and the intermediate ones are to be found by interpolation. By putting  $n = \frac{2}{5}$  in the Besselian formula, we shall have the value of the interpolation function second

following one of the given ones, and by putting  $n = \frac{3}{5}$  that third following. The difference will be the middle interpolated first difference of the interpolated series. Putting  $n = \frac{3}{5}$  in (f), we have

$$u_{\sharp} = u_{z} + \frac{2}{5} \Delta'_{\frac{1}{2}} - \frac{2.3}{2.5^{2}} \frac{\Delta''_{0} + \Delta''_{1}}{2} + \frac{2.3.1}{2^{2}.3.5^{3}} \Delta'''_{\frac{1}{2}} + \frac{2.3.7.8}{2.3.4.5^{5}} \Delta^{v_{\frac{1}{2}}} + \frac{2.3.7.8.1}{2^{2}.3.4.5.5^{5}} \Delta^{v_{\frac{1}{2}}}.$$

Putting  $n = \frac{3}{5}$ , we have

$$\begin{aligned} u_{\sharp} &= u_{\circ} + \frac{3}{5} \Delta'_{\sharp} - \frac{2.3}{2.5^{2}} \frac{\Delta''_{\circ} + \Delta''_{1}}{2} - \frac{2.3.1}{2^{2}.3.5^{3}} \Delta'''_{\sharp} \\ &+ \frac{2.3.7.8}{2.3.4.5^{4}} \frac{\Delta^{1}_{\circ} + \Delta^{1}_{1}}{2} + \frac{8.3.2.7.1}{2^{2}.3.4.5.5^{5}} \Delta^{*}_{\sharp}, \end{aligned}$$

The difference of these expressions, being reduced, gives

$$u_{\frac{3}{2}} - u_{\frac{3}{2}} = \frac{1}{5} \Delta'_{\frac{1}{4}} - \frac{1}{125} \Delta'''_{\frac{1}{4}} + \frac{14}{15625} \Delta^{v}_{\frac{1}{4}}$$
$$= \frac{1}{5} \left\{ \Delta'_{\frac{1}{4}} - \frac{1}{25} \left( \Delta'''_{\frac{1}{4}} - \frac{14}{125} \Delta^{v}_{\frac{1}{4}} \right) \right\}.$$

The term in  $\Delta^{v}$  will not produce any effect unless the fifth differences are considerable, and then we may nearly always, in practice, put  $\frac{1}{5}$  instead of  $\frac{14}{125}$ .

The interpolated second differences opposite the given functions are most readily obtained by Stirling's formula, (d). Putting  $n = \frac{1}{5}$ , we have the following value of the interpolated first differences immediately following a given value of the function:

$$\begin{aligned} u_{\frac{1}{2}} - u_{\circ} &= \frac{1}{5} \frac{\varDelta'_{-\frac{1}{2}} + \varDelta'_{\frac{1}{2}}}{2} + \frac{1}{50} \varDelta''_{\circ} - \frac{24}{6.5.25} \frac{\varDelta'''_{-\frac{1}{2}} + \varDelta'''_{\frac{1}{2}}}{2} \\ &- \frac{24}{6.5.20.25} \varDelta^{\text{i}v}_{\circ} + \text{etc.} \end{aligned}$$

Again, putting  $n = -\frac{1}{5}$ , and changing the signs, we find for the first difference next preceding a given function

$$\begin{split} u_{\flat} \, - \, u_{-\frac{1}{6}} &= \frac{1}{5} \, \frac{\varDelta'_{-\frac{1}{2}} + \varDelta'_{\frac{1}{2}}}{2} - \frac{1}{50} \varDelta''_{\flat} - \frac{24}{6.5.25} \frac{\varDelta'''_{-\frac{1}{2}} + \varDelta'''_{\frac{1}{2}}}{2} \\ &\quad + \frac{24}{6.5.20.25} \varDelta^{\mathrm{i}}{}^{\mathrm{v}}{}_{\flat} - \mathrm{etc.} \end{split}$$

The difference of these quantities gives the required second difference, which we find to be

$$\delta^{\prime\prime}{}_{\scriptscriptstyle{0}} = \frac{1}{25} \mathcal{\Delta}^{\prime\prime}{}_{\scriptscriptstyle{0}} - \frac{2}{625} \mathcal{\Delta}^{i}{}^{\scriptscriptstyle{0}}{}_{\scriptscriptstyle{0}} = \frac{1}{25} \Big( \mathcal{\Delta}^{\prime\prime}{}_{\scriptscriptstyle{0}} - \frac{2}{25} \mathcal{\Delta}^{i}{}^{\scriptscriptstyle{0}}{}_{\scriptscriptstyle{0}} \Big).$$

As an example and exercise we show the interpolation of logarithms when every fifth logarithm is given.

Number.	Logarithm.	δ′	$\delta^{\prime\prime}$	$\Delta^{r}$	⊿′′
1000	3.000 000 0			+ 21 661	
1005	3.002 166 1	4319.2	-4.32		108
1006	.002 598 0	4314.9	<b>-</b> 4.31		
1007	.003 029 5	4310.6	-4.30	1 01 559	
$\frac{1008}{1009}$	$.003\ 460\ 6$ $.003\ 891\ 2$	4306.3	-4.30 $-4.29$	+21553	
1010	3.004 321 4	4302.0	-4.28		- 107
1011	$.004\ 751\ 2$	4297.7 $4293.5$	-4.27		
1012	.005 180 5	4289.2	-4.26		
1013	.005 609 4	4285.0	- 4.23	+21446	
1014	.006 037 9	4280.8	-4.20 $-4.16$		<b>—</b> 104
1015	3.006 466 0		- 4.10	+21342	- 104
1020	3.008 600 2				
1025	3.010 723 9				
1030	3.012 837 2				
1035	3.014 940 3				
1040	3.017 033 3				

## FORMULA

FOR THE SOLUTION OF

# PLANE AND SPHERICAL TRIANGLES.

#### REMARKS.

1. It is better to determine an angle by its tangent than by its sine or cosine, because a small angle or an angle near 180° cannot be accurately determined by its cosine, nor one near either 90° or 270° by its sine.

Sometimes, however, the data of the problem are such that the angle can be determined only through its sine or cosine. Any uncertainty which may then arise from the source pointed out is then inherent in the problem; e.g., if the hypothenuse and one side of a right triangle are 0.39808 and 0.39806 respectively (sixth and following decimals being omitted), the value of the included angle may be anywhere between 0° 25′ and 0° 42′, no matter what method of computation be adopted.

2. If the sine and cosine can be independently computed, their agreement as to the angle will generally serve as a check on the accuracy of the computation. If they agree, their quotient will give the tangent.

3. It is desirable, when possible, to have a check upon the accuracy of the computation; that is, to make a computation which must give a certain result if the work is right. But no check can give a positive assurance of accuracy: all it can do is to make it more or less improbable that a mistake exceeding a certain limit exists.

4. In the following list several formulæ are sometimes given as applicable to the same problem. In such cases, the most convenient for the special purpose must be chosen.

**Notation.** a, b, and c are the three sides. A, B, and C are the opposite angles.

### PLANE TRIANGLES.

Given.	Required.	$s = \frac{1}{2}(a+b+c).$
a, b, c,	A,	
the three	one angle.	$\tan \frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{s(s-a)}}.$
sides.	A, B, C,	
	all the	$H = \sqrt{\frac{(s-a)(s-b)(s-c)}{s}};$
	angles.	H
		$\tan \frac{1}{2}A = \frac{H}{s - a'}$
		$\tan \frac{1}{2}B = \frac{H}{s-b};$
		$\tan \frac{1}{2} C = \frac{H}{2}.$
		Checks: $A + B + C = 180^{\circ}$ ;
		$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$
b, c, A,	B and $C$ ,	7.
two sides	the other	$\tan \frac{1}{2}(B-C) = \frac{b-c}{b+c} \cot \frac{1}{2}A;$
and the	angles.	$\frac{1}{2}(B+C) = 90^{\circ} - \frac{1}{2}A;$
included		$B = \frac{1}{2}(B+C) + \frac{1}{2}(B-C);$
angle.		$C = \frac{1}{2}(B+C) - \frac{1}{2}(B-C).$
	a, B, C,	Check, as before. $a \sin \frac{1}{2}(B-C) = (b-c) \cos \frac{1}{2}A;$
	the	$a \sin \frac{1}{2} (B - C) = (b - c) \cos \frac{1}{2} A;$ $a \cos \frac{1}{2} (B - C) = (b + c) \sin \frac{1}{2} A.$
	remaining	Having found $a$ and $\frac{1}{2}(B-C)$ , proceed
	parts.	as in the last case.
a, b, A,	$\overline{c, B, C}$	<i>h</i>
two sides	the re-	$\sin B = -\frac{b}{a} \sin A$ ; (two values of B.)
and the	maining	$C = 180^{\circ} - (A + B);$
angle oppo-	parts.	$c = \frac{b \sin C}{\sin R} = \frac{a \sin C}{\sin A}.$
site one of them.		$\sin B = \sin A$ .
mem.	3	

Given. a, A, B, b, c, C, c b, c, C, c one side and any two angles.  $a = \frac{a \sin B}{\sin A};$   $a = \frac{a \sin C}{\sin A} = \frac{a \sin (A + B)}{\sin A}.$ 

#### RIGHT SPHERICAL TRIANGLES.

a, b, the sides containing the right angle.	A, $B$ , or $c$ .	c is the hypothenuse. $\cot A = \cot a \sin b;$ $\cot B = \cot b \sin a;$ $\cos c = \cos a \cos b;$ $\sin c = \frac{\sin a}{\sin A}.$
	A and $c$ .	$\sin c \sin A = \sin a;$ $\sin c \cos A = \cos a \sin b;$ $\cos c = \cos a \cos b^*$
	B and c	sin c sin B = sin b; $ sin c cos B = sin a cos b.$
one side and the hy-	A, $B$ , or $b$ .	$\sin A = \frac{\sin a}{\sin c};$ $\cos B = \tan a \cot c;$ $\cos c$
pothenuse. $a, A,$	b, c, or B.	$\cos b = \frac{\cos c}{\cos a}.$ $\sin b = \tan a \cot A;$
one side and the opposite angle.		$\sin c = \frac{\sin a}{\sin A};$ $\sin B = \frac{\cos A}{\cos a}.$
$ \begin{array}{c} \overline{a, B,} \\ \text{one side} \\ \text{and the} \end{array} $	b, c, or A.	$\tan b = \sin a \tan B;$ $\tan c = \frac{\tan a}{\cos B};$
and the adjacent	c and $A$ .	$\cos A = \cos a \sin B$ . $\sin A \sin c = \sin a$ ; $\sin A \cos c = \cos a \cos B$ ; $\cos A = \cos a \sin B$ .

Given.	Required.	
a, B.	b and A.	$\sin A \sin b = \sin a \sin B;$
		$\sin A \cos b = \cos B.$
	7 D	
	a, b,  or  B.	$\sin a = \sin c \sin A;$
the hypo-		tan b = tan c cos A;
thenuse		$\cot B = \cos c \tan A.$
and one	_	
angle.	a and $B$ .	$\cos a \sin B = \cos A;$
58-51		$\cos a \cos B = \sin A \cos c;$
	i	$\sin a = \sin A \sin c$ .
	a and b.	$\cos a \sin b = \cos A \sin c;$
		$\cos a \cos b = \cos c$ .
A, B,	a, b, or c.	$\cos A$
the two	,	$\cos a = \frac{\cos A}{\sin B};$
angles.		$\cos B$
		$\cos b = \frac{\cos B}{\sin A};$
		$\cos c = \cot A \cot B$ .

## QUADRANTAL SPHERICAL TRIANGLES.

(		
a, b, the two sides.	A, B, or C, either angle.	c is the omitted side equal to 90°.  C is the angle opposite this side. $\cos A = \frac{\cos a}{\sin b};$ $\cos B = \frac{\cos b}{\sin a};$ $\cos C = -\cot a \cot b.$
-		
a, C,	A, B,  or  b.	$\sin A = \sin a \sin C;$
one side		$\tan B = -\cos a \tan C;$
and the		$\cot b = -\tan a \cos C$ .
angle oppo-	1 and h	
	A and o.	$\cos A \sin b = \cos a;$
right side.		$\cos A \cos b = -\sin a \cos C$ .
		$\sin A = \sin a \sin C.$
	A and B.	$\cos A \sin B = \cos a \sin C;$ $\cos A \cos B = -\cos C.$
		$\cos A \cos B = -\cos C.$

Cimon	Doggins	
Given.	Required.	4 * 7
A, b,	a, B, or C.	$\cos a = \cos A \sin b;$
one angle		$\tan B = \sin A \tan b;$
and the		$\cot C = -\cot A \cos b.$
adjacent	1.0	
side.	$\alpha$ and $B$ .	$\sin a \sin B = \sin A \sin b;$
		$\sin a \cos B = \cos b;$
		$\cos a = \cos A \sin b.$
	a and $C$ .	$\sin a \sin C = \sin A;$
	a and o.	$\sin a \cos C = -\cos A \cos b.$
a, A,	b, B, or C.	cos a
one side	, 2, 11	$\sin b = \frac{\cos a}{\cos A};$
and the		$\sin B = \cot a \tan A;$
opposite		
angle.		$\sin C = \frac{\sin A}{\sin a}.$
A, C,	a, b,  or  B.	$\sin a = \frac{\sin A}{\sin C};$
one angle		~
and the		$\cos b = - \tan A \cot C;$
angle oppo-		$\cos B = -\frac{\cos C}{\cos A}.$
site the	-	$\cos B = \cos A$
right side.		
	7 ~	
	a, b,  or  C.	$\cot a = \cot A \sin B;$
two angles.		$\cot b = \sin A \cot B;$
		$\cos C = -\cos A \cos B.$
	a and C.	$\sin C \sin a = \sin A;$
		$\sin C \cos a = \cos A \sin B;$
		$\cos C = -\cos A \cos B.$
	<i>b</i> and <i>C</i> .	$\sin C \sin b = \sin B;$
		$\sin C \cos b = \sin A \cos B$ .

#### SPHERICAL TRIANGLES IN GENERAL.

Given. a, b, c,the three sides.

Required. A, B, C,the three angles.

 $s = \frac{1}{2}(a + b + c);$ 

$$H = \sqrt{\frac{\sin(s-a)\sin(s-b)\sin(s-c)}{\sin s}};$$

$$\tan \frac{1}{2}A = \frac{H}{\sin (s-a)};$$

$$\tan \frac{1}{2}B = \frac{H}{\sin (s-b)};$$

$$\tan \frac{1}{2} C = \frac{H}{\sin (s - c)}.$$

Check: 
$$\frac{\sin a}{\sin A} = \frac{\sin b}{\sin B} = \frac{\sin c}{\sin C}$$

a, b, C,two sides and the included angle.

A and c, one angle and the remaining side.

 $\sin c \sin A = \sin a \sin C$ ;  $\sin c \cos A = \cos a \sin b - \sin a \cos b \cos C;$ 

 $\cos c = \cos a \cos b + \sin a \sin b \cos C.$ 

B and c.

 $\sin c \sin B = \sin b \sin C;$ 

 $\sin c \cos B = \sin a \cos b - \cos a \sin b \cos C$ .

If addition and subtraction logarithms are not available for this computation, we may compute k and K from

 $k \sin K = \sin a \cos C$ :  $k \cos K = \cos a$ .

Then

 $\sin c \cos A = k \sin (b - K);$  $\cos c = k \cos (b - K)$ .

Also,

 $h \sin H = \sin b \cos C$ ;  $h \cos H = \cos b$ .

 $\dot{}$  Then

$$\sin c \cos B = h \sin (a - H);$$
  
 $\cos c = h \cos (a - H).$ 

A, B, c,all the remaining parts.

 $\sin \frac{1}{2} c \sin \frac{1}{2} (A - B) = \cos \frac{1}{2} C \sin \frac{1}{2} (a - b);$  $\sin \frac{1}{2} c \cos \frac{1}{2} (A - B) = \sin \frac{1}{2} C \sin \frac{1}{2} (a + b);$  $\cos \frac{1}{2} c \sin \frac{1}{2} (A + B) = \cos \frac{1}{2} C \cos \frac{1}{2} (a - b);$ 

 $\cos \frac{1}{2} c \cos \frac{1}{2} (A + B) = \sin \frac{1}{2} C \cos \frac{1}{2} (a + b)$ 

Given.	Required.	
a, b, A,	B, C, c,	$\sin B = \frac{\sin A \sin b}{\sin a}  \text{(two values of } B\text{)};$
two sides	all the	
and an	remaining	$\tan \frac{1}{2} C = \frac{\cos \frac{1}{2} (a - b) \cot \frac{1}{2} (A + B)}{\cos \frac{1}{2} (a + b)};$
opposite	parts.	$\cos \frac{1}{2}(a+b),$
angle.		$\tan \frac{1}{2}c = \frac{\cos \frac{1}{2}(A+B)\tan \frac{1}{2}(a+b)}{\cos \frac{1}{2}(A-B)}$
		$\cos \frac{1}{2}(A-B)$
4 D a	C	$\sin C \sin a = \overline{\sin A \sin c};$
A, B, c, two angles	a and C, one side	$\sin C \cos a = \cos A \sin B + \sin A \cos B \cos c;$
and the	and the	$\cos C = -\cos A \cos B + \sin A \sin B \cos c.$
included	third angle.	
side.	diff a dingie.	
	b and C.	$\sin C \sin b = \sin B \sin c;$
		$\sin C \cos b = \sin A \cos B + \cos A \sin B \cos c.$
		If we compute $k$ and $K$ from
		$k \sin K = \cos A,$
		$k\cos K = \sin A \cos c,$
		then $\sin C \cos a = k \cos (B - K);$
		$\cos C = k \sin (B - K).$
		If we compute $h$ and $H$ from
		$h \sin H = \cos B$ ,
		$h\cos H = \sin B\cos c,$
		then $\sin C \cos b = h \cos (A - H);$
		$\cos C = h \sin (A - H).$
	a, b, C,	$\sin \frac{1}{2} C \sin \frac{1}{2} (a+b) = \sin \frac{1}{2} c \cos \frac{1}{2} (A-B);$
	all the	$\sin \frac{1}{2} C \cos \frac{1}{2} (a+b) = \cos \frac{1}{2} c \cos \frac{1}{2} (A+B);$
	remaining	$\cos \frac{1}{2} C \sin \frac{1}{2} (a - b) = \sin \frac{1}{2} c \sin \frac{1}{2} (A - B);$
	parts.	$\cos \frac{1}{2} C \cos \frac{1}{2} (a - b) = \cos \frac{1}{2} c \sin \frac{1}{2} (A + B).$
$\overline{A}$ , $B$ , $a$ ,	$\overline{b, c, C}$	$\sin a \sin B$
two angles	all the	$\sin b = \frac{\sin a \sin B}{\sin A}  \text{(two values of } b\text{);}$
and an	remaining	$\cos \frac{1}{2}(A+B) \tan \frac{1}{2}(a+b)$
opposite	parts.	$\tan \frac{1}{2}c = \frac{\cos \frac{1}{2}(A+B)\tan \frac{1}{2}(a+b)}{\cos \frac{1}{2}(A-B)};$
side.	•	$\cos \frac{1}{2}(a-b) \cot \frac{1}{2}(A+B)$
		$\tan \frac{1}{2}C = \frac{\cos \frac{1}{2}(a-b)\cot \frac{1}{2}(A+B)}{\cos \frac{1}{2}(a+b)}.$
·	7	
A, B, C,	a, b, c,	$S = \frac{1}{2} \left( A + B + O \right);$
the three	the three	$P = \sqrt{\frac{-\cos S}{(S - F)^2 + (S - G)}};$
angles.	sides.	$S = \frac{1}{2} (A + B + C);$ $P = \sqrt{\frac{-\cos S}{\cos (S - A)\cos (S - B)\cos (S - C)}};$
		$\tan \frac{1}{2}a = P \cos (S - A);$
		$\tan \frac{1}{2}b = P \cos (S - B);$
		$\tan \frac{1}{2} c = P \cos (S - C).$

TABLES.



# TABLE I.

# COMMON LOGARITHMS

# OF NUMBERS.

N.	Log.	N.	Log.	N.	Log.	N.	Log.	N.	Log.
0	- Infinity.	30	1.47 712	60	1.77 815	90	1.95 424	120	2.07 918
1	0.00 000	31	1.49 136	61	1.78 533	91	1.95 904	121	2.08 279
2	0.30 103	32	1.50 515	62	1.79 239	92	1.96 379	122	2.08 636
3	0.47 712	33	1.51 851	63	1.79 934	93	1.96 848	123	2.08 991
4	0.60 206	34	1.53 148	64	1.80 618	94	1.97 313	124	2.09 342
5	0.69 897	35	1.54 407	65	1.81 291	95	1.97 772	125	2.09 691
6	0.77 815	36	1.55 630	66	1.81 954	96	1.98 227	126	2.10 037
7	0.84 510	37	1.56 820	67	1.82 607	97	1.98 677	127	2.10 380
8	0.90 309	38	1.57 978	68	1.83 251	98	1.99 123	128	2.10 721
9	0.95 424	39	1.59 106	69	1.83 885	99	1.99 564	129	2.11 059
19	1.00 000	40	1.60 206	70	1.84 510	100	2.00 000	130	2.11 394
11	1.04 139	41	1.61 278	71	1.85 126	101	2.00 432	131	2.11 727
12	1.07 918	42	1.62 32 <del>5</del>	72	1.85 733	102	2.00 860	132	2.12 057
13	1.11 394	43	1.63 347	73	1.86 332	103	2.01 284	133	2.12 385
14	1.14 613	44	1.64 345	74	1.86 923	104	2.01 703	134	2.12 710
15	1.17 609	45	1.65 321	75	1.87 506	105	2.02 119	135	2.13 033
15	1.20 412	46	1.66 276	76	1.88 081	106	2.02 531	136	2.13 354
17	1.23 04 <del>5</del>	47	1.67 210	77	1.88 649	107	2.02 938	137	2.13 672
18	1.25 527	48	1.63 124	78	1.89 209	108	2.03 342	138	2.13 988
19	1.27 875	49	1.69 020	79	1.89 763	109	2.03 743	139	2.14 301
20	1.30 103	59	1.69 897	80	1.90 309	110	2.04 139	140	2.14 613
21 22 23	1.32 222 1.34 242 1.36 173	52 53	1.70 757 1.71 600 1.72 428	81 82 83	1.90 849 1.91 381 1.91 908	111 112 113	2.04 532 2.04 922 2.05 308	141 142 143	2.14 922 2.15 229 2.15 534
24	1.38 021	54	1.73 239	84	1.92 428	114	2.05 690	144	2.15 836
25	1.39 794	55	1.74 036	85	1.92 942	115	2.06 070	145	2.16 137
26	1.41 497	56	1.74 819	86	1.93 450	116	2.06 446	146	2.16 435
27	1.43 136	57	1.75 587	87	1.93 952	117	2.06 819	147	2.16 732
28	1.44 716	58	1 76 343	88	1.94 448	118	2.07 188	148	2.17 026
29	1.46 240	59	1.77 085	89	1.94 939	119	2.07 555	149	2.17 319
30	1.47 712	60	1.77 815	90	1.95 424	120	2.07 918	150	2.17 609

	N.		0	1	2	3	4	5	6	7	8	9	Prep. Pts.
	100	0	<b>300</b> 0	043	087	130	173	217	260	303	346	389	
	01		432	475	518	561 988	604 *020	647 *072	689 *115	732 *157	77 <del>5</del> *199	817 *242	44   43   42
	02 03	10	860   284	903 326	945 368	410	*030 452	494	536	578	620	662	1 4.4 4 3 4 2
	04		703	745	787	828	870	912	953	995	*036	*078	2 8 8 8 6 8 4 3 13 2 12 9 12 6
	05 06	02	531	160   572	612	243 653	284 694	32 <u>5</u> 73 <u>5</u>	366 776	407 816	449 857	490 898	4 17 6 17 2 16 8
	07		938	979	*019	*060	*100	*141	*181	*222	*262 663	*302	6 26 4 25 8 25.2
	08 09	03	342   743	383   782	423 822	463 862	503 902	543 941	583 981	623 *021	*060	703 *100	7 30 8 30 1 29.4 8 35.2 34 4 33.6
	110	24	139	179	218	258	297	336	376	415	454	493	9139.6138 7137.8
	$-\frac{11}{12}$		532 922	961	610 999	6 <u>5</u> 0 *038	689 *077	727 *115	766 *154	805 *192	844 *231	883 *269	[41   40   39
	13	05	308	346	385	423	461	500	538	576	614	652	1 4 1 4.0 3 9
Ш	14 15	~6	690	729 108	767	80 <del>5</del>	843	881 258	918 296	956 333	994 371	*032 408	2 8 2 8 0 7.8 3 12.3 12 0 11.7
	16	30	070   446	483	145 521	558	595	633	670	707	744	781	4 16 4 16 0 15 6 5 20 5 20 0 19 5
H	17		819	856	893	930	967	*004 372	*041	*078	*11 <del>5</del> 482	*151 518	6 24 6 24 0 23.4
	18 19	07	555	591	262 628	298 664	335 700	737	408 773	445 809	846	Š82	8 32 8 32 0 31.2 9 36.9 36.0 35.1
	120		918	954	990	*027	*063	*099	*135	*171	*207	*243	9130.9130.0133.4
	$\frac{21}{22}$	08	<sup>279</sup> 636	314 672	350 707	386 743	422 778	458 814	493 849	529 884	56 <del>5</del> 920	955	38 37 36
	23		991	*026	*061	*096	132	*167	" 202	*237	*272	*307	1 3.8 3.7 3.6 2 7.6 7.4 7.2
I	$\begin{array}{c} 24 \\ 25 \end{array}$	09	342 691	377 726	412 760	447 795	482 830	517 864	552 899	587	968	656 *003	3 11.4 11.1 10.8 4 15.2 14 8 14.4
	26	10	037	072	106	140	175	209	243	278	312	346	5 19.0 18.5 18.0
	$\begin{array}{c c} 27 \\ 28 \end{array}$		380 721	41 <u>5</u> 755	449 789	483 823	51 <b>7</b> 857	551 890	585 924	619	653	687 *025	6 22.8 22.2 21.6 7 26.6 25 9 25.2
	29	11	059	093	126	160	193	227	261	294	327	361	8 30 4 29.6 28.8 9 34 · 2 33 · 3 32 · 4
	130 31		394	760	461	494 826	528 860	561 893	594 926	959	992	694 *024	
	32	12	727 057	090	793	156	189	222	254	287	320	352	35 34 33
	33		385	418	450	483	516	548	581	613	646	678 *001	1 3.5 3 4 3.3 2 7 0 6 8 6.6
	34 35	13	710 033	743	775 098	808	840 162	872 194	905	937 258	969	322	3 10 5 10 2 9 9 4 14 0 13.6 13.2
	36		354	386	418	450	481	513	545	577	609	640	5 17 5 17 0 16 5 6 21 0 20.4 19 8
	37		672 988	*019	735 *051	767 *082	799 *114	830 *14 <u>5</u>	862 *176	893 *208	925 *239	956	7 24 5 23 8 23.1 9 28.0 27 2 26.4
	39	14	301	33	364	395	4.26	457	489	\$20	551	582	9 31.5 30.6 29.7
	140		613 922	953	67 <u>5</u> 983	706 *014	737 *045	768 *076	799 *106	829 *137		*198	32 31 30
	42	15	229	259	290	320	351	381	412	442	473	503	1 3 2 3.1 3.0
	43		534 836	866	594 897	62 <del>5</del>	957	685	715 *017	746 *047	776 *077	*107	2 6.4 6.2 6.0 3 9.6 9 3 9.0
٠	45	16	137	167	197	227	256	286	316	346	376	406	4 12.8 12.4 12.0 5 16.0 15.5 15.0
	46 47		435	465	495	5 <sup>2</sup> 4 8 <sub>2</sub> 0	554   8 <del>5</del> 0	584 879	613	938	1	702	6 19 2 18 6 18.0
	48	17	732 026	056	791 085	114	143	173	909	231	260	997 289	7 22.4 21 7 21.0 8 25.6 24.8 24.0
	49 150		609	$\frac{348}{638}$	377	406 696	$\frac{435}{72\overline{5}}$	$\frac{464}{754}$	493 782	522 811	840	580 869	9 28.8 27.9 27.0
		-	0	-		-	4	5	6	7	8	9	Prop. Pts.
	N.	1	U	1	2	3	4	1 9	0	"	0	9	1 Trop. 1 ts.

-	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
	150	17 609	638	667	696	725	754	782	811	840	869	
ı	51	898	926	955	984	*013	*041	*070	*099	*127	*156	29   28
۱	52 53	18 184 469	498	241 526	270 554	298 <b>5</b> 83	327 611	355 639	384 667	412 696	441 724	1 2.9 2.8
ı	54	752	780	808	837	863	893	921	949	977	*005	$\begin{bmatrix} 2 & 5.8 & 5.6 \\ 3 & 8.7 & 8.4 \end{bmatrix}$
ı	55 56	19 033 312	061 340	089 368	396	145 424	173 451	201 479	229 507	25 <u>7</u> 53 <u>5</u>	28 <del>5</del> 562	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
I	57	590	618	645	673	700	728	756	783	811	838	6 17.4 16.8
ı	58 59	866 20 140	893	921 194	948	976 249	*003 276	*030 303	*058 330	*085 358	*112 38 <del>5</del>	$\begin{bmatrix} 7 & 20.3 & 19.6 \\ 8 & 23.2 & 22.4 \end{bmatrix}$
۱	160	412	439	466	493	520	548	575	602	629	656	9 26.1 25.2
I	61	683	710	737	763	790	817	844 *112	871	898 *165	92 <u>5</u> *192	27   26
I	62 63	952 21 219	978 245	*005 272	*032 299	*059 325	*085 352	378	*139 405	431	458	$\begin{array}{c cccc} 1 & 2.7 & 2.6 \\ 2 & 5.4 & 5.2 \end{array}$
۱	64	484	511	537	564	590	617	643	669	696	722	3 8.1 7.8
	65 66	748	775 037	801 063	827 089	854	880 141	906	932	958	98 <del>5</del> 246	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	67	272	298	324	350	376	401	427 686	453	479	505	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
l	68 69	531 789	557 814	583 840	608 866	634 891	917	943	968	737	763 *019	8 21 6 20.8 9 24.3 23.4
١	170	23 045	070	096	121	147	172	198	223	249	274	' '
	$\begin{array}{c} \cdot 71 \\ 72 \end{array}$	300 553	3 <sup>2</sup> 5 57 <sup>8</sup>	350 603	376 629	401 654	426 679	452 704	477 729	754	528 779	1 25
l	73	80 <u>5</u>	830	855	880	905	930	955	986	*005	*030	$\begin{array}{ c c c c }\hline 1 & 2.5 \\ 2 & 5.0 \end{array}$
l	74 75	24 05 <del>5</del> 304	080 329	105 353	130 378	155	180 428	204 452	229	254 502	279 527	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
Ì	76	551	576	601	625	650	674	699	724	748	773	5 12.5 6 15.0
ı	77	797 25 042	822 066	846 <b>0</b> 91	871	895	920 164	944	969	993	*018	7 17.5
İ	78 79	285	310	334	358	139 382	406	431	455	479	503	$\begin{array}{c c} 8 20.0 \\ 9 22.5 \end{array}$
ı	180	527	551	575	600	624	648	.672	696	720	744 983	
I	81 82	768 26 007	792	055	840	864	888 126	912 150	935	959	221	1 2.4 2.3
l	83	245	269	293	316	340	364	387	411	435	458	$\begin{bmatrix} 2 & 4.8 & 4.6 \\ 3 & 7.2 & 6.9 \end{bmatrix}$
	84 85	482 717	505 741	529 764	553 788	576	600 834	623 858	647 881	670 903	928	4 9.6 9.2
ı	86	951	975	998		*045	*068	*091	k114	*138	*161	6 14.4 13.8
I	87 88	27 184 416	439	23I 462	254 485	508	300 531	323	346 577	370 600	393	7 16.8 16.1 8 19.2 18.4
Ì	89	646	669	692	715	738	761	784 *012	807	830 *058	852 *0SI	9 21.6 20.7
l	190 91	875 28 103	898	921 149	944	9 <u>67</u>	989	240	*035	285	307	22   21
ı	92	330	353	375	398	421	443	466	488	511	533	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	93 94	556 780	578 803	825	523 847	870	668 892	691	937	735	758 981	3 6.6 6.3
1	95	29 003	026	048	070	092	115	137	159	181	203	4 8.8 8.4 5 11.0 10.5
	96	226	248 469	270 491	292	314 53 <del>5</del>	336 557	358 579	380	623	645	6 13.2 12.6 7 15.4 14.7
	97 98	447 667	688	710	513 732	754	776	798	820	842	863	8 17.6 16.8
	99 <b>200</b>	885 30 103	125	929 146	951	973	994	*016	*038 25\$	*060	*08t	9 19 8 18.9
												Duon Die
The same of	N.	0	.1	2	3	4	5	6	7	8	9	Prop. Pts.

Prop. Pts.

	N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
ı	250	39	794	811	829	846	863	881	898	915	933	950	
	51 52	40	967	085	*002	*019	*037 209	*054 226	*071	*088 261	*106	*123	18
H	53	40	140 312	157 329	175 346	364	381	398	415	432	449	<b>2</b> 95   <b>4</b> 66	1 1.8
ı	54		483	500	518	535	552	569	586	603	620	637	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
I	55 56		654 824	671 841	688 858	70 <u>5</u> 87 <u>5</u>	722 892	739	75 <sup>6</sup> 926	773 943	790 960	857 976	4 7.2
H	57		993	*010	*027	*0.14	*061	*o78	*095	*111	*128	*145	5 9.0 6 10.8
	58	41	162	179	196	212	229	246	263	280	296	313	7 12.6 8 14.4
	59 <b>260</b>	-	330	347	363	380	397	581	430	614	464	481	9 16.2
	61		497 664	681	531 697	547	731	747	597 764	780	797	647 814	17
	62		830	847	863	880	896	913	929	946	963	979	1 1.7
ļ	68		996	*012	*029	*045	*062	*078	*095	*111	*127	*144	2 3.4
	$\begin{array}{c} 64 \\ 65 \end{array}$	42	160 325	177 341	193 357	374	390	243 406	259 423	<sup>275</sup> 439	292 455	308 472	3 5.1 4 6.8
1	66		488	504	521	537	553	570	586	602	619	635	5 8.5
ľ	67 38		651	667	684	700	716	732	749	763	781	<b>7</b> 97	$\begin{array}{c c} 6 & 10.2 \\ 7 & 11.9 \end{array}$
I.	69		975	991	846 *008	862 *024	878 *040	894 *056	911 *072	927 *088	943	959 *120	8 13.6 9 15.3
ľ	270	43	136	152	169	185	201	217	233	249	265	281	9[15.8
K	$\begin{array}{c} 71 \\ 72 \end{array}$		297	313	329	345	361	377	393	409	425	441	16
H	73		457 616	473 6 <b>3</b> 2	489 648	50 <u>5</u>	521 680	537 696	553	569 727	584 743	759	$\begin{array}{ c c c c }\hline 1 & 1.6 \\ 2 & 3.2 \end{array}$
	74		775	791	807	823	838	854	870	886	902	917	3 4.8
	75   76	.1.4	933	949	965	981 138	996	*012 170	185 185	*014	*059	*075	4 6.4 5 8.0
	77	44	248	264	279	295	311	326	342	358	373	389	6 9.6
	78		404	420	436	451	467	483	498	514	1 ,	545	7 11.2 8 12.8
Ш	79 280	-	560 716	576	592	762	623	638	809	824	68 <del>5</del>	855	9 14.4
	81	-	871	731 886	747	917	778	793 948	963	979	994	*010	15
	82	45	025	040	<b>05</b> 6	071	086	102	117	133	148	163	1 1.5
	83		179	194	209	225	240	255	271	286	301	317	$\begin{vmatrix} 2 & 3.0 \\ 3 & 4.5 \end{vmatrix}$
H	84 85		332 484	347 500	362 515	378 530	393 545	408 561	423 576	439	454	469	4 6.0
	86		637	652	667	682	697	712	728	743	758	773	5 7.5 6 9.0
	87 88		788	803	969	834 984	849 *000	86 <u>4</u> *015	879 *030	89 <u>4</u> *04 <u>5</u>	909 *060	92 <u>4</u> *075	7 16.5
	89	46	939 090	954	120	135	150	165	180	195	210	225	8 12.0 9 13.5
	290		240	255	270	285	300	315	330	_345	359	374	14
	91 92		389 538	404 553	419 568	434 583	449 598	464 613	479 627	494 642	509	523 672	1 1.4
	93		687	702	716	731	746	761	776	790	805	820	2 2.8
	94		835	850	864	879	894	909	923	938	953	957	3 4 2 4 5.6
Y	95 96	<b>47</b>	982 129	997 144	*012 159	*026 173	188	*056 202	*070 217	*085 232	*100	*114 261	5 7.0 6 8.4
	97		276	290	305	319	334	349	363	378	392	407	7 9.8
	98 99	,	422 567	436 582	451 596	465	480 625	494 640	509 654	524 669	538 683	<b>55</b> 3 <b>6</b> 98	8 11.2 9 12.6
	800	-	712	727	741	756	770	784	799	813	828	842	5,22.0
	N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
1										_			

(	<i>*</i>					TA	BLE I	l				
	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
ľ	300	47 712	727	741	756	770	78.4	799	813	828	842	
	01 02	857 48 001	871	885	900 044	914 058	929 073	943 087	958 101	972 116	986 130	
	03	144	159	173	187	202	216	230	244	259	273	15
	04 05 06	287 430 572	302 444 586	316 458 601	330 473 615	344 487 629	359 501 643	373 515 657	3 <sup>8</sup> 7 530 671	544 686	416 558 700	1 1.5 2 3.0 3 4.5
	07 08 09	714 855 996	728 869 *010	742 883 *024	756 897 *038	770 911 *052	78 <del>5</del> 926 *066	799 940 *080	813 954 *094	82 <b>7</b> 968 *108	841 982 *122	4 6 0 5 7.5 6 9.0
	310	49 155	150	164	178	192	206	220	234	248	262	7 10.5 8 12.0
	11 12 13	276 415 554	290 429 568	304 443 582	318 457 596	332 471 610	346 485 624	360 499 638	374 513 651	388 527 665	402 541 679	9 13.5
	14 15 16	693 831 <b>9</b> 69	70 <u>7</u> 84 <u>5</u> 982	721 859 996	734 872 *010	748 886 *024	762 900 *037	776 914 *051	790 927 *065	803 941 *079	817 955 *092	14 1 1.4
	17 18 19	50 106 243 379	120 256 393	133 270 406	147 284 420	161 297 433	174 311 447	188 325 461	202 33 <sup>8</sup> 474	215 352 488	229 365 501	2 2.8 3 4 2 4 5.6
۱	320	515	529	542	556	569	583	596	610	623	637	5 7.0 3 8.4
	21 22 23	651 786 920	664 799 934	678 813 947	691 826 961	70 <del>5</del> 840 974	718 853 987	732 866 *001	745 880 *014	759 893 *028	772 907 *041	7 9.8 8 11.2 9 12.6
	24 25 26	51 05 <del>5</del> 188 322	o68 202 335	081 215 348	09 <del>5</del> 228 362	108 242 375	121 255 388	13 <del>5</del> 268 402	148 282 415	162 295 428	175 308 441	
	27 28 29	455 587 720	468 601 733	481 614 746	49 <del>5</del> 627 759	,508 640 772	521 654 786	534 667 799	548 680 812	561 693 825	574 706 838	13 1 1.3 2 2.6
ı	330	851	865	878	891	904	917	930	943	957	970	3 3.9 4 5.2
	31 32 33	983 52 114 244	996 127 257	*009 140 270	*022 153 284	*035 166 297	*048 179 310	*061 192 323	*075 205 336	*088 218 349	*101 231 362	5 6.5 6 7.8 7. 9 1
	34 35 36	37 <del>5</del> 504 634	388 517 647	401 530 660	414 543 673	427 556 686	440 569 699	453 582 711	466 595 724	479 608 737	492 621 750	8 10.4 9 11.7
	37 38 39	763 892 53 020	776 905 033	789 917 046	802 930 058	81 <u>5</u> 943 071	827 956 084	840 969 097	853 982 110	866 994 122	879 *007 135	12
ı	340	148	161	173	186	199	212	224	237	250	263	$egin{array}{c c} 1 & 1.2 \\ 2 & 2.4 \end{array}$
	41 42 43	275 403 529	288 415 542	301 428 555	314 441 567	326 453 580	339 466 593	352 479 605	364 491 618	377 504 631	390 517 643	3 3.6 4 4.8 5 6.0
	44 45 46	656 782 908	668 794 920	681 807 933	694 820 945	706 832 958	71 <u>9</u> 84 <u>5</u> 970	732 857 983	744 870 995	757 882 *008	769 895 *020	6 7.2 7 8.4 8 9.6
	47 48 49	54 033 158 283	045 170 295	058 183 307	070 195 320	083 208 332	095 220 345	108 233 357	120 245 370	133 258 382	145 270 394	9 10.8
	350	407	419	432	444	456	469	481	494	506	518	
	N.	0	1	2	3	4	5.	6	7	8	9	Prop. Pts.

N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
350	54 40	419	432	444	456	469	481	494	506	518	
51 52	53 65	543	555 679	568 691	580 704	<b>5</b> 93	60 <u>5</u> 728	741	630 753	642 765	
53	77		802	814	827	839	851	864	876	888	13
51	900	1	92 <del>5</del> 047	937 060	949 072	962 084	974 096	986	998	*011 133	$\begin{array}{c c} 1 & 1.3 \\ 2 & 2.6 \end{array}$
55 56	55 O2		169	182	194	206	218	234	242	255	3 3.9
57	26		291	303	315	328	340 461	352	364 485	376	4 5.2 5 6.5
58 59	38 50		534	425 546	437 558	449 570	582	47 3 594	606	497 618	6 7.8 7 9.1
360	630		654	666	678	691	703	715	727	739	8 10.4
61 62	75 87		77 <u>5</u> 89 <u>5</u>	787 907	799	931	823 943	83 <u>5</u> 95 <u>5</u>	847 967	859 979	9 11.7
63	/, 99	*1003	*015	*027	*ó38	*650	*062	*074	*086	*098	
64 65	3011		253	146 265	158	170 289	182 301	194 312	205 324	336	12
66	34		372	384	396	407	419	431	443	455	1 1.2
67 68	46 58		490 608	502 620	514 632	526 644	538 656	549 667	561 679	573 691	2 2.4 3 3.6
69	70		726	738	750	761	773	785	797	868	4 4.8 5 6.0
370	820	832	844	855	867	879	891	902	914	926	6 7.2
$\begin{array}{c c} 71 \\ 72 \end{array}$	93° 57 ° 05.		961	972 089	984 101	996	*00δ	*019 136	*031 148	*043 159	7 8.4 8 9.6
73	17	183	194	205	217	229	241	252	264	276	9 10.8
74 75	28 40	1	310	322 438	334 449	345 461	357 473	368 484	380 496	392 507	
76	51	530	542	553	565	576	588	600	611	623	111
77 78	63 74		657	669	68o	692 807	703	830	726	738	11 11.1
79	१ <del>४</del> १६		887	898	910	921	933	944	955	967	2 2.2
380	97		*001	*013	*024	*035	*047	*058	*070	*081	3 3.3 4 4.4
81 82	58 09 20	6 218	229	127	138 252	149 263	161	286	297	309	5 5.5 6 6.6
8.3	32	0 331	343	354	365	377	388	399	410	422	7 7.7
84 85	43 54		456	467 580	478 591	490 602	614	$\begin{array}{c c} 512 \\ 62\overline{5} \end{array}$	524 636	535	8 8.8 9 9.9
86	65		681	692	704	715	726	737	749	760	
87 88	77 88	1   782 3   894	794	805	928	827 939	838	961	973	984	
89	99	5 *006		*028	*040	*051	*062	*073	*084	*695	10
390	59 10		129	140	151	162	173	184	195	207	$\begin{array}{c c} 1 & 1 & 0 \\ 2 & 2 & 0 \end{array}$
91 92	21 32			362	262 373	273 384	395	295 406	306 417	318 428	3 3.0 4 4.0
93	43	9   450	461	472	483	494	506	517	528	539	5 5.0
94 95	55 66	0   561 0   671		583	594 704	60 <u>5</u> 71 <u>5</u>	616 726	627 737	638	649 759	6 6.0 7 7.0
96	77	0 780	791	802	813	824	835	846	857	868	8 8.0 9 9 0
97 98	87 98	9   890 8   <b>9</b> 99		912 *021	923 *032	934 *043	94 <del>5</del> *054	956 *065	966 *076	977 *o86	3 00
99	60 00	7 108	119	130	141	152	163	173	184	195	
400	20	6 217	228	239	249	260	271	282	293	304	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
ı	400	60 206	217	228	239	249	260	271	282	293	304	
	01 02	314 423	3 <sup>2</sup> 5 433	336 444	347 455	358 466	369 477	379 487	390 498	401 509	412 520	
	- 03	531	541	552	563	574	584	595	606	617	627	
ı	04	638	649	660 767	670 778	681 788	692	703	713	724	735	
	05 06	746 853	756 863	874	885	895	799 906	917	927	83 <i>t</i> 938	842 949	11
	07 08	959 61 066	970 077	981 087	991	*002 109	*013 119	*023 130	*034 140	*04 <u>5</u>	*055 162	$\begin{array}{c c} & 1 & 1 & 1 \\ & 2 & 2 & 2 \end{array}$
ı	09	172	183	194	204	215	225	236	247	257	268	$   \begin{array}{c c}     3 & 3 & 3 \\     4 & 4 & 4   \end{array} $
	410 11	278 384	289	300	310	321 426	331	342	352	363	374	5 5.5
	12	490	39 <del>5</del> 500	405	416 521	532	437 542	448 553	458 563	469 574	479 584	$\begin{array}{c c} 6 & 6 & 6 & 6 \\ 7 & 7 & 7 & 7 \end{array}$
	13	595	606	616	627	637	648	658	669	679	690	8 8.8 9 9.9
ı	14 15	700 80 <u>5</u>	815	721 826	731 836	742 847	752 857	763 868	773 878	784 888	794 899	
	16	909	920	930	941	951	962	972	982 086	993	*003	
	17 18	118	128	034	045	055	170	180	190	201	107	
ı	19	221	232	242	252	263	273	284	294	304	31 <del>5</del> 418	
l	<b>420</b> 21	325 428	335 439	346 449	356 459	$\frac{366}{469}$	377 480	387 490	397 500	408	521	10
	$\begin{array}{c} 22 \\ 23 \end{array}$	531 634	542 644	552 65 <del>5</del>	562 66 <del>5</del>	572 675	583 685	593 696	603 706	613	624 726	11.0
	23 24	737	747	757	767	778	788	798	808	818	829	$\begin{array}{c c} 2 & 2 & 0 \\ 3 & 3 & 0 \end{array}$
	25 25	839 941	δ49 951	859 961	870 972	880 982	890 992	900 *002	910	921 *022	931 *033	$\begin{array}{c c} 4 & 4 & 0 \\ 5 & 5 & 0 \end{array}$
	27	63 043	053	063	073	083	094	104	114	124	134	$\begin{array}{c c} 6 & 6 & 0 \\ 7 & 7 & 0 \end{array}$
	28 29	144 246	15 <del>5</del> 256	16 <del>5</del> 266	17 <del>5</del> 276	185	195 296	205 306	215	225 327	236	8 8.0 9 9.0
ľ	430	347	357	367	377	387	397	407	417	428	337 438	9 9.0
	31	448	458	468	478	488	498	508	518	528	538	
	32 33	548 649	558 659	568 669	579 679	589 689	599 699	609 709	719	1 629	739	
	34	749	339	769	779	789	799	809	819	829	,839	
	35 36	849 <del>91</del> 9	859 9 <b>5</b> 9	869 969	879 979	988 988	899 998	909 *008	919 *018	929 *028	939 *038	9
	37	64 048	058	o68	078	088.	098	108	118	128	137	1 0.9
	38 39	147 246	157 256	167 266	177 276	187 286	197 296	207 306	316	227 326	237 335	$ \begin{array}{c c} 2 & 1.8 \\ 3 & 2.7 \end{array} $
ı	440	345	355	365	375	385	395	404	414	424	434	$\begin{array}{c c} 4 & 3 & 6 \\ 5 & 4 & 5 \end{array}$
	41 42	444 542	454 552	464 562	473 572	483 582	493 591	503 601	513 611	523 621	532 631	6 5.4 7 6.3
	43	640	650	660	670	680	689	699	709	719	729	8 7.2 9 8.1
	44 45	738 836	748 846	758 856	768 865	777 875	787 885	797 895	807 904	816 914	826. 924	9 8.1
	46	933	943	953	963	972	982	992	*002	*011	*021	
	47 48	65 031 128	040 137	050	060 157	070 167	<b>0</b> 79	089 186	196	108 205	118 215	
	49	225	234	244	254	263	273	283	292	302	312	
	450	321	331	341	350	360	369	379	<b>3</b> 89	398	408	
	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
450	65	321	331	341	350	360	369	379	389	398	408	
51 52		418 514	427 523	437 533	447 543	456 552	466 562	475 571	485 581	49 <del>5</del> 591	504 600	
53		610	619	629	639	648	658	667	677	686	696	
54 55		706 801	715 811	72 <u>5</u> 820	734 830	744 839	753 849	763 858	772 868	782 877	79 <b>2</b> 887	
56		896	<b>90</b> 6	916	925	935	944	954	963	973	982	10
57 58	66	992	*001 096	*011	*020 115	*030   124	*039 134	*049 143	*058	*068	*077 172	$egin{array}{c} 1   1.0 \ 2   2.0 \end{array}$
59		181	191	200	210	219	229	238	247	257	266	$\begin{array}{c c} 3 & 3 & 0 \\ 4 & 4 & 0 \end{array}$
460 61		276 370	285 380	29 <u>5</u> 389	304 398	408	_3 <sup>2</sup> 3   417	_33 <sup>2</sup> _4 <sup>2</sup> 7	342 436	351 445	361 455	5 5.0 6 6.0
62		464	474	483	492	502	511	521	530	539	549	7 7.0
63 64		558 652	567 661	577 671	586 680	596 689	605	708	717	633 727	736	8 8.0 9 9.0
65		745	755	764	773	783	792	801	118	820	829	
66 67		839 932	941	950	960	876 969	885 978	987	904	913 *oo6	922 *015	
68	67	025	034	043	052	062	071	080	089	099	108	
69 <b>470</b>		210	219	136	237	247	164 256	265	274	284	201	
71		302	311	321	330	339	348	357	367	376	385	9
72 73		394 486	495	413 504	422 514	431 523	440 532	449 541	459 550	468 560	477 569	$ \begin{array}{c c} 1 & 0.9 \\ 2 & 1.8 \end{array} $
74	1	578	587	<b>5</b> 96	605	614	624	633	642	651	660	$   \begin{array}{c c}     3 & 2.7 \\     4 & 3.6   \end{array} $
75 76		669 761	770	688	697 788	797	715 806	724	73 <u>3</u> 82 <u>5</u>	742 834	752 843	5 4.5 6 5.4
77		852	861	870	879	888	897	906	916	925	934	76.3
78 79	68	943	952	961	970	979	988	997	*006	*015	115	8 7.2 9 8.1
480		124	133	142	151	160	169	178	187	196	205	
81 82		21 <u>5</u> 30 <u>5</u>	224 314	233 323	332	25I 341	260 350	1 269	278 368	287	386	
83		395	404	413	422	431	440	449	458	467	476	
84 85	1	48 <del>5</del> 574	494 583	502 592	511	520	529 619	538	547 637	556	56 <u>5</u>	
86		664	673	681	690	699	708	717	726	735	744	8
87 88		753 842	762 851	771 860	780 869	789 878	797 886	806	815	824	833	$ \begin{array}{c c} 1 & 0.8 \\ 2 & 1.6 \end{array} $
89		931	940	949	958	966	975	984	993	*002	*011	3 2.4 4 3.2
490	69	020	028	037	046	055	064	073	082	090 179	099	5 4.0
91 92		197	205	214	135	144 232	152 241	249	258	267	276	$\begin{array}{c c} 6 & 4.8 \\ 7 & 5.6 \end{array}$
93		285	294	302	311	320	329	338	346	355	364	8 6.4 9 7.2
94 95		373 461	381	390 478	399 487	496	417 504	425 513	434 522	443 531 618	539	
96		548 636	557	566	574	583	592 679	688	609	1	627	
97 98		, -3 810	732	653 740	749	758	767	775	784	705 793 880		100
99 <b>500</b>		810	906	914	836 923	932	854 940	949	958	966	975	
N.	-	0	1	2	3	4	5	6	7	8	973	Prop. Pts.
M.				-	'3	4	"_		! •	1 8	0	1 Top. 1 ts.

	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
	500	69 897	906	914	923	932	940	949	958	966	975	
	01 02 03	984 70 070 157	992 079 165	*001 088 174	*010 096 183	*018 10 <del>5</del>	*027 114 200	*036 122 209	*044 131 217		*062 148 234	
	04 05 06	243 329 415	252 338 424	260 346 432	26 <u>9</u> 355 441	278 364 449	286 372 458	295 381 467	303 389 475	312 398 484	321 406 492	ļ <b>9</b>
	07 08 09	501 586 672	509 595 680	518 603 689	526 612 697	535 621 706	544 629 714	552 638 723	561 646 731	56 <u>9</u> 65 <u>5</u> 740	578 663 749	$ \begin{array}{c c} 1 & 0.9 \\ 2 & 1.8 \\ 3 & 2.7 \end{array} $
	510	757	766	774	783	791	800	808	817	825	834	$\begin{array}{c c} 4 & 3.6 \\ 5 & 4.5 \end{array}$
	11 12 13	842 927 71 012	851 935 020	859 944 029	868 952 037	876 961 046	88 <del>5</del> 969 054	893 978 063	902 986 071	91 <u>0</u> 99 <u>5</u> 079	919 *003 088	$\begin{array}{c} 65.4 \\ 76.3 \\ 87.2 \end{array}$
	14 15 16	096 181 26 <del>5</del>	10 <del>5</del> 189 <b>273</b>	113 198 282	122 206 290	130 214 299	139 223 307	147 231 315	155 240 324	164 248 332	172 257 341	9 8.1
	17 18 19	349 433 517	357 441 525	366 450 533	374 458 542	383 466 550	39 <u>1</u> 47 <u>5</u> 559	399 483 567	408 492 575	416 500 584	425 508 592	
1	520	600	609	617	625	634	642	650	659	-667	675	8
	21 22 23	684 767 850	692 775 858	700 784 867	709 792 875	717 800 883	725 809 892	734 817 900	742 825 908	750 834 917	759 842 925	$ \begin{array}{c} 1 \\ 0.8 \\ 2 \\ 1.6 \end{array} $
	24 25 26	933 72 016 099	941 024 107	950 032 115	958 041 123	966 049 132	975 057 140	983 066 148	991 974 156	999 082 16 <del>5</del>	*008 090 173	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
	27 28 29	181 263 346	189 272 354	198 280 362	206 288 370	214 296 378	222 304 387	230 31 <u>3</u> 395	239 321 403	247 329 411	255 337 419	$   \begin{array}{c c}     7 & 5.6 \\     8 & 6.4 \\     9 & 7.2   \end{array} $
۱	530	428	436	444	452	460	469	477	485	493	501	
	31 32 33	509 591 673	518 599 681	526 607 689	534 616 697	542 624 705	550 632 713	558 640 722	567 648 730	575 656 738	58 <u>3</u> 66 <u>5</u> 746	
	34 35 36	754 835 916	762 843 925	770 852 933	779 860 941	787 868 949	795 876 957	803 884 965	811 892 973	900	827 908 989	7
	37 38 39	997 73 078 159	*006 086 167	*014 094 175	*022 102 183	*030 111 191	*038 119 199	*046 127 207	*05 <u>4</u> 13 <u>5</u> 215	*062 143 223	*070 151 231	$ \begin{array}{c c} 1 & 0.7 \\ 2 & 1.4 \\ 3 & 2.1 \\ \end{array} $
	540	239	247	255	263	27.2	280	288	296	304	312	$ \begin{array}{c c} 4 & 2.8 \\ 5 & 3.5 \end{array} $
	41 42 43	320 400 480	328 408 488	336 416 496	424 504	352 432 512	360 440 520	368 448 528	376 456 536	384 464 544	392 472 552	6 4.2 7 4.9 8 5.6 9 6 3
	44 45 46	560 640 719	568 648 727	576 656 735	584 664 743	592 672 751	600 679 759	608 687 767	616 69 <u>5</u> 775	624 703 783	632 711 791	9 6 3
	47 48 49	799 878 957	807 886 965	81 <del>5</del> 894 973	823 902 981	830 910 989	838 918 997	846 926 *005	854 933 *013	862 941 *020	870 949 *028	
	550	74 036	044	052	060	068	076	084	092	099	107	
	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
550		74 036	044	052	060	068	076	084	092	099	107	
51 52		115	123	131	218	147 225	233	162 241	170 249	178 257	186 26 <del>5</del>	
53		273	280	288	296	304	312	320	327	335	343	
54 55		351 429	359 437	36 <u>7</u> 445	374 453	382 461	390 468	398   476	406 484	414	42I 500	
56		507	515	523	531.	539	547	554	562	570	578	
57 58		586 663	593 671	601 679	609 687	617 695	624 702	632 710	640 718	648 726	656 733	
59		741	749	757	764	772	780	788	796	803	811	
560	-	819	827	834	842	850	858	865	873	881	889 966	18
61 62		896   974	904	912 989	920 997	92 <u>7</u> *00 <u>5</u>	935 *012	943. *020	950 *028	958 *035	*043	1 0.8
63	3	75 051	059	066	074	082	089	097	105	113	120	$ \begin{array}{c c} 2 & 1.6 \\ 3 & 2.4 \end{array} $
64 65		128 205	136	143	151 228	159 236	166 243	174 251	259	189 266	197 274	43.2
66		282	289	297	305	312	320	328	335	343	351	5 4.0 6 4.8
67 68		358 435	366 442	374 450	381 458	389 465	397 473	404 481	412	420 496	427 504	7 5.6 8 6.4
69		511	519	526	534	542	549	557	565	572	580	9 7.2
570	_	587 664	595 671	60 <b>3</b>	686	618	626 702	633	641	724	656	
71 72	2	740	747	755	762	694 770	778	785	717	800	732 808	
73	- 1	815	823	831	838	846	853	861	868	876	884	
75 75		891 967	899 974	906 982	914	921 997	92 <u>9</u> *00 <u>5</u>	937 *012	944 *020	952 *027	95 <u>9</u> *035	, ,
70	- 1	76 042	050	057	065	072	080	037	095	103	110	
77		118	125	208	215	148	155 230	163	245	178	185 260	
79	9	268	275	283	290	298	305	313	320	328	335	
<b>58</b> 0		<u>343</u> 418	350	358 433	365	373	380 455	388 462	395	403	485	17
8:	2	492	500	507	515	522	530	537	545	552 626	559 634	10.7
83		567 641	57 <sup>2</sup> 649	58?	589	597 671	678	686	619	701	708	$\begin{array}{c c} 2 & 1.4 \\ 3 & 2.1 \end{array}$
8.	5	716	723	730	738	745	753	760	768	775	782	4 2.8 5 3.5
80	- 1	790	797	805	812	819	827	908	842	849	856	6 4.2
8:		938	945	879 953	960	893 967	90 <u>1</u> 97 <u>5</u>	982	989	923 997	930	7 4.9 8 5.6
8.		77 012	019	026	034	041	048	056	063	070	078	9 6.3
590	- 1	159	093	173	181	115	195	203	137	217	225	
9:	2	232	240	247	254	262	269	276	283	291 364	298	
99	- 1	3°5 379	313	320	3 <sup>2</sup> 7	335	342	349	357 430	437	371	
9.	5	452	459	393 466	474	481	488	495	503	510	517	
9	- 4	523 597	53 <sup>2</sup> 60 <del>5</del>	539	546	554	634	641	576	583	663	
9	8	670	677	685	692	699	706	714	721	728	735	
60		743	822	757 830	837	772 844	779	786 859	793 866	801	808	
N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
11.	_1				1 3	_	1		1		1	

F	2					-	DLE I					
	N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
	600	77 815	822	830	837	844	851	859	866	873	880	
	01 02	887 960		902 974	909	916	924 996	931 *003	938 *010	945 *017	952 *025	
١	03	78 032		046	053	061	o68	075	082	089	097	
Ì	04	104		118	125	132	140	147	154	161	168	
I	05 06	176 247	183	190	197 269	204 276	283	219	226 297	23 <u>3</u> 305	240 312	8
ı	07	319	326	333	340	347	355	362	369	376	383	$ \begin{array}{c c} 1 & 0.8 \\ 2 & 1.6 \end{array} $
	08 09	390 462	398 469	405	483	419	426	433 504	440 512	447 519	455 526	* 3 2.4
	610	533		547	554	561	569	576	583	590	597	$\begin{array}{c c} 4 & 3.2 \\ 5 & 4.0 \end{array}$
۱	11 12	604 675	682	618	625 696	633 704	640 711	647	65 <u>4</u> 72 <u>5</u>	661 732	668 739	$ \begin{array}{c c} 6 & 4.8 \\ 7 & 5.6 \end{array} $
ı	13	746		760	767	774	781	789	796	803	810	86.4
ı	14	817	824	831	838	845	852	859	866	873	951	9 7.2
I	15 16	888 958		902	909 979	986	923 993	930 *000	937 * <b>0</b> 07	944 *014	*021	
١	17	79 029		043	050	057	064	071	078 148	083	092 162	
ı	18 19	099		113	120	127	134 204	211	218	225	232	
	620	239		253	260	267	274	281	288	295	302	. 7
	21 22	309		323	330 400	337 407	344 414	351 421	358 428	36 <u>5</u> 43 <u>5</u>	372 442	$\begin{vmatrix} 7 \\ 1 \\ 0.7 \end{vmatrix}$
ı	23	<b>37</b> 9 <b>44</b> 9		393 463	470	477	484	491	498	505	511	2 1.4
١	24	518		532 602	539	546 616	553	560 630	567	574	581	$\begin{array}{c c} 3 & 2.1 \\ 4 & 2.8 \end{array}$
ı	25 26	588 657		671	678	685	623	699	706	713	650 720	$   \begin{array}{c c}     5 & 3.5 \\     6 & 4.2   \end{array} $
	27	727	734	741	748	754 824	761	768	775	782	789	7 4.9
١	28 29	796 865	803	810	817	893	900	906	844	851 92 <b>0</b>	858 927	8 5 6 9 6.3
١	630	934	-	948	955	962	969	975	982	989	996	
ı	31	80 003		017	024	030	037	044 113	051	058	065	
ł	32 33	072 140		154	161	168	175	182	188	195	202	
١	34	209		223	229	236	243	250	257	264	271	
ı	! 35   36	277 346	353	359	298 366	305	312 380	318 387	325 393	332 400	339 407	6
	37	414	421	428	434	441	448	455	462	468	475	10.6
	38 39	482 550		496 564	502	509	516	523 591	530	536	543	2 1. <b>2</b> 3 1.8
	640	618	_	632	638	645	652	659	665	672	679	4 2.4
	41	686		699	706	713 781	720 787	726	733 801	740 808	747 814	$   \begin{array}{c c}     5 & 3.0 \\     6 & 3.6   \end{array} $
	42 43	754 821		835	774 841	848	855	794 862	863	875	882	7 4 2 8 4.5
١	44	889		902	009	916	922	929	936	943	949	9 5.4
	45 46	956 81 023	963	969	976 043	983 0 <b>5</b> 0	990 057	996	*003	*010	*017	
	47	090		104	111	117	124	131	137	144	151	
1	48 49	158		238	178 24 <del>5</del>	184	191 258	198	204	211	218	
	650	291		305	311	318	325	331	338	345	351	
	N.	0	1	2	3	4	5	6	7	8	9	Prop Pts.

N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
650	81_291	298	305	311	318	325	331	338	345	351	
51 52	358 425	36 <del>5</del>	371 438	378 445	38 <u>5</u> 451	391 458	398 46 <del>5</del>	405 47 I	411 478	418 48 <del>5</del>	
53	491	498	505	511	518	525	531	538	544	551 617	
54 55 56	558 624 690	564 631 697	571 637 704	578 644 710	584 651 717	591 657 723	598 664 730	604 671 737	611 677 743	684 750	
57 58 59	757 823 889	763 829 895	770 836 902	776 842 908	783 84 <u>9</u> 915	790 856 921	796 862 928	803 869 935	809 875 941	816 882 948	
660	954	961	968	974	981	987	994	*000	*007	*014	17
61 62 63	82 020 086 151	027 092 158	033 099 164	040 105 171	046 112 178	053 119 184	060 125 191	066 132 197	073 138 204	07 <u>9</u> 14 <u>5</u> 210	1 0 7 2 1 4
64 65 66	217 282 347	223 289 354	230 295 360	236 302 367	243 308 373	24 <u>9</u> 31 <u>5</u> 380	256 321 387	263 328 393	269 334 400	276 341 406	3 2. i 4 2.8 5 3.5 6 4.2
67 68 69	413 478 543	419 484 549	426 491 556	43 <sup>2</sup> 497 562	439 504 569	445 510 575	45 <sup>2</sup> 517 582	458 523 588	46 <del>5</del> 530 59 <del>5</del>	471 536 601	7 4.9 8 5.4 9 6.3
670	607	614	620	627	633	640	646	$\frac{366}{653}$	659	666	0,0.0
71 72 73	672 737 802	679 743 808	685 750 814	692 756 821	698 763 827	70 <u>5</u> 769 834	711 776 840	718 782 847	724 789 853	730 795 860	
74 75 76	866 930 99 <u>5</u>	872 937	879 943 *008	885 9 <del>5</del> 0 *014	892 956 *020	898 963 *027	90 <del>5</del> 969 *033	911 975 *040	918 982 *046	924 988 *052	
77 78 79	83 059 123 187	065 129 193	072 136 200	078 142 206	085	091 15 <u>5</u> 219	097 161 225	104 168 232	110 174 238	117 181 245	
680	251	257	264	270	276	283	289	296	302	308	16
81 82 83	31 <u>5</u> 378 442	321 38 <del>5</del> 448	3 <sup>2</sup> 7 391 45 <del>5</del>	334 398 461	340 401 467	347 410 474	353 417 480	359 423 487	366 429 493	372 436 499	1 0.6 2 1.2
84 85 86	506 569 632	512 575 639	518 582 645	52 <del>5</del> 588 651	531 594 658	537 601 664	544 607 670	550 613 677	556 620 683	563 626 689	3 1.8 4 2.4 5 3.0
87 88 89	696 759 822	702 765 828	708 771 835	71 <u>5</u> 778 841	721 784 847	727 790 853	734 797 860	740 803 866	746 809 872	753 816 879	6 3.6 7 4.2 8 4.8 9 5.4
690	885	891	897	904	910	916	923	929	935	942	
91 92 93	948 84 011 073	954 017 080	960 023 086	967 029 092	973 036 098	979 042 105	985 048 111	99 <u>2</u> 05 <u>5</u> 117	998 061 123	*004 067 130	
94 95 96	1 36 198 261	142 205 267	148 211 273	155 217 280	161 223 286	167 230 292	173 236 298	180 242 305	186 248 311	192 255 317	
97 98 99	323 386 448	330 392 454	336 398 460	342 404 466	348 410 473	354 417 479	361 423 485	367 429 491	373 435 497	379 442 504	
700	510	516	522	528	535	541	547	553	559	566	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

14						RRLE	1.				
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
700	84 510	516	522	528	535	541	547	553	559	566	
01	572	578	584	590	597	603	609	615	621	628	
02 03	634 696	702	646 708	652	658	66 <del>5</del> 726	733	739	68 <sub>3</sub> 745	689 751	
04	757	763	770	776	782	788	794	800	807	813	
05 06	819	825	831	837	844	8 <u>5</u> 0	856	862	868	874 936	17
07	942	948	954	960	967	973	979	985	930	997	10.7
08	85 003 065	009	016	022	028	034	040	046	052	058	2 1.4
710	126	132	138	144	089	095	163	169	175	181	$\begin{array}{c c} 3 & 2.1 \\ 4 & 2.8 \end{array}$
11	187	193	199	205	211	217	224	230	236	242	5 3.5 6 4.2
12 13	248 309	315	260 321	266 327	333	278 339	28 <del>5</del> 345	29I 352	297 358	303	74.9
14	370	376	382	388	394	400	406	412	418	425	8 5.6 9 6.3
15 16	431	437	443	449	455	461 522	467	473	479	485	Ì
17	491 552	497	503	509	576	582	528	534	600	546	
18	612	618	625	631	637	643	649	655	661	667	·
19 <b>720</b>	673 733	679	685	691	697	763	769	715	721	727 788	
21	794	739	745 806	751	757 8:8-	824	830	775 836	842	848	16
22 23	854 914	860	866 926	872	878	88.4	890	896	902	908	10.6
24	974	920	986	932	938	944 *004	9 <u>5</u> 0	956 *016	962 *022	968 *028	2 1.2
25	86 034	040	046	052	058	064	070	076	082	088	412.4
26	094	100	106	112	118	124	130	136	141	147	5 3.0 6 3.6
27 28	153 213	159	225	171 231	237	243	189 249	19 <u>5</u>	201	207 267	7 4.2 8 4.8
29	273	279	285	291	297	303	308	314	320	326	95.4
730	332 392	338	344	350	356 415	$\frac{362}{421}$	368' 427	374 433	380 439	386 445	
32	451	457	463	469	475	481	487	493	499	504	
33	510	516	522 581	528	534	540	546	552	558	564	
34 35	570 629	576 63 <del>5</del>	641	646	593 652	599 658	605 664	611 670	676	623 682	
36	688	694	700	705	711	717	723	729	735	741	5
37 38	747 806	753 812	759 817	764 823	77 <b>0</b> 829	776 835	782 841	788 847	794 853	800 859	$ \begin{array}{c c} 1 & 0.5 \\ 2 & 1.0 \end{array} $
39	864	870	876	882	888	894	900	906	911	917	3 1.5
740 41	$\frac{9^23}{982}$	929	935	941	947 *005	953 *011	958	964 *023	970	976 *03 <u>5</u>	$egin{array}{c c} 4 & 2.0 \\ 5 & 2.5 \end{array}$
10	<b>67</b> 040	046	052	058	064	070	075	081	ა87	093	6 3.0 7 3 5
42 43 44 45	099	105	111	116	122	128	134	140	146	151	84.4
44 45	157 216	163 221	169 227	17 <del>5</del> 233	181	186 24 <del>5</del>	192 251	198 256	204 262	210 268	9,4.6
46	274	280	286	291	297	303	309	315	320	326	
47 48	332 390	338 396	344 402	349 408	355 413	361 419	367 425	373 431	379 437	384 442	
49	448	454	460	4.66	471	477	483	489	495	500	
750	506	512	518	523	529	535	541	547	552	558	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
750	- 1	87_506	512	518	523	529	535	541	547	552	558	
5: 5:		564 622	570 628	576 633	581 639	587 64 <del>5</del>	593 651	599 656	604 662	610	616 674	
53	3	679	685	691	697	703	708	714	720	726	731	•
54 58		73 <u>7</u> 79 <u>5</u>	743 800	749 806	754 812	760 818	766 823	772 829	77 <u>7</u> 83 <u>5</u>	783 841	789 846	
50	6	852	858	864	869	875	188	887	892	898	904	
57 58		910 967	915	921 978	927 984	933 990	938 996	944 *001	9 <u>5</u> 0 *007	955 *013	961 *018	
59		88 024	030	036	041	047	053	058	064	070	076	
760		081	087	093 150	098	101	167	116	121	184	133	6
62	2	195	201	207	213	218	224	230	235	241	247	1 0.6
63 64	- 1	252 309	258 315	264 321	270 326	275 332	281 338	287 343	. 349	298 355	304 360	$ \begin{array}{c c} 2 & 1.2 \\ 3 & 1.8 \end{array} $
68	ŏ	<b>3</b> 66	372	377	383	389	395	400	406	412	417	$ \begin{array}{c c} 4 & 2.4 \\ 5 & 3.0 \end{array} $
67		423 480	485	434	440	446 502	45 t 508	457	463	468 525	474 530	63.6
68	8	536	542	547	497 553	559	564	570	576	581	587	849
69 770	- 1	593 <sup>-</sup> 649	598 65 <del>5</del>	660	666	615	621	$\frac{627}{683}$	689	638	700	9 5.4
7	- 1	705	711	717	722	728	734	739	745	750	756	2
73 73		762 818	767 824	773 829	77 <u>9</u> 83 <u>5</u>	784 840	790 846	795 852	801 857	863	812	
74	- 1	874	880	885	891	897	902	908	913	919	925	
76 76		930 986	936 992	941 997	947 *003	953 *oc9	958 *014	964 *020	969 *025	97 <u>5</u> *031	981 *037	
71		89 042	048	053	059	064	070	076	081	087	092	
78 78		098 154	104 159	16 <u>5</u> .	170	120 176	126 182	131	137	143	148	
780	- 1	209	215	221	226	232	237	243	248	254	260	
8: 8:		265	271 326	276	282 337	287	293 348	298	304 360	310 365	315 371	5
8		321 376	382	332 387	393	343 398	404	354 409	415	421	426	$ \begin{array}{c c} 1 & 0.5 \\ 2 & 1.0 \end{array} $
84		432 487	437	443 498	448 504	454 509	45 <u>9</u> 51 <u>5</u>	46 <del>5</del> 520	470 526	476 531	481 537	$\begin{array}{c c} 3 & 1.5 \\ 4 & 2.0 \end{array}$
8		542	492 548	553	559	564	570	575	581	586	592	$   \begin{array}{c}     5   2.5 \\     6   3.0   \end{array} $
8' 8'	7	597	603 658	609	614	620 675	625 680	631 686	636 691	642	647 702	7 3.5
8		653 708	713	719	724	730	735	741	746	752	757	8 4.0 9 4.5
790	_	763	768	774	779	785	790	796	801	807	812	
9:	$_2$	818 873	823 878	829 883	834 889	840 894	845 900	851 905	856 911	916	867 922	
93	3	927	933	938	944	949	955	960	966	971	977	
9:	5	982 90 037	988 042	993 048	998	059 *00.4	*009 064	*015	*020	*026 080	*031 086	
9		091	097	102	108	113	119	124	129	135	140	
9:		146 200	151 206	157 211	162	168	173 227	179	184	189	19 <del>5</del> 249	
9		255	260	266	271	276	282	287	293	298	304	
80	_	309	314	320	325	331	336	342	347	352	358	
N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.

10						DEE I					
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
800	90_309	314	320	325	331	336	342	347	352	358	
01 02	363 417	369 423	374 428	380	385	390	396	401	407 461	466	
03	-472	477	482	434 488	439 493	445	450 504	455 509	515	520	
04	526	531	536	542	547	553	558	563	569	574	
05 06	580 634	58 <del>5</del> 639	590 644	596 650	601 655	607 660	666	617 671	623	628 682	
07	687	693	698	703	709	714	720	725	730	736	
08	741	747	752 806	757	763	768	773	779	784	789	
09 <b>810</b>	79 <del>5</del> 849	800	859	811	816	822	827	832	838	843	
11	902	907	913	810	924	929	934	940	945	950	6
12 13	956	961	966	972	977	982	988	993	998	*004	10.6
14	91 009	014 068	020	025	030 084	036	041	100	io52	057	$ \begin{array}{c c} 2 & 1 & .2 \\ 3 & 1 & .8 \end{array} $
15	116	121	126	132	137	142	148	153	158	164	$\begin{array}{c c} 4 & 2 & 4 \\ 5 & 3 & 0 \end{array}$
16	. 169	174	180	185	190	196	201	206	212	217	63.6
17 18	222 275	228 281	233 286	238 291	243 297	249 302	254 307	259 312	26 <del>5</del> 318	270 323	$   \begin{array}{c}     74.2 \\     84.8   \end{array} $
19	_328	334	339	344	350	355	360	365	371	376	9 5.4
820	381	387	392	397	403	408	413	418	424	429	
21 22	434 48/	440 492	44 <del>5</del> 498	450 503	455 508	461 514	466	47 I 524	477 529	482 53 <del>5</del>	
23	540	<b>5</b> 45	551	556	561	566	572	577	582	587	
24 25	593 645	598	603 656	609 661	666	619 672	624	630 682	635	64 <b>0</b> 693	
26	698	703	709	714	719	724	730	735	740	745	
27	751	756	76t	766	772	777	782	787	793	798	
28 29	803 855	808	814	819	824 876	829 882	834	840	845	850 903	
830	908	913	918	924	929	934	939	944	950	955	
31	960	965	971	976	981	986	991	997	*002	*007	5
32 33	92 012	018	023	028	033 085	038	044	049	1054	059	$ \begin{array}{c c} 1 & 0.5 \\ 2 & 1.0 \end{array} $
34	117	122	127	132	137	143	148	153	1 158	163	3 1.5
35 36	169	174	179	184	189	195	200	205	210	215	$\begin{array}{c} 4 2.0 \\ 5 2.5 \end{array}$
37	221 273	226	231	236 288	241 293	247 298	252 304	257 309	314	319	63.0
38	324	330	335	340	345	350	355	361	366	371	7 3.5 8 4.0
39 <b>840</b>	- 376	381	387	392	397	402	407	412	418	423	9 4.5
41	428 480	433 485	438	443	449 500	454 505	459	<u>4</u> 64	469 521	474 526	
42	531	536	542	547	552	557	562	567	572	578	
43	583	588	593	598	603	660	614	619	624	629 681	
44 45	634 686	639	64 <del>5</del> 696	6 <u>5</u> 0	65 <u>5</u> 706	660 711	716	670 722	675 727	732	
46	737	742	<b>7</b> 47	752	758	763	768	773	778	783	
47	788 840	793 845	799 850	804 853	809 860	814 865	819 870	824 875	829 881	834 886	
49	891	896	901	906	911	916	921	927	932	937	
850	942	947	952	957	962	967	973	978	983	988	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
850	92 942	947	952	957	962	967	973	978	983	988	
51 52 53	993 93 044 095	998 049 100	*003 054 105	*008 059	*013 064 115	*018 069 120	*024 075 125	*029 080 131	*034 085 136	*039 090 141	
54 55 56	146 197 247	151 202 252	156 207 258	161 212 263	166 217 268	171 222 273	176 227 278	181 232 283	186 237 288	192 242 293	6
57 58 59	298 349 <b>3</b> 99	303 354 404	308 359 409	313 364 414	318 369 420	3 <sup>2</sup> 3 374 4 <sup>2</sup> 5	328 379 430	334 384 435	339 389 440	344 39 <u>4</u> 445	1 0.6 2 1.2 3 1.8
860	450	455	460	465	470	475	480	485	490	495	4 2.4 5 3.0
61 62 63	500 551 601	505 556 606	510 561 611	515 566 616	520 571 621	526 576 626	531 581 631	536 586 636	541 591 641	546 596 646	6 3.6 7 4.2 8 4.8
64 65 66	651 702 752	656 707 757	661 712 762	666 717 767	671 722 772	676 727 777	682 732 782	687 737 787	692 742 792	697 747 797	9 5.4
67 68 69	802 852 902	807 857 907	812 862 912	817 867 917	822 872 922	827 877 927	832 882 932	837 887 937	842 892 942	847 897 947	
870	952	957	962	967	972	977	982	987	992	997	15
71 72 73	94 002 052 101	007 057 106	012 062 111	017 067 116	022 072 121	027 077 126	032 082 131	037 086 136	042 091 141	047 096 146	1 0.5 2 1.0
74 75 76	151 201 250	206 255	161 211 260	166 216 265	171 221 270	176 226 275	181 231 280	186 236 285	191 240 290	196 245 295	3 1 5 4 2.0 5 2.5 6 3.0
77 78 79	300 349 399	305 354 404	359 409	31 <del>5</del> 364 414	320 369 419	32 <del>5</del> 374 424	330 379 429	33 <del>5</del> 384 433	340 389 438	34 <del>5</del> 394 443	7 3.5 8 4.0 9 4.5
880	448	453	458	463	468	473	478	483	488	493	
81 82 83	498 547 596	503 552 601	507 557 606	512 562 611	517 567 616	522 571 621	527 576 626	532 581 630	537 586 635	542 591 640	
84 85 86	645 694 743	650 699 748	655 704 753	660 709 758	665 714 763	670 719 768	675 724 773	680 729 778	68 <del>5</del> 734 783	689 738 787	4
87 88 89	792 841 890	797 846 895	802 851 900	807 856 905	812 861 910	817 866 91 <del>5</del>	822 871 919	827 876 924	832 880 929	836 885 934	$ \begin{array}{c c} 1 & 0.4 \\ 2 & 0.8 \\ 3 & 1.2 \end{array} $
890	939	944	949	954	959	963	968	973	978	983	4 1.6 5 2.0
91 92 93	988 9 <b>5 0</b> 36 085	993 041 090	998 046 095	*002 051 100	*007 056 105	*012 061 109	*017 066 114	*022 071 119	*027 075 124	*032 080 129	$62.4 \\ 72.8$
94 95 96	134 182 231	139 187 236	143 192 240	148 197 245	153 202 250	158 207 255	163 211 260	168 216 265	173 221 270	177 226 274	8 3.2 9 3.6
97 98 99	279 328 376	284 332 381	289 337 386	294 342 390	299 347 395	303 352 400	308 35 <u>7</u> 40 <u>5</u>	313 361 410	318 366 415	323 371 419	
900	424	429	434	439	444	448	453	458	463	468	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

TABLE I.											
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
900	95 424	429	434	439	444	448	453	458	463	468	
01	472	477	482	487	492	497	501	506	511	516	
02 03	521 569	525 574	530 578	535 583	540 588	54 <del>5</del> 593	550 598	554 602	559 607	564 612	
04	617	622	626	631	636	641	646	650	655	660	
05 06	66 <del>5</del> 713	670	674 722	679 727	684 732	689 <b>73</b> 7	742	698 746	703 751	708 756	
07	761	766	770	775	780	783	789	794	799	804	
08	809 856	813	818	823	828	832 880	837	842	847 895	852 899	
910	904	909	914	918	923	928	933	938	942	947	
11	952	957	961	966	971	976	980	985	990	995	5
12 13	999 96 047	*004	*009	*014 061	*019	*023 071	*028 076	*033	*038 085	*042 090	$ \begin{array}{c c} 1 & 0.5 \\ 2 & 1.0 \end{array} $
14 15	095	099	104	109 156	114 161	118	123	128	133	137	$   \begin{array}{c c}     3 & 1.5 \\     4 & 2.0   \end{array} $
16	142	147	152	204	209	213	171	175 223	180	232	5 2.5 6 3.0
17 18	237 284	242 289	246 294	251 298	256	261 308	265	270	275	280	7 3.5
19	332	336	341	346	303 350	355	360	365	322 369	327 374	84.0 94.5
920	379	384	388	393	398	402	407	412	417	421	
21 22	426 473	431	435	440	44 <del>5</del> 492	4 <del>5</del> 0 497	454	459 506	464 511	468	
23	520	525	530	534	539	544	548	553	558	562	
24 25	567 614	572 619	577 624	581 628	586 633	591 638	595 642	600 647	605	609 656	
26	66 i	666	670	675	680	$68\overline{5}$	689	694	699	703	
27 28	708 75 <del>5</del>	713	717	722	727 774	731 778	736 783	741 788	745 792	750 797	
29	802	806	811	816	820	825	830	834	839	844	
930	848	853	858	862	867	872	876	188	886	890	14
$\begin{array}{c c} 31 \\ 32 \end{array}$	89 <del>5</del> 942	900 946	904	909	914 960	918 96 <del>5</del>	923 970	928 974	932 979	937 984	10.4
33	988	993	997	*002	*007	*011	*016	*021	*025	*030	$\begin{array}{c c} 2 & 0.8 \\ 3 & 1.2 \end{array}$
34 35	97 03 <del>5</del> 081	039	044	049	053	058	063	067	072	077 123	4 1.6
36	128	132	137	142	146	151	155	160	163	169	$\begin{array}{c} 5 & 2.0 \\ 6 & 2.4 \end{array}$
37 38	174 220	179	183	188	192 239	197 243	202 248	206 253	211 257	216 262	7 2.8
39	267	271	276	280	285	290	294	299	304	308	8 3.2 9 3.6
940	_313	317	322	327	331	336	340	345	350	354	
41 42	359 405	364 410	368 414	373 419	377 424	382 428	387 433	391 437	396 442	400 447	
43	451	456	460	465	470	474	479	483	488	493	
44 45	497 543	502 548	506	511	516 562	520 566	52 <del>5</del> 571	529 575	534 580	53 <u>9</u> 58 <u>5</u>	
46	589	594	598	603	607	612	617	621	626	630	
47 48	756 186	640	644 690	649	6 <b>5</b> 3	658 704	663 708	667 713	672 717	676 722	
49	727	731	736	740	745	749	754	759	763	768	
950	772	777	782	786	791	795	800	804	809	813	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
950	97	772	777	782	786	791	795	800	804	809	813	
$= \frac{51}{52}$		864	823 868	827 873	832	836 882	841 886	845 891	850 896	85 <del>5</del>	85 <u>9</u> 90 <u>5</u>	
53		909	914	918	923	928	932	937	941	946	950	
54 55	98	955	95 <u>9</u>	964 009	968 014	973 019	978 023	982 028	987 032	991 037	996 <b>0</b> 41	
56	90	046	050	055	059	064	<b>o</b> 68	073	078	082	087	
57		091	096	100 146	10 <u>5</u>	109	114 159	118 164	123 168	127 173	132 177	
58 59		137	186	191	195	200	204	209	214	218	223	
960		227	232	236	241	245	250	254	259	263	268	5
61 62		272 318	277 322	281 327	286 331	290 336	29 <del>5</del> 340	29 <u>9</u> 34 <u>5</u>	304 349	308 354	313 358	10.5
63		363	367	372	376	381	385	390	394	399	403	2 1.0 3 1.5
64 65		408 453	412 457	417 462	421 466	426 47 I	430 475	43 <del>5</del> 480	439 484	444 489	448 493	42.0
66		498	502	507	511	516	520	525	529	534	538	5 2.5 6 3.0
67 68		543 588	547 592	552 597	556 601	561 605	565 610	570 614	574 619	579 623	583 628	7 3.5 8 4.0
69		632	637	641	646	650	655	659	664	668	673	9 4.5
970		677	682	686	691	695	700	704	709	713	717	
$\begin{array}{c c} 71 \\ 72 \end{array}$		722 767	726 771	731 776	735 780	740 784	744 789	749 793 838	753 798	802	807	
73		811	818	820	825	829	834		843	847	851	
74 75		856 900	860 90 <u>5</u>	86 <del>5</del> 909	869 914	874 918	878 923	883 927	887 932	892 936	896 941	
76		945	949	954	958	963	967	972	976	981	985	
77 73	99	989 034	994 038	998 043	*003	*007 052	*012 056	061 061	*021 06 <u>5</u>	*025 069	*029 074	
79	~	078	083	087	092	096	100	105	109	114	118	
980		167	127	131	136	140	145	149	154	158	162	4
81 82		211	216	220	224	229	233	238	242	247	251	10.4
83		255	260	264	269	273	277	282 326	286	335	295	2 0.8 3 1.2
84 85		300 344	304 348	308 352	313	317 361	322 366	370	330 374	379	339 383	$ \begin{array}{c c} 4 & 1.6 \\ 5 & 2.0 \end{array} $
86		388	392	396	401	405	410	414	419	423	427	62.4
87 88		432 476	436 480	441	445	449	454 498	458 502	463 506	511	471 515	7 2.8 8 3.2
89		520	524	528	533	537 581	542 585	546	550	555	559	9 3.6
990		564 607	568	572 616	577 621	625	629	590 634	594 638	599 642	603	
92		651	656	660	664	669	673	677	682	686	691	
93 94		730	699 743	704	708	712	717 760	765	726	730	734	
95		739 782	787	791	795	800	804	808	813	817	822	
96 97		826 870	830	835	839	843	848 891	852	856	861	909	
98		913	917	922	926	930	935	939	994	948	952	
1000	00	957	961	965	970	974	978	983	987	991	996	
N.	-	0	1	22	3	4	5	6	7	8	9	Prop. Pts.
IN.		U	_ A	2	3	4t	"	0	•	9	1 0	Trop. 1 to.

20				1		DLE I					
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
1000	000 000	043	087	130	174	217	260	304	347	391	
1001	434 868	477 911	521 954	564 998	608 * <b>0</b> 41	651. *084	694 *128	738 *171	781	824 *258	
1003	001 301	344	388	431	474	517	561	604	647	690	44
1004	734	777	820 252	863 296	339	950 382	993	* <b>o</b> 36	*oSo	*123	1 4.4 2 8.8
1006	598	64í	684	727	771	814	857	900	943	986	3 13.2
1007	003 029 461	073 504	547	159 590	633	245 676	288	331 762	374 805	848	$\begin{vmatrix} 4 & 17.6 \\ 5 & 22.0 \end{vmatrix}$
1009	891	934	977	*020	*063	*106	*149	*192	*235	*278	6 26.4 7 30.8
1010 1011	751	364	837	450 880	$\frac{493}{9^23}$	536 966	579 *009	622 *052	665 *095	708	8 35.2 9 39.6
1012	005 180	794	266	309	352	395	438	481	524	567	. 0 00.0
1013	006 038	081	695 124	738	781	824 252	867	338	952 380	995	
1015	466	509	552	594	637	680	723	765	808	851	43
1016	894	936 364	979 406	*022	*065 492	*107 534	*150	*193 620	*236	*278 705	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
1018	748	790	833	876	918	961	*004	*046	*089	*132	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
1019 1020	008 174 600	643	259 685	302 728	345	387	856	472 898	515 941	558 983	5 21.5
1021	009 026	068	111	153	196	238	281	323	366	408	$ \begin{array}{c c} 6 & 25.8 \\ 7 & 30.1 \end{array} $
1022	451 876	493 918	536 961	578 *003	621 *045	663 *088	706 *130	748 *173	791 *215	833 *258	8 34.4 9 38 7
1024	010 300	342	385	1 427	470	512	554	597	639	681	0,00
1025 1026	724	766 19 <b>0</b>	809	851	893	936 3 <b>5</b> 9	978 401	*020 444	*063 486	*105 528	
1027	570	613	655	697	740	782	824	866	909	951	42
1028	993 012 415	*035 458	*078 500	*120 542	*162 584	*204 626	*247 669	*289 711	*331 753	*373 795	$\begin{array}{ c c c c }\hline 1 & 4.2 \\ 2 & 8.4 \end{array}$
1030	837	879	922	964	*006	*048	*090	*132	*174	*217	3 12.6
1031 1032	013 259 680	301	3+3 764	385 806	427 848	469 890	511 932	553 974	<b>5</b> 96	638 *058	$ \begin{array}{c c} 4 & 16.8 \\ 5 & 21.0 \end{array} $
1033	014 100	142	184	226	268	310	352	395	437	479	$\begin{array}{c c} 6 & 25.2 \\ 7 & 29.4 \end{array}$
1034	521 940	563 982	605 *024	647 *o66	*1 <b>0</b> 8	730 *150	772 *192	814 *234	856 *276	898	8 33.6 9 37.8
1036	015 360	402	444	485	527-	569	611	653	695	737	0,0110
1037 1038	779 016 197	239	863 281	904 323	94 <b>6</b> 365	988 4 <b>0</b> 7	*030 448	*072 490	*114 532	*156 574	
1039	616	657	699	741	783	824	866	908	950	992	41
1040	017_033	075	117	159	618	242	284	326	367 784	409	$egin{array}{ c c c c c c c c c c c c c c c c c c c$
1041	868	49 <sup>2</sup> 909	534 951	576 993	*034	659 *c76	107 811*	743 *159	*201	*243	3 12.3 4 16.4
1043	700	32.6 742	368 784	409 825	451 867	492 908	534 950	576	617 *033	659 *075	5 20.5
1045	019 116	158	199	241	282	324	366	992 407	449	490	$ \begin{array}{c c} 6 & 24.6 \\ 7 & 28.7 \end{array} $
1046	532	573 988	615 *030	656 *071	698 *113	739 *154	781 *195	*237	*278	905 *320	8 32.8 9 36.9
1048	947 020 361	403	444	486	527	568	610	651	693	734	•
1049	775	231	$\frac{858}{272}$	313	355	396	*024 437	*o65 479	*107 520	*148 561	
N.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
	<u> </u>	4				9			-	9	Trop. 1 cs.

N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
1050	021	189	231	272	313	355	396	437	479	520	561	
$1051 \\ 1052$	022	603	644 057	685 098	727 140	768 181	809	851 263	892 305	933 346	974 38 <b>7</b>	
1053		428	470	511	552	593	635	676	717	758	799	42
1054	023	841	882	923	964 376	*005 417	*047 458	*o88 499	*129 541	*170 582	*211 623	1 4.2
1055 1056	023	252 664	294 705	335 746	787	828	870	911	952	993	*034	2 8.4 3 12.6
1057	024	075	116	157	198	239	280	321	363	404 814	445 855	$ \begin{array}{c c} 4 & 16.8 \\ 5 & 21.0 \end{array} $
1058		486 896	527 937	568 978	609 *019	650 *060	*101	732 *142	773 *183	*224	*265	$   \begin{array}{c c}     625.2 \\     729.4   \end{array} $
1060	025	_	347	388	429	470	511	552	593	634	674	8 33.6
1061 1062	026	715 125	756 165	797 206	838 247	879 <b>2</b> 88	920 329	961 370	*002 411	*043 452	*084 492	9 37.8
1063		533	574	613	656	697	737	778	819	860	901	
1064 1065	027	942	982	*023 431	*064	*105 513	*146	*186 594	*227 635	*268 676	*309 716	: 41
1066		350 757	390 798	839	472 879	920	553 961	*002	*042	*083	*124	1 4.1
1067	028	164	205 612	246 653	287	327	368	409 815	449 856	490 896	531 937	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
1068- 1069	1	571 978	810*	*059	693 *100	734 *140	775 *181	*221	*262	*303	*343	4 16.4
1070	029	384	424	465	506	546	587	627	668	708	749	$ \begin{array}{c c} 5 & 20.5 \\ 6 & 24.6 \end{array} $
$1071 \\ 1072$	030	789	830 235	871 276	316	952 357	992 397	*033 438	*073 478	*114	*154 559	7 28.7 8 32.8
1073		600	640	681	721	762	802	843	883	923	964	9 36.9
1074 1075	031	004 408	045 449	085 489	126 530	166 570	206 610	247 651	287 691	328 732	368 772	
1076		812	853	893	933	974	*014	*054	*095	*135	*175	
1077 1078	-26	216 619	256 659	296 699	337 740	377 780	417 820	458 860	498	538 941	578 981	40
1079	033	021	062	102	142	182	223	263	303	343	384	1 4.0 2 8.0
1080		424	464	504	544	585	625	663	705	745	785	3 12.0 4 16.0
1081	034	826 227	866 267	308	946	986 388	*027 428	*067 468	*107 508	*147	*187 588	5 20.0
1083	"	628	669	709	749	789	829	869	909	949	989	$\begin{array}{c c} 6 24.0 \\ 7 28.0 \end{array}$
1084 1085	035	029 430	069 470	510	149 550	190 590	230 630	670	310	350 750	390 790	8 32.0 9 36.0
1086		830	870	910	950	990	*030	*070	*110	*150	*190	0,0010
1087 1088	036	230 629	269 669	309 709	349 749	389 789	429 828	469 868	509 908	549 948	589 988	
1089	037	028	068	108	148	187	227	267	307	347	387	39
1090		426	466	506	546	586	626	665	705	745	785 *183	1 3.9 2 7.8
1091 1092	038	825	865 262	904 302	914 342	984 382	*024 421	*064 461	*103 501	*143 541	580	3 11.7
1093		620	660	700	739	779	819	859	898	938	978	4 15.6 5 19.5
1094 1095	039	017 414	057 454	097 493	136	573	612	255 652	692	335	374	6 23.4 7 27.3
1096		118	850	890	929	969	*009	*048	*o88	*127	*167	8 31.2 9 35.1
1097	040	207 602	246 642	286	325	365	405 800	444 840	879	523 919	563	9 00,1
1000		998	*037	*077	*116	*156	*195	*235	*274	*314	*353	
1100	041	393	432	472	511	551	590	630	669	708	748	
N.		0	1	2	3	4	5	6	7	8	9	Prop. Pts.



### TABLE II.

# CONSTANTS WITH THEIR LOGARITHMS.

	Number.	Logarithm.
Ratio of circumference to diameter, $\pi$ ,	3.14159265	0.49714 99
$\pi^2$ ,	9.86960440	0.99429 97
2π,	6.28318531	0.79817 99
$\sqrt{\pi}$ ,	1.77245385	0.24857 49
Number of degrees in circumference,	360°	2.55630 25
minutes	21600′	4-33445 38
seconds	1296000"	6.11260 50
Degrees in arc equal to radius,	57°-2957795	1.75812 26
Minutes	3437 - 74677	3-53627 39
Seconds	206264".806	5-31442 51
Length of arc of 1 degree,	.01745329	8.24187 74-10
r minute,	.00029089	6.46372 61-10
r second,	.000004848	4.68557 49-10
Number of hours in 1 day,	24	1.38021 12
minutes	1440	3.15836 25
seconds .	86400	4.93651 37
Number of days in Julian year,	365.25	2.56259 02
Naperian base,	2.718281828	0.43429 45
Modulus of common logarithms,	0.434294482	9.63778 43—10
Hours in which earth revolves through		
arc equal to radius,	3.8197186	0.58203 14
Minutes of time	229.18312	2.36018 26
Seconds of time	13750.987	4-13833 39



### TABLE III.

FOR

## SINES AND TANGENTS OF SMALL ANGLES.

#### TO FIND THE SINE OR TANGENT:

Log  $\sin \alpha = \log \alpha$  (in seconds) + S.

Log tan  $\alpha = \log \alpha$  (in seconds) + T.

### TO FIND A SMALL ANGLE FROM ITS SINE OR TANGENT:

Log  $\alpha$  (in seconds) = log sin  $\alpha + S'$ .

Log  $\alpha$  (in seconds) = log tan  $\alpha + T$ .

II						
"	,	L. Sin.	s	Т	S'	T'
0 60 120 180 240	0 1 2 3 4	6.46373 .76476 .94085 7.06579	4.68557 .68557 .68557 .68557 .68557	4.68557 .68557 .68557 .68557 .68558	5.31443 .31443 .31443 .31443 .31443	5.31443 .31443 .31443 .31443 .31442
300 360 420 480 540	56 78 9	7.16270 .24188 .30882 .36682 .41797	4.68557 .68557 .68557 .68557 .68557	4.68558 .68558 .68558 .68558 .68558	5.31443 31443 .31443 .31443 .31443	5.31442 .31442 .31442 .31442 .31442
600 660 720 780 840	10 11 12 13 14	7.46373 .50512 .54291 .57767 .60985	4.68557 .68557 .68557 .68557 .68557	4.68558 .68558 .68558 .68558 .68558	5.31443 .31443 .31443 .31443 .31443	5.31442 .31442 .31442 .31442 .31442
900 960 1020 1080 1140	15 16 17 18 19	7.63982 .66784 .69417 .71900 .74248	4.68557 .68557 .68557 .68557 .68557	4.68558 .68558 .68558 .68558 .68558	5.31443 .31443 .31443 .31443 .31443	5.31442 .31442 .31442 .31442 .31442
1260 1320 1380 1440	21 22 23 24	7.76475 .78594 .80615 .82545 .84393	.68557 .68557 .68557 .68557	4.68558 .68558 .68558 .68558	5.31443 .31443 .31443 .31443	5.31442 .31442 .31442 .31442 .31442
1500 1560 1620 1680 1740	25 26 27 28 29	7.86166 .87870 .89509 .91088 .92612	4.68557 .68557 .68557 .68557 .68557	4.68558 .68558 .68558 .68558 .68559	5.31443 .31443 .31443 .31443	5.31442 .31442 .31442 .31442 .31441
1800 1860 1920 1980 2040	30 31 32 33 34	7.94084 .95508 .96887 .98223 .99520	4.68557 .68557 .68557 .68557 .68557	4.68559 .68559 .68559 .68559 .68559	5.31443 .31443 .31443 .31443 .31443	5.31441 .31441 .31441 .31441 .31441
2100 2160 2220 2280 2340	35 36 37 38 39	8.00779 .02002 .03192 .04350 .05478	4.68557 .68557 .68557 .68557 .68557	4.68559 .68559 .68559 .68559 .68559	5.31443 .31443 .31443 .31443 .31443	5.31441 .31441 .31441 .31441
2400 2460 2520 2580 2640	40 41 42 43 44	8.06578 .07650 .08695 .09718 .10717	4.68557 .68556 .68556 .68556 .68556	4.68559 .68560 68560 .68560 .68560	5.31443 .31444 .31444 .31444	5.31441 .31440 .31440 .31440 .31440
2700 2760 2820 2880 2940	45 46 47 48 49	8.11693 .12647 .13581 .14495 .15391	4.68556 .68556 .68556 .68556 .68556	4.68560 .68560 .68560 .68560 .68560	5.31444 .31444 .31444 .31444	5.31440 .31440 .31440 .31440 .31440
3000 3060 3120 3180 3240	50 51 52 53 54	8.16268 .17128 17971 .18798 .19610	4.68556 .68556 .68556 .68556 .68556	4.68561 .68561 .68561 .68561 .68561	5.31444 .31444 .31444 .31444 .31444	5.31439 .31439 .31439 .31439 .31439
3300 3360 3420 3480 3540	55 56 57 58 59	8.20407 .21189 .21958 .22713 .23456	4.68556 .68556 .68555 .68555 .68555	4.68561 .68561 .68561 .68562 .68562	5.31444 .31444 .31445 .31445 .31445	5.31439 .31439 .31439 .31438 .31438
3600	60	8.24186	4.68555	4.68562	5.31445	5.31438

			1	)		
"	,	L. Sin.	S	T	S'	T'
3600 3660 3720 3780 3840	0 1 2 3 4	8.24186 24903 25609 26304 .26988	4.68555 .68555 .68555 .68555 .68555	4.68562 .68562 .68562 .68562 .68563	5.31445 .31445 31445 .31445 .31445	5.31438 .31438 .31438 .31438 .31437
3900 3960 4020 4080 4140	5 7 8 9	8.27661 .28324 .28977 29621 .30255	4.68555 .68555 .68555 .68555 .68555	4.68563 .68563 .68563 .68563	5.31445 .31445 .31445 .31445 .31445	5·31437 ·31437 ·31437 ·31437 ·31437
4200 4260 4320 4380 4440	10 11 12 13 14	8.30879 .31495 .32103 .32702 .33292	4.68554 68554 .68554 .68554 .68554	4.68563 .68564 .68564 .68564 .68564 4.68564	5.31446 .31446 .31446 .31446	5.31437 .31436 .31436 .31436
4500 4560 4620 4680 4740 4800	15 16 17 18 19	8.33 <sup>8</sup> 75 .34450 .35018 .35578 .36131 8.36678	4.68554 .68554 .68554 .68554 .68554	4.00504 .68565 .68565 .68565 .68565	5.31446 .31446 .31446 .31446 .31446	5.31436 .31435 .31435 .31435
4860 4920 4980 5040	21 22 23 24	.37217 .37750 38276 38796	.68553 .68553 .68553 .68553 .68553	68566 .68566 .68566 .68566	.31447 .31447 .31447 .31447	5.31435 .31434 .31434 .31434
5100 5160 5220 5280 5340	25 26 27 28 29	8.39310 .5318 .40320 .40816 .41307	.68553 .68553 .68553 .68553	.68567 .68567 .68567 .68567	5.31447 .31447 .31447 .31447 .31447	5 · 31434 · 31433 · 31433 · 31433 · 31433
5400 5460 5520 5580 5640	30 31 32 33 34	8 41792 42272 42746 .43216 .43680	4.68553 .68552 .68552 .68552 .68552	4.68567 .68568 .68568 .68568	5.31447 .31448 .31448 .31448 .31448	5·3 <sup>1</sup> 433 ·3 <sup>1</sup> 432 ·3 <sup>1</sup> 432 ·3 <sup>1</sup> 432
5700 5760 5820 588c 5940	35 36 37 38 39	8.44139 44594 45044 45489 45930	4.68552 .68552 .63552 .68552 .68551	4.68569 .68569 .68569 .68569	5.31448 .31448 .31448 .31448 .31449	5.31431 .31431 .31431 .31431 .31431
6000 6060 6120 6180 6240	40 41 42 43 44	8.46366 .46799 .47226 .47650 .48069	4.68551 .68551 .68551 .68551 .68551	4. 68570 .68570 .68570 .68570 .68571	5.31449 .31449 .31449 .31449 .31449	5.31430 .31430 .31430 .31430 .31429
6300 6360 6420 6480 6540	45 46 47 48 49	8,48485 .48896 .49304 .49708 .50108	4.68551 .68551 .68550 .68550 .68550	4.68571 .68571 .68572 .68572 .68572	5.31449 .31449 .31450 .31450 .31450	5.31429 .31429 .31428 .31428 .31428
6600 6660 6720 6780 6840	50 51 52 53 54	8.50504 .50897 .51287 .51673 .52055	4.68550 .68550 .68550 .68550 .68550	4.68572 .68573 .68573 .68573 .68573	5.31450 .31450 .31450 .31450 .31450	5.31428 .31427 .31427 .31427 .31427
6900 6960 7020 7080 7140	55 56 - 57 58 59	8.52434 .52810 .53183 .53552 53919	4.68549 .68549 .68549 .68549 .68549	4 68574 .68574 .68574 .68575 .68575	5.31451 .31451 .31451 .31451 .31451	5.31426 .31426 .31426 .31425 .31425
7200	60	8.54282	4.68549	4.68575	5.31451	5.31425



### TABLE IV.

## LOGARITHMS

OF THE

SINE, COSINE, TANGENT AND COTANGENT

FOR

EACH MINUTE OF THE QUADRANT.

					0°			
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.		Prop. Pts.
0	7		-			0.00 000	60	
	6.45 373	30103	6.46 373 6.76 476	30103	3.53 627 3.23 524	0.00 000	59 58	3476 3218 2997 .1 348 322 300
3	6.94 085	17609	6.94 085	17609 12494	3.05 915	0.00 000	57	.2 695 644 599
4	7.06 579	12494 9691	7.06 579	9691	2.93 421	0.00 000	_56	.3 1043 965 899
5	7.16 270 7 24 188	7918	7.16 270 7.24 188	7918	2.83 730 2.75 812	0.00 000	55 54	.4 1390 1287 1199 .5 1738 1009 1498
	7.30 882	6694	7.30 882	6694	2.69 118	0.00 000	53	
8	7.36 682	5800	7.36 682	5800 5115	2.63 318	0.00 000	52	. 1 280 2633 2483 . 1 280 263 248
$\frac{9}{10}$	7.41 797	4576	7.41 797	4576	2.58 203	0.00 000	$\frac{51}{50}$	.2 560 527 497
11	7 46 373 7 50 512	4139	7.46 373 7.50 512	4139	2.49 488	0.00 000		.3 841 790 745
12	7.54 291	3779 3476	7.54 291	3779 3476	2.45 709	0.00 000	49 48	.4 1121 1053 993 .5 1401 1316 1242
13	7.57 767 7.60 985	3218	7.57 767 7.60 986	3219	2.42 233	0.00 000	47 46	
14	7.63 982	2997	7.63 982	2996	2.36 018	0.00 000	45	2227 2021 1848
16	7.66 784	2802 2633	7.66 785	2803 2633	2.33 215	0.00 000	44	.1 223 202 185 .2 445 404 370
17	7.69 417	2483	7.69 418	2482	2.30 582	9.99 999	43 42	.3 668 606 554
10	7.71 900 7.74 248	2348	7.71 900 7.74 248	2348	2.25 752	9.99 999	42 41	.4 891 808 739 .5 1113 1010 924
$\overline{20}$		2227	7.76 476	2228	2.23 524	9.99 999	40	-3  11.3  1010  924
21	7.78 594	2119	7.78 595	2119	2.21 405	9.99 999	<b>39</b> 38	1704 1579 1472
23		1930	7.80 615	1931	2.19 385	9.99 999	37	.1 170 158 147 .2 341 316 294
24		1848	7 84 394	1848	2.15 606	9.99 999	36	.3 511 474 442
25	7.86 166	1773	7.86 167	1773	2.13 833	9.99 999	35	.4 682 632 589
20	1 ' 2' '	1639	7.87 871 7.89 510	1639	2.12 129	9.99 999	34	.5 852 784 736
28		1579	7.91 089	1579	2.08 911	9.99 999	32	1379 1297 1223
20		1524	7.92 613	1524	2.07 387	9.99 998	31	.1 138 130 122 .2 276 259 245
30	7.94 084	1	7.94 086	1424	2.05 914	9.99 998 9.99 998	30 29	.3 414 389 367
3:		1379	7.95 510 7.96 889	1379	2.03 111	9.99 998	28	.4 552 519 489
3.	7.98 223	1330	7.98 225	1336	2.01 775	9.99 998	27	.5 690 649 612
3		1250	7.99 522	1259	2.00 478	9.99 998	26	1158 1100 1046
3.	8.00 779	1223	8.00 781	1223	1.99 219	9.99 998	25 24	.1 116 110 105
1 3	7   8.03 <b>1</b> 92	1190	8.03 194	1190	1 96 806	9.99 997	23	.2 232 220 209 .3 347 330 314
3	8.04 350	1158	8.04 353	1128	1.95 647	9.99 997	22 21	.4 463 440 418
3			8.05 481	1100	1.93 419	9 99 997	$\frac{2}{20}$	·5  579  559  523
4	8.07650	1072	8.07 653	1072	1.92 347	9.99 997	19	999 954 914
4	8.08 696		8.08 700	1047	1.91 300	9.99 997	18	.1 100 95 91
4 4		999	8.10 720	908	1.89 280	9.99 997 9.99 996	17	.2 200 191 183 .3 300 286 274
4	8 11 693	976	8.11 696	976	1.88 304	9.99 996	15	.4 400 382 366
4	8.12 647	954	8.12 651	955	1.87 349	9.99 996	14	.5 500 477 457
4 4	7   8.13 581 8.14 495	914	8.13 <u>5</u> 85 8.14 <u>5</u> 00	915	1.85 500	9.99 996	13	877 843 812
4	8.15 391	896	8.15 395	895 878	1.84 605	9.99 996	11	.1 88 84 81
5	8.16 268	960	8.16 273	860	1.83 727	9.99 995	10	.2 175 169 162 .3 263 253 244
5	8.17 128	, o	8.17 133	843	1.82 867	9.99 995	8	·4 351 337 325
1 5	3   8.18 798	827	0.10 004	828	1.81 196.	9 . 99 . 99 5	7 6	-5 438 422 406
5	4 8 19 610	812	8.19 616	812	1.80 384	9.99 995		782  755  730
5	5   8.20 40; 6   8.21 186; 7   8 21 95; 8   8.22 71; 9   8.23 45;	1 0	8.20 413	782	1.79 587	9.99 994 9.99 994	5 4	.1 78 75 73
5	7 8 21 95	769	8.21 964	769	1.78 036	9.99 994	3 2	.2 156 151 146
5	8 8.22 71		8.22 720	756 742	1.77.280	9.99 994	2 I	.3 235 220 219 .4 313 302 292
6	9 8.23 450	720	8.23 462	730	1.75 808	9.99 994	0	·5 391 377 365
-	_		L. Cotg.	c. d.			<u> </u>	Prop. Pts.
-	I L. Cos.	1 (1.	The Corg.	10. u.		11. Ош.	'	1 Trope I to
-					89°			

	1° ,   L. Sin.   d.   L. Tang.   c. d.   L. Cotg.   L. Cos.   Prop. Pts.											
H	, ]	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.			Prop	. Pts.	
	0	8.24 186 8.24 903	717	8.24 I92 8.24 9IC	718	1.75 808 1.75 090	9·99 993 9·99 993	60		717	695	673
	2	8.25 609	<b>7</b> 06	8.25 616	706 696	1.74 384	9.99 993	59 58	.1	71.7.	69.5	67.3
Ш	3	8 . 26 304 8 26 988	684	8.26 312 8.26 996	684	1.73 688	9 99 993	57 56	.2	143.4	208.5	134.6
Ш	4	8.27 661	673	8.27 660	673	1.73 004	9.99 992	55	·3	215.1	278.5	201 9
Ш	<b>5</b>	8.28 324	663 653	8.28 332	663 654	1.71 668	9.99 992	54	.5	358.5	347 - 51	336 5
H	7 8	8.28 977 8.29 621	644	8.28 986 8.29 629	643	1.71 014	9.99 99 <b>2</b> 9.99 992	53 52	1	653	634	616
H	9	8.30 255	634 624	8.30 263	634 625	1.69 737	9.99 991	51	.1	65.3	63.4	61.6
П	10	8.30 879	616	8.30 888	617	1.69 112	9.99 991	50	.2	130.6	126.8	123 2
I	11	8.31 495 8.32 103	608	$8.3150\overline{5}$ $8.32112$	607	1.68 495 1.67 888	9.99 991 9.99 990	49 48	•4	261.2	253.6	246.4
H	13	8.32 702	599 590	8.32 711	599 591	1.67 289	9.99 990	47	-5	326.5	317.0	308.0
H	14	8.33 292	583	8.33 302	584	1.66 698	9.99 990	46	1	599	583	568
H	15 16	8.32 875 8.34 450	575	8.33 886 8.34 461	575	1.66 114	9.99 990 . 9.99 989	45 44	.1	59.9	58.3	56.8
ı	17 18	8.35 018	568 560	8.35 029	568 56 <b>1</b>	1.64 971	9.99 989	43	.2	119.8	174.9	113.6
	18	8.35 578 8.36 131	553	8.35 590 8.36 143	553	1.64 410	9.99 989 9.99 989	42 41	•4	239.6	233.2	227.2
	$\frac{19}{20}$	8.36 678	547	8.36 689	546	1.63 311	9.99 988	40	-5	299.5	291.5	284.0
	21	8.37 217	539 533	8.37 229	540	1.62 771	9.99 988	39 38		553	539	526
	22 23	8 37 75° 8 38 276	526	8.37 762 8.38 289	527	1.62 238	9.99 988 9.99 987	38 37	.1	55·3 110.6	53.9	52.6
	24	8.38 796	520 514	8.38 809	520 514	1.61 191	9.99 987	36	.3	165.9	161.7	157.8
Common	25	8.39 310	508	8.39 323	509	1.60 677	9 99 987	35	-4	021.2	215.6	210.4
H	26 27	8.39 818 8.40 320	502	8.39 832 8.40 334	502	1.60 168	9.99 986 9.99 986	34	•5	276.5	269.5	263.0
H	28	8.40 816	496 491	8.40 830	496 491	1.59 170	9.99 986	32		514	502	490
	29	8.41 307	485	8.41 321	486	1.58 679	9.99 985	31	.1 .2	51.4	50.2	49 98
H	30	8.41 792 8.42 272	480	8.41 807 8.42 287	480	1.58 193	9.99 98 <u>5</u> 9.99 98 <u>5</u>	30 29	•3	154.2	150.6	147
U	32	8 42 746	174 470	8.42 762	475 470	1.57 238	9.99 984	28	·4 ·5	205.6	200.8	196 245
1	33 34	8 43 216 8 43 680	464	8.43 <b>232</b> 8.43 696	464	1.56 768	9.99 984	27 26	.5	•	232.0	
1		8.44 139	459	8.44 156	460	1.55 844	9.99 983	25		480	470	460
H	35 36	8 44 594	455 450	8.44 611	455 450	1.55 389	9.99 983	24	.I	48 96	<b>4</b> 7	46 92
1	37 38	8.45 044 8.45 489	445	8.45 061 8.45 507	446	I.54 939 I.54 493	9.99 983 9.99 982	23	•3	144	141	138
H	39	8.45 930	44 <b>1</b> 436	8.45 948	441	1.54 052	9.99 982	21	•4 •5	192 240	188 235	184
1	10	8.46 366	433	8.46 38 <del>5</del> 8.46 817	437	1.53 615	9.99 982	20	Ĭ			
1	4I 42	8.46 799 8.47 226	427	8.47 245	428	1.53 183	9.99 981	19 18	.1	450	440	430
STATE OF THE PARTY	43	8 47 650	424 419	8.47 669	4:30	1.52 331	9.99 981	17	.2	90	88	86
1	44 45	8 48 069	416	8.48 o89 8.48 505	6	1.51 911	9.99 980	16	•3	135 180	132 176	129
-	45	8.48 896	411	8.48 917	4.2	1.51 083	9.99 980	14	·4 ·5	225	220	215
-	47 48	8.49 304	408 404	8.49 325	408	1.50 675	9.99 979	13		420	410	400
-	49	8.49 708 8.50 108	400	8.49 729 8.50 130	401	1.50 271	9.99 979 9.99 978	II	.т	420	410	400
	20	8.50 504	396	8.50 527	397	I.49 473	9.99 978	10	.2	84	82	80
1	51 52	8.50 897 8.51 287	393 390	8.50 920	393	1.49 oSo 1.48 690	9.99 977 9.99 977	9	·3	126 1 <b>6</b> 8	123 164	120
	33	8.51 673	386	8.51 310 8.51 696	386	1.48 304	9.99.977	7 6	.5	210	205	200
4	54	8.52 055	382	8.52 079	383	1.47 921	9 99 976			390	380	370
1	55 56 57 58 59	8.52 434 8.52 810	376	8.52 459 8.52 835	376	1.47 541	9 99 976 9 99 975	5 4	.τ	39	38	37
1	57	8.53 183	373	8.52 835 8.53 208	373	I 46 792	9 99 975	3 2	.2	78 117	76 114	74 111
	58	8.53 552 8.53 919	369 367	8.53 578 8.53 94 <del>5</del>	370 367	1.46 422	9 99 974 9 99 974	2 I	-3	156	152	148
1	60	8.54 282	363	8.54 308	363	1.45 692	9 99 974	0	-5	195	190	185
I		L. Cos.	d.	L. Cotg.	c. d.	100mm	L. Sin.	,		Pro	p. Pts	
				,		88°						

		2° , L. Sin.   d.   L. Tang.   c. d.   L. Cotg.   L. Cos.   Prop. Pts.										
ľ	,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.			Prop	. Pts	
	0	8.54 282 8.54 642	360	8.54 308 8.54 669	361	I .45 692 I .45 33I	9·99 974 9·99 973	<b>60</b> 59		360	350	340
Ш	2	8.54 999	357 355	8.55 027	358 35 <b>5</b>	I.44 973	9.99 973	58	.ı	36	35	31
	3 4	8.55 354 8.55 705	351	8.55 382 8.55 734	352	1.44 618 1.44 266	9.99 972 9.99 972	57 56	.2	72 108	70 105	68 102
	5 6	8.56 054	349 346	8.56 083	349 346	1.43 917	9.99 971	55	•4	144	140	136
		8.56 400 8 56 743	343	8.56 429 8.56 773	344	I.43 57I I.43 227	9.99 971	54 53	.5 .6	180 216	175 210	170 204
Ш	7 8	8.57 084	341	8.57 114	341 338	1.42 886	9.99 970	52	·7 .8	252 288	245 280	238
	9 <b>10</b>	8.57 42 <b>1</b> 8.57 757	336	8.57 452 8.57 788	336	1.42 548	9.99 969	51 50	.9	324	315	306
	11	8.58 089 8.58 419	33 <b>2</b> 330	8.58 121 8 58 451	333	1.41 879	9.99 968	49 48		330	320	310
	13	8.58 747	328 325	8.58 779	328 326	1.41 221	9.99 968 9.99 967	47	.1	33 66	32 64	31 62
	14	8.59 072 8.59 39 <del>5</del>	323	8 59 <b>1</b> 05 8.59 428	323	1.40 895	9.99 967	46	·3	99 132	96 128	93 124
	15 16	8.59 715	320 318	8.59 749	321 319	1.40 251	9.99 966	45 44	٠5	165	160	155
	17 18	8.60 033 8.60 349	316	8.60 068 8.60 384	316	I .39 932 I 39 616	9.99 966	43 42	.6 .7	158 231	192 224	186 217
	19	8.60 662	313	8.60 698	314 311	1.39 302	9.99 964	41	.8	264 297	256 288	248 279
	20	8.60 973 8.61 282	309	8.61 319	310	1.38 991	9.99 964 9.99 963	40 39	.9	29/    300	290	285
ı	22	8.61 589 8.61 894	3º7 3º5	8 61 626	3°7 3°5	1.38 374	9.99 963	39 38	.1	30	29	28.
	23 24	8.62 195	302	8.61 93 <b>1</b> 8.62 234	303	1.38 069 1.37 766	9.99 962 9.99 962	37 36	.2	60 90	58 87	57.¢ 85.\$
	25 26	8.62 49 <u>7</u> 8 62 79 <u>5</u>	301 298	8.62 535 8.62 834	301 299	1 37 465	9.99 961	35	·4 •5	120 150	116 145	114.0
	27	8.63 091	296	8.63 131	297	1.37 166	9.99 961 9.99 960	34   33	.6	180	174	171.3
	28 29	8.63 355 8.63 678	294 293	8.63 426 8 63 718	295 292	1 36 574	9.99 960 9.99 959	32 31		210 240	232	199.5
	30	8.63 968	290	8.64 009	291	1.35 991	9.99 959	80	٠9	270	26:	256.5
No.	31 32	8.64 <b>2</b> 56 8.64 <b>5</b> 43	237	8.64 298 8.64 585	289	1 35 702	9 99 958	27 28	.1	280	275 27·5	270 27.0
	33	8.64827	284	8.64 870	¥85 284	1.35 130	9.99 957	27	.2	56.0 84.0	55.0 82.5	54.0 81.0
1026	35	8.65 110	281	8.65 154 8.65 43 <u>5</u>	281	1.34 846	9.99 956	26	·3	112.0	110.0	то8.о
100	36	8.65 670	279 277	8 65 715	280	1.34 285	9 92 955	24	·5	140.c	137.5 165.0	135.0 162.0
	37 38	8.65 947 8 66 223	276	8.65 993 8.66 269	276	1.34 007	9·99 955 9 99 954	23	- 7	195.0	192.5	c 681
A STATE OF	39	8.66 497	274 272	8.66 543	274	1.33 457	9.99 954	21	.8 .9	224.0	220.0 247 5	216 D
	40	8.66 769 8.67 039	270	8.67087	271	1.33 184	9.99 953	19		265	26c	255
7	42 43	8.67 308 8.67 575	269 267	8.67 356 8.67 624	268	I.32 644 I.32 376	9.99 952 9.99 951	18	.1	.26.5	.26.0	.25.5
1	44	8.67 841	266 263	8.67 890	266 264	1.32 110	9.99 951	16	.3	·79·5	.78.0	.76.5
C C	45 46	8.68 104 8.68 367	263	8.68 154 8.68 417	263	1.31 846 1.31 583	9.99 950	15 14	•4 •5	132.5	130.0	127.5
	47	8.68 627	260 259	8.68 678	261 260	1.31 322	9.99 949	13	.6 -7	159.0 185.5	182.0	153.0
	48 49	8.68 886 8.69 144	258	8.68 938 8.69 196	258	1.31 062	9.99 948	12 11	.8	212.0	208.0	204.0
	$\overline{50}$	8.69 400	256 254	8.69 453	257	1.30 547	9 99 947	10	.9	238.5 250	234.0	229.5
	51 52	8 69 654 8.69 907	253	8.69 708 8.69 962	255	1.30 292	9.99 946	9 8	.z	.25.0	-24.5	.24.0
	53 54	8 70 159 8 70 409	252	8.70 214 8 70 465	252 251	1.29 786	9-99 945	7	.2 .3	.50.0	.49.0 - <b>7</b> 3.5	.72.0
2	55	8.70 658	249	8 70 714	249	1.29 286	9 99 944	5	-4	100.0	198.0	.96.0 120.0
	55 56 57	8.70 90 <del>5</del> 8.71 151	247 246	8 70 962 8 71 208	248	1.29 038 1 28 792	9.99 943 9.99 942	4	·5 .6	125.0	147.0	144.0
	57 58 59	8.71 395	244 243	8 71 453	245	1.28 547	9 99 942	3 2	·7	175.0		168.0 192.0
	59 60	8.71 638 8.71 880	242	8.71 697 8.71 940	243	1.28 303	9.99 942	1	.9		220.5	
The same		L. Cos.	d.	Charles of the State of the Sta	c. d.	L. Tang.	-	<del>,</del>	-	Pro	p. Pts	
The same		* (-004				87°	, and plant			_ 10		

Γ						3°						
	,	L. Sin.	d.	AND THE PERSON NAMED IN COLUMN 2	c. d.	L. Cotg.	L. Cos.			Prop	. Pts	
	0	8 71 880	240	8.71 940	241	1 28 060	9.99 940	60		000		205
	I 2	8 72 120 8 72 359	239	8.72 181 8 72 420	239	1 27 819 1 27 580	9.99 940 9 99 939	59 58	. т	238	234	22.9
Ш	3	8.72 597	237	8 72 659	239	1 27 341	9.99 938	57	.2	47.6	46.8	45.8
	4	8 73 060	235	8.72 896	236	1 .27 104	9 99 938	56	·3	71-4 95-2	70.2 93.6	68.7
Ш	5	8 73 069 8 73 303	234	8 73 132 8.73 366	234	1.26 634	9 99 937 9 99 936	55 54	•5	119.0	117.0	114.5
	7 8	8.73 535	232	8.73 600	234	1.26 400	9.99 936	53	.6	142.8	140.4	137.4
H	8	8 73 767 8 73 997	230	8.73 832 8.74 063	231	1 26 168 1 25 937	9 - 99 935 9 - 99 934	52 51	• <b>7</b>	190.4	163.8	160.3
T'SAVE	10	8.74 226	229	8 74 292	229	1 25 708	9.99 934	50	.9	214.2	210.6	206.1
Table 1	11	8.74 454	228 226	8.74 521	229	I.25 479	9 - 99 933	49 48		225	220	216
9	12	8 74 680 8 74 906	226	8 74 748 8 74 974	226	1.25 252	9 99 932 9 99 932	40	.1	22.5 45.0	22.0 44.0	21.6 43.2
	14	8.75 130	224	8.75 199	225	1.24 801	9.99 931	46	.3	67.5	66.0	64.8
	15	8.75 353	222	8.75 423	222	1.24 577	9.99 930	45	·4 ·5	90.0	88.0	86.4 108.0
iii	16 17	8.75 575 8.75 795	220	8.75 645 8.75 867	222	1.24 355	9 99 929	44 43	.6	135.0	132.0	129.6
	18	8.76 015	220	8.76 087	220	1.23 913	9.99 928	42	.7	157.5	154.0	151.2
1000	19	8.76 234	217	8.76 306	219	1.23 694	9.99 927	41	.8	180.0	176.0 198.0	172.8
	20	8.76 451 8.76 667	216	8 76 52 <del>5</del> 8 76 742	217	1 .23 475 1 .23 258	9.99 926 9.99 926	40 39		212	208	204
	22	8.76 883	216	8.76 958	216	1.23 042	9.99 925	38	.1	21.2	20.8	20.4
	23	8.77 097	214	8.77 173	215	1.22 827	9.99 924	37	.2	42.4 63.6	41.6 62.4	40.8 61.2
	25	8.77 310	212	8.77 387 8.77 600	213	1 22 400	9.99 923	36 35	.4	84.8	83.2	81.6
	26	8.77 733	211	8.77811	211	1.22 189	9.99 922	34	·5	106.0	104.0	102.0
	27	8.77 943 8.78 152	209	8.78 022	211	1.21 978	9.99 921	33	.6 .7	127.2	145.6	122.4
Con and	28	8 78 360	208	8.78 <b>23</b> 2 8.78 <b>44</b> 1	209	1.21 768	9 99 920	32 31	.8	169.6	166.4	163.2
2000	30	8 78 568	208 206	8.78 649	208	1 21 351	9.99 919	30	.9	190.8		
100,000	31	8.78 774	205	8 78 855	206	1 21 145	9.99 918	29 28	.1	201	197	193
	32 33	8 78 979	204	8.79 o61 8.79 266	205	I.20 939 I.20 734	9.99 917	27	.2	40.2	39 - 4	38.6
The same	34	8 79 386	203	8.79 470	204	1.20 530	9.99 915	26	.3	60.3 80.4	59.1 78.8	57·9 77·2
CCRIM	35	8 79 588	201	8 79 673	202	1.20 327	9.99 915	25	.4	100.5	98.5	96.5
ĺ	36 37	8 79 789 8 79 990	201	8.79 875 8 80 076	201	1.20 125	9.99 914	24 23	.6	120.6	118.2	
-	37 38	8 80 189	199	8 80 277	199	1.19 723	9.99 913	22	.7	140.7	137.9 15 <b>7</b> .6	1 1
-	39	8 80 388	197	8 80 476	198	1.19 524	9.99 912	$\frac{21}{20}$	.9	180.9		
ł	41	8 80 782	197	8 80 674 8 80 872	198	1.19 326	9.99 911	19		189	185	181
No. of Concession, Name of Street, or other Persons, Name of Street, or ot	42	8 80 978	196	8 81 008	196	1.18 932	9.99 909	18	.1	18.9	18.5 37.0	
1	43	8 81 173 8 81 367	194	8 81 264	195	1 18 736 1 18 541	9.99 909	17	.3	56.7	55 - 5	
T. Carrott	44	8 81 500	193	8 81 653	194	1 18 347	9 99 907	15	-4	75.6		1 1
-	46.	8 81 752	192	8 81 846	193	1 18 154	9.99 906	14	.6	94.5		
7	47 48	8 81 944 8 82 134	190	8 82 038 8 82 230	192	1 17 962	9 99 905	13	.7	132.3	129.5	
1	49	8 82 324	190	8 82 420	190	1 17 580	9 99 904	11	.8	151.2	1	
	50	8 82 513	188	8.82 610	189	1 17 390	9.99 903	10	.,	1 4 1	,	2   1
	51 52	8 82 701 8 82 888	187	8.82 799	188	1.17 201	9.99 902	8	1.	0.4	0.3 0	.2 0.1
	53	8.83 075	187	8.82 987 8.83 175	188	1.16 825	9.99 900	7 6	.2	0.8		.6 0.3
- Carrie	53 54	8 83 261	185	8.83 361	186	1.16 639	9.99 899	1	.4	1.6		.8 0.4
- Action	55 56 57 58 59	8.83 446 8 83 630	184	8 83 547 8 83 732	185	1.16 453 1.16 268	9.99 898	5 4	-5	2.0	- 1	.0 0.5
	57	8 83 813	183	8 83 915	184	1.16 084	9.99 897	3 2	.6	2.4		.4 0.7
2	58	8.83 995 8 84 177	181	8 84 100 8 84 282	184	1.15 900	9.99 896	2 I	.8	3.2	2.4 I	.6 08
	$\frac{59}{60}$	8.84 358	181	8 84 461	182	1.15 536	9.99 895	0	- 9	3.6	2.7 I	.8 0.9
-		L. Cos.	d.	L. Cots.	e, d	L. Tang.	PROFESSION STREET, STR	,	1	Pro	p. Pt	S.
-		Li Cosi	( tte	The Cong.	- 1	86°	L. GIII.	1 /	1	. 10	170 X C	
-						20,						

	4°  / L. Sin.   d.   L. Tang.   c. d.   L. Cotg.   L. Cos.												
,	L. Sin.	ď.	L. Tang.	c.d.	L. Cotg.	L. Cos.			Prop	. Pts			
0	8.84 358	181	8.84 464	182	1.15 536	9.99 894	60		-0- 1	1			
1 2	8 84 539 8 84 718	179	8.84 646 8.84 826	180	1.15 554 1.15 174	9.99 893	59 58	.т	181	17.9	177		
3	8.84897	179	8.85 006	180	1.14 994	9 99 891	57	.2	36.2	35.8	35.4		
4	8.85 075	177	8.85 185	178	1.14815	9.99 891	56	.3	54·3 72·4	53·7 71.6	70.8		
5 6	8.85 252 8 85 429	177	8 85 363 8 85 540	177	1.14 637 1.14 460	9.99 890 9.99 889	55 54	•4 •5	90.5	89.5	88.5		
7 8	8 85 605	176	8.85 717	177	1.14.283	9.99 888	53	.6	108.6	107.4	106.2		
8 9	8.85 780 8.85 953	175	8.85 893 8.86 069	176	1.14 107 1.13 931	9 99 887 9 99 886	52 51	.8	126.7	125.3	123.9		
10	8.86 128	173	8.86 243	174	I.I3 757	9.99 885	$\frac{51}{50}$	.9	162.9	161.1	159.3		
11	8.86 301	173	8.86 417	174	1.13 583	9 99 884	40		175	173	171		
12	8.86 474 8.86 645	171	8.86 591 8.86 763	172	I.13 409 I.13 237	9.99 883	48 47	.1	17.5 35.0	17.3 34.6	17.1 34.2		
14	8.86 816	171	8.86 935	172	1.13 065	9.99 881	46	•3	52.5	51.9	51.3		
15	8.86 987	169	8.87 106	171	1.12 894	9.99 880	45	-4 -5	70.0 87.5	69.2 86.5	68.4 85.5		
16	8.87 156 8.87 325	169	8.87 277 8.87 447	170	I 12 723 I 12 553	9.99879	43	.6	105.0	103.8	102.6		
18	8.87 494	169 167	8.87 616	169 169	1 12 384	9.99 878	42	.7	122.5	121.1	119.7		
19	8.87 661	168	8.87 785	168	1.12 215	9.99 877	41	.8	157.5	155.7	153.9		
21	8.87 82 <u>9</u> 8.87 99 <u>5</u>	166	8.87 953 8.88 120	167	1.12 047	9.99876	40 39		168	166	164		
22	8.88 161 l	166 165	8.88 287	167 166	1.11 713	9.99 874	39 38	. 1	.16.8	16.6	16.4		
23 24	8.88 326 8.88 490	164	8.88 453 8.88 618	165	1.11 547	9.99 873 9.99 872	37 36	.2	33.6	33.2 49.8	32.8 49.2		
25	8.88 654	164	8.88 783	165	1.11 217	9.99 871	35	.4	67.2	66.4	65.6		
26	8.88 817	163 163	8.88 948	165 163	1.11 052	9 09 870	34	.6	8.00.1	83.0 99.6	82 o		
27 28	8 .88 980 8 89 142	162	8.89 111 8.89 274	163	1.10 889 1.10 726	9 99 869 9 99 868	33 32		117.6	116.2	114.8		
29	8.89 304	162 160	8.89 437	163	1.10 563	9.99 867	31	¥	34 - 4	132.8	131.2		
30	8.89 464	161	8.89 598	161	1.10 402	9.99 866	30	.9	151.2    162	149.4	147.6 157		
31 32	8.89 62 <del>5</del> 8.89 784	159	8.89 760 8.89 920	160	1.10 240	9.99 86 <del>5</del> 9.99 864	29 28	. т	16.2	159	15.7		
33	8.89 943	159	8.90 080	160	1.09 920	9.99 863	27	. 2	32.4	31.8	31.4		
34	8.90 102	158	8.90 240	159	1.09 760	9.99 862	26	·3 ·4	48.6 64.8	47·7	47-I 62.8		
35 36	8.90 260 8.90 417	157	8.90 399 8.90 557	158	1.09 601	9.99 861	25 24	٠5	81.0	<b>7</b> 9·5	78.5		
37 38	8.90 574	157	8.90 715	158	1.09 285	9.99 859	23	.6	97.2	95.4	94.2		
38	8.90 730 8.90 885	155	8.90 872 8.91 029	157	1.09 128	9.99 858 .9.99 857	22 21	8	129.6	127.2	125.6		
40	8 91 040	155	8.91 185	156	1.08 815	9.99 856	20	.9	145.8	143.1			
41	8 91 195	155	8.91 340	155	1.08 660	9.99 855	19		155	153	151		
1 43	8 91 349 8 91 502	153	8.91 495 8.91 650	155	1.08 505	9.99 854 9 99 853	18 17	.1	15.5 31.0	15.3 30.6	30.2		
44	8.91 655	153	8.91 803	153	1.08 197	9.99 852	16	-3	46.5	45.9	45-3		
45	8.91 807	152	8.91 957	154	1.08 043	9.99 851	15	-4 -5	62.0 77.5	61.2 76.5	60.4 75.5		
46	8.91 959 8.92 110	151	8.92 110 8.92 262	153	1.07 890	9.99 850	14	.6	93.0	91.8	90.6		
48	8.92 261	151	8 92 414	152	1.07 586	9.99 847	12	٠7 .8	108.5	107.1	105.7		
$\frac{49}{50}$	8.92 411	150	8.92 565	151	1 07 435	9.99 846	11	.9	139.5	137.7			
51	8.92 561 8.92 710	149	8.92 716 8.92 866	150	1.07 284	9.99 845 9.99 844	10		149	147	ı		
52	8.92 859	149	8.93 016	150	1.06 984	9.99 843	9 8	.1	14.9	14.7	0.1		
53 54	8.93 007 8.93 154	147	8.93 105	149	1.06 835 1.06 687	9.99 842 9.99 84 <u>1</u>	7 6	.2	29.8	29.4 44.1	0.2		
55	8.93 301	147	8.93 462	149	1.06 538	0.00 840	$\frac{6}{5}$	•4	59.6	58.8	0.4		
55 56	8.93 448	147	8 93 609	147	I 06 39I I 06 244	9.99 839 9.99 838	4	·5	74·5 89·4	73·5 88.2	0.5		
57 58	8.93 594 8.93 740	146	8.93 756 8.93 903	147	I 06 244 I 06 097	9.99 838	3 2	-7	104.3	102.9	0.7		
59	8.93 885	145	8.94 049	146	1 05 951	9.99 836	1	.9	119.2	117 6	5.8 5.9		
60	8.94 030	-43	8.94 195	146	1 05 805	9.99 834	0	- 7	, -57.1	-,,	.,		
-	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	,		Prop	o. Pts	•		
1					85°								

	5°   L. Sin.   d.   L. Taug.   c. d.   L. Cotg.   L. Cos.   Prop. Pts.											
,	L. Sin.	d.		c. d.	L. Cotg.	L. Cos.			Prop	p. Pts		
0	8.94 030	144	8.94 195	145	1.05 805	9.99 834	60					
I 2	8.94 174 8.94 317	143	8.94 340 8.94 485	145	1.05 660	9 99 833 9.99 832	59 58	.1	145	143	141	
3	8.94 461	144	8.94 630	145	1.05 370	9.99831	57	.2	29 0	28.6	28.2	
4	8.94 603	143	8.94 773	144	1.05 227	9.99 830	56	•3	43.5	42.9	42 3	
5 6	8.94 746 8.94 887	141	8.94 917 8.95 060	143	I 05 083	9.99 829 9.99 828	55 54	·4 ·5	58.0 72.5	57.2 71.5	56.4 1 70.5 1	
7 8	8.95 029	142	8.95 202	142	1.04 798	9 99 827	53	.6	87.0	85.8	84.6	
	8.95 170	141	8.95 344	142	1.04 656	9.99 825	52	·7	101.5	114.4	98.7	
10	8.95 310 8.95 450	140	8.95 486	141	1.04 514	9.99 824	$\frac{51}{50}$	.9	130.5	128.7	126.9	
11	8.95 589	139	8.95 767	140	1.04 233	9 99 822		1	139	138	136	
12	8.95 728	139	8.95 908	141	1.04 092	9.99 821	49 48	. 1	13.5	13.8	13.6	
13 14	8.95 867 8.96 005	138	8.96 047 8.96 187	140	1.03 953	9.99 820 9.99 819	47 46	.2	27.8	27.6 41.4	27.2 40.8	
15	8.96 143	138	8.96 325	138	1.03 675	9.99 817	45	-4	55.6	55.2	54-4	
16	8.96 280	137	8.96 464	139	1.03 536	9.99 816	44	.5 .6	83.4	69.0 82.8	68.0 81.6	
17	8.96 417 8.96 553	136	8.96 602	137	1.03 398	9.99 815 9.99 814	43 42	.7	97.3	96.6	95.2	
19	8.96 689	136 136	8.96 739 8.96 877	138 136	1.03 123	9.99 813	41	.8	111.2	110.4	108.8	
20	8.96 825	135	8.97 013	130	1.02 987	9.99 812	40	.9	125.1	:24.2	122.4	
21 22	8.96 96 <u>0</u> 8.97 09 <u>5</u>	135	8.97 <u>15</u> 0 8.97 <u>2</u> 85	135	1.02 850	9.99 810	39 38	.1	13.5	133	131	
23	8.97 229	134	8.97 421	136	1.02 579	9.99 808	37	.2	27.0	26.6	26.2	
24	8.97 363	134	8.97 556	135	1.02 444	9.99 807	36	•3	40.5	39.9	39·3 52·4	
25 26	8.97 496 8.97 629	133	8.97 691 8.97 82 <del>5</del>	134	1.02 309	9.99 806 9.99 804	35	•4 •5	54.0 67.5	53.2	65.5	
	8.97 762	133	8.97 959	134	1.02 041	9.99 803	34	.6	81.0	79.8	78.6	
27 28	8.97 894	132 132	8.98 092	133	1.01 908	9.99 802	32	·7	94.5 xo8.0	93.1 to6.4	91.7	
30	8.98 026	131	8.98 225 8.98 358	133	1.01 775	9.99 800	$\frac{31}{30}$	.0	171.5		117.9	
31	8.98 288	131	8.98 490	132	1.01 510	9.99 798	29		129	128	126	
32	8.98 419	131	8.98 622	132	1.01 378	9.99 797	28	.1	12.0 25.8	12.8 25.6	12.6	
33	8.98 549 8.98 679	130	8.98 753 8.98 884	131	1.01 247	9.99 796	<b>27</b> 26	.3	38.7	38.4	25.2 37.8	
35	8.98 808	129	8.99 015	131	1.00 985	9.99 793	25	-4	51.6	51.2	50.4	
36	8.98 937	129	8.99 145	130	1.00 855	9.99 792	24	.0	77-4	76.8	63.0 75.6	
37 38	8.99 066	128	8.99 27 <u>5</u> 8.99 40 <u>5</u>	130	1.00 725	9.99 <b>7</b> 9 <b>1</b> 9.99 <b>7</b> 90	23	.7	90.3	89.6	88.2	
39	8.99 322	128	8.99 534	129	1.00 466	9.99 788	21	.8	103.2	22.4	113.4	
40	8.99 450	127	8.99 662	120	1.00 338	9.99 787	20	.9	125	123	122	
4I 42	8.99 577 8.99 704	127	8.99 791 8.99 919	128	1.00 209	9.99 786 9.99 78 <del>5</del>	18	.1	12.5	12.3	12.2	
43	8.99 830	126	9.00 046	127	0 00 054	9.99 783	17	.2	25.0	24.6	24.4	
44	8.99 956	126	9.00 174	128	0.99 826	9.99 782	16	-3 -4	37·5 50.0	36.9 49.2	36.6 48.8	
45 46	9.00 082	125	9.00 301 9.00 427	126	0.99 699	9.99 781	15 14	-5	62.5	61.5	61.0	
47	9.00 207	125	9.00 427	126	0.99 373	9.99 780	13	.6	75.0	73.8 86.1	73.2	
47 48	9.00 456	124	9.00 679	126	0.99 321	9.99 777	12	·7 .8	87.5	98.4	97.6	
$\frac{49}{50}$	9.00 581	123	9.00 805	125	0.99 195	9.99 776	$\frac{11}{10}$	.9	112.5	10.7	109.8	
51	9.00 828	124	9.01 055	125	0.98 945	9.99 773			121	120	1	
52	9.00 951	123	9.01 179	124	0.98 821	9.99 772	8	.1 .2	12.1	12.0	0.1	
53 54	9.01 274	122	9.01 303 9.01 427	124	0.98 697	9.99 771 9.99 <b>7</b> 69	7 6	-3	36.3	36.0	0.3	
	9.01 318	122	9.01 550	123	0.98 450	9.99 768	5	٠4	48.4	48.0	0.4	
55 56 57 58 59	9.01 440	122	9.01 673	123	0.98 327	9.99 767	4	.5 .6	60.5 72.6	72.0	0.5	
57	9.01 561	121	9.01 796	122	0.98 204	9.99 765 9.99 764	3 2	-7	84.7	84.0	0.7	
59	9.01 803	121	9.02 040	122	0.97 960	9.99 763	I	.8	96.8	96.0 108.0	₩ 8 U	
60	9.01 923	-	9.02 162		0.97 838	9.99 761	0					
	L. Cos.	d.	L. Cotg.	c. d.		L. Sin.			Prop	p. Pts	•	
					84°							

						6°						1	
Ì	,	1. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.			Pro	o. Pts	•	
	0	9.01 923	120	9 02 162	121	0 97 838	9.99 761	60					
	2	9 02 043 9 02 163	120	9 02 283	121	0 97 717	9.99 760 9.99 759	59 58	ı,	12I 12 I	120	11.9	
ľ	3	9 02 283	119	9.02 525	121	0.97 475	9 99 757	57	.2	24.2	24.0	23.8	
ı	-4-5	9 02 402	118	9 02 645	121	0 97 355 0 97 234	9 99 756	<u>56</u> 55	·3 ·4	36.3 48.4	3° 0 48.0	35 7 47.6	
SCHOOL SECTION	5	9 02 639	119	9.02 885	119	0.97 115	9.99 753	54	-5	60.5	60.0	59 \$	
200	7 8	9.02 757	117	9.03 <b>co</b> 5 9.03 <b>1</b> 24	119	o 96 995 o 96 876	9.99 752 9.99 751	53 52	.6 ·7	72.6 84.7	72.0 84.0	71.4 83.3	
	9	9 02 992	118	9 03 242	118	0.96 758	9.99 749	51	.8	96.8	96.0	95.2	
	10 11	9 03 109	117	9 03 361	118	0.96 639	9.99 748	50	.9	108.9	108.0	107.1	
	12	9 03 342	116	9.03 479	118	0.96 521	9 · 99 747 9 · 99 745	49 48	.1	11.8	117	116 11.6	
	13	9 03 458	116	9.03 714	117	0.96 286	9 99 744	47	.2	23.6	23.4	23.2	
1000	15	9.03 574	116	9.03 832	116	0.96 052	9.99 742	46 45	•3 •4	35.4	35.1 46.8	34.8	
-	16	9 03 803	115	9.04 065	117	0.05 035	9 99 740	43	•5	59.0	58.5	58.0	
-	17	9 03 920 9 04 034	114	9.04 181 9.04 297	116	0.95 819	9.99 738 9.99 737	43 42	.6	70.8 82.6	70.2	69.6 81.2	
STREET,	19	9 04 149	115	9.04 413	116	0.95 587	9.99 736	41 41	.8	94.4	93.6	92.8	
NATURE DE	20	9 04 262	114	9.04 528	115	0.95 472	9.99 734	40	.9	106.2	105.3	104.4	
CHARGO.	22	9 04 376	114	9.04 <b>643</b> 9.04 758	115	0.95 357	9 · 99 733 9 · 99 731	39	.1	11.5	11.4	11.3	
Total Services	23	9 04 603	113	9 04 873	115	0.95 127	9 99 730	37	.2	23.0	22.8	22.6	
September 1	24 25	9 04 715	113	9.04 987	114	0.95 013	9.99 728	35	·3	34·5 46.0	34.2 45.6	33 9	
NAME OF TAXABLE PARTY.	26	9 04 940	112	9.05 214	113	0 94 786	9.99 726	34	٠5	57.5	57.0	56.5	
2	27 28	9 05 052	112	9 05 328 9 05 441	113	0 94 672	9.99 724 9.99 723	33	.6	69. <b>o</b> 80.5	79.8	67.8	
Take and	29	9 05 275	111	9.05 553	112	0.94 447	9.99 721	32 31	8	92.c	01.2	90.4	
and the last	30	9 05 386	111	9.05 666	112	0.94 334	9 99 720	30	·¢	103.5	102.6	101.7	
The same	31	9 05 497 9 05 607	110	9 05 778 9 05 890	112	0.94 222	9 99 718	29 28		11.2	11.1	11.0	
200	33	9 05 717	110	9 06 002	112	0 93 998	9 99 716	27	. 12	22.4	22.2	22.0	
CONTRACT	<u>34</u> 35	9 05 827	110	9 06 113	111	o 93 887 o 93 776	9.99 714	25	•3 •4	33.6 44.8	33·3 44·4	33.0	
Person	36	9 06 046	109	9 06 335	111	0 93 665	9 99 711	24	· 5 6	56.0 67.2	55·5 66.6	55.0 66.0	
STORES.	37 38	9 06 155	109	9 06 445 9 06 556	111	0 93 555 0 93 444	9 99 710	23	.7	78.4	77.7	77.0	
princes	39	9 06 372	108	9 06 666	110	0 93 334	9 99 707	2 I	.8	89.6	99.9	88.0	
or other	40	9 00 481 9 00 589	108	9.06 77 <u>5</u> 9 06 88 <u>5</u>	110	0 93 225	9 99 705	20	.9	100	108	99.0	
l	42	9 06 696	107	9 06 994	109	0 93 115	9 99 704   9 99 702	18	ı.	10.9	10.8	10.7	
100	43	9.06 S04 9.06 911	108	9.07 103	109	o 92 897 o 92 789	9 99 701	17 16	.2 .3	32.7	21.6 32.4	32.1	
Logica	45	9 07 018	107	9 07 320	109	0 92 680	9 99 698	15	-4	43.6	43.2	42.8	
THE REAL PROPERTY.	46	9.57 124	106	9.07 428	108	0 92 572	9.99 696	14	-5 .6	54 5 65 4	54.0 64 8	53·5 64.2	
TO ANGELOW	47	9.07 231	106	9.07 536	107	0.92 464	9.99 693	13	-7	76.3	75.6	74.9	
	49	9 07 442	105 106	9.07 751	108	0 92 249	9.99 692	ΙΙ	9. 2.	98.1	97.2	85.6 96.3	
200	50	9.07 548	105	9-07 858 9-07 964	106	0 92 142 0 92 036	9.99 690 9.99 689	10		106	105	104	
7	52	9 07 653 9 07 758	105	9.08 071	107	0.91 929	9 99 687	9 8	.ı	10.6	10.5	10.4	
	53 54	9 07 863 9 07 968	105	9.08 177 9.08 283	106	0 91 823	9.99 686 9.99 684	7 6	.2	21.2 31.8	31.5	20.8	
September 1		9.08 072	104	9.08 389	106	0.91 /1/	9.99 683	5	-4	42.4	42.0	41.6	
The second	55 56	9.08 176	104	9.08.495	106	0 91 505	9 99 681	4	·5 .6	53.0 63.6	52·5 63 o	52.0 62.4	
Name and Address of the Owner, where	57 58	9.08 280	103	9.08 600 9.08 705	105	0.91 400	9 99 680 9 99 678	3 2	.7	74.2	73 • 5	72.8	
STATE OF THE PARTY OF	59	9.08 486	103	9.08 810	105	0.91 190	9.99 677	I	.8	84.8 95.4	84.0 94.5	83.2 93.6	
Name and Address of the Owner, where	60	9.08 589		9 c8 914		0 91 086	9.99 675	0					
		L. Cos.	d.	L. Cotg.	c. d.		L. Sin.	'		Proj	• Pts	•	
- Contract	1		83°										

					7°	7°			
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.		Prop. Pts.	
Û	9.08 589	103	9 08 914	105	0 91 086	9.99 675	60	1 1 1	
I 2	9 08 692 9 08 79 <del>5</del>	103	9 09 319	104	0.90 931	9 99 674 9 99 672	59 58	.1 10.5 10.4 10 3	
3	9.08 897	102	9 09 227	104	0 90 773	9 99 670	57	.2 21.0 20.8 20.6	
5 6	9 08 999	102	9 09 330	104	0 90 670	9 99 669	<u>56</u> 55	.3 31.5 31.2 30.9 .4 42.0 41.6 41.2	
	9 09 202	101	9 09 537	103	0 90 463	9.99 666	54	.5 52.5 52.0 51.5	
7 8	9 09 304	101	9 09 640	102	o 90 360 o 90 258	9 .99 664 9 99 663	53 52	.6  63.0  62.4  61 8   .7  73.5  72 8  72 1	
9	9 09 405	101	9 09 742 9 09 845	103	0 90 250	9.99 661	51	.8 84.0 83.2 82 4	
10	9 09 606	101	9 09 947	102	0 90 053	9.99 659	50	.9  94.5  93.6  92.7	
11	9 09 707 9 09 807	100	9 10 049	101	0.89 951	9.99 658	49 48	. I IO.2 IO.I IO.0	
13	9.09.907	.90	9 10 252	102	0 89 748	9 99 655	47	.2 20.4 20.2 20.0	
14	9 10 006	100	9 10 353	101	0 89 647	9.99 653	46	.3 30.6 30.3 30.0	
15 16	9 10 106	99	9 10 45 <u>4</u> 9 10 55 <u>5</u>	101	o 89 546 o 89 445	9 99 650	45 44	.5 51.0 50.5 50.0	
17	9 10 304	99 98	9.10 656	101	0.89 344	9.99 648	43	.6 61.2 60.6 60.0 .7 71.4 70.7 70.0	
18	9 10 402	99	9 10 756 9 10 856	100	0.80 244	9 99 647	42 41	8 81.6 80.8 80.0	
20	9 10 599	98 98	9 10 956	100	0 89 044	9 99 643	40	.9  91.8  90.9  90.0	
21 22	9 10 697	98	9 11 056	99	0 88 944	9 99 642	39 38	99 98	
23	9 10 795	98	9 11 254	99	o 88 746	9 99 638	37	.2 19.8 19.6	
24	9 10 990	97	9.11 353	99	0 88 647	9 99 637	36	.3 29.7 29.4 .4 39.6 39.2	
25 26	9 11 087	97	9 11 452	99	o 88 548 o 88 449	9.99 635	35 34	.5 49.5 49 0	
27	9 11 281	97	9 11 649	98	0 88 351	9 99 632	33		
28 29	9 11 377	97	9 11 747	98	0 88 253	9 99 630	32 31	.8 79 2 78.4	
30	9 11 570	96	9.11 943	98	0 88 057	9 99 627	30	.9 89.1 88.2	
31	9 11 666	95	9 12 040	97 98	0 87 960	9 99 625	29 28	97 96 95	
32	9 11 761	96	9 12 138	97	0 87 862	9 99 622	27	.2 19.4 19.2 19.0	
34	9 11 952	95 95	9 12 332	97	0 87 668	9.99 620	26	.3 29.1 28.8 28 5 4 38.8 38.4 38.0	
35 36	9 12 047	95	9 12 428	97	0 87 572	9 99 618	25 24	.5 48.5 48.0 47.5	
37 38	9 12 236	94	9 12 621	96 96	0 87 379	9 99 615	23	6 58.2 57 6 57 0	
38	9 12 331 9 12 425	94	9 12 717	96	0 87 283	9 99 613	22	8 77 6 76.8 76 0	
40	9 12 519	94	9 12 909	96	0 87 091	9 99 610	20	.9  87.3  86.4  85.5	
41	9.12 612	93	9 13 004	95 95	0 86 996	9 59 608	19 18	I 94 93 9 <sup>2</sup>	
42	9 12 706	93	9 13 099	95	0 86 806	9 99 607	17	.2 18.8 18.6 18 4	
44	9 12 892	93	9 13 289	95	0 86 711	9.99 603	16	3 28 2 27 9 27 6 4 37 6 37 2 36 8	
45 46	9 12 985 9 13 078	93	9 13 384 9 13 478	94	0 86 616	9 99 600	15	1 .5 47.0 40.5 40.0	
47	9 13 171	93 92	9 13 573	95	0 86 427	9 99 598	13	.6 56 4 55 8 55 2 7 65 8 65 1 64 4	
48	9 13 263 9 13 355	92	9 13 667	94	0 86 333	9.99 596 9 99 595	12 11	8 75.2 74.4 73 6	
$\frac{49}{50}$	9 13 447	92	9 13 854	93	0 86 146	9 99 593	10		
51	9 13 539	92	9 13 948	94	0 86 052	9 99 591	9 8	1 9 1 9 0 0 2	
52 53 54	9 13 630	92	9 14 041 9 14 134	93	o 85 959 o 85 866	9 99 588	7 6	I 9 I 9 O 0 2 2 I8.2 I8.0 O 4 3 27 3 27 O O 6	
_54	9 13 813	91	9 14 227	93	0 85 773	9.99 586			
55 56 57 58 59	9 13 904 9 13 994	90	9 14 320	92	o 85 680 o 85 588	9 99 584 9 99 582	5 4	.5 45.5 45.0 10	
57	9 14 085	90	9 14 504	92	0 85 496	9 99 581	3 2	6 54 6 54 0 1 2 7 63 7 63 0 1 4 1 8 72 8 72 0 1 6	
58	9 14 175 9 14 266	91	9 14 597 9 14 688	93	0 85 403	9 99 579 9 99 577	2   I	0 /2 0 /2 0 1 0	
60	9 14 356	90	9 14 780	92	0 85 220	9.99 575	0	.9  81.9  81.0  1.8	
	L. Cos.	d.	L. Cotg.	c. d.	-	L. Sin.	,	Prop. Pts.	
	-				82°				

					- 8°			
,	L. Sin.	d.	L. Tang.	c. d.		L. Cos.		Prop. Pts.
0	9.14 356 9.14 44 <u>5</u>	89 90	9 14 780 9 14 872	92 91	0 85 220 0 85 128	9.99 575 9.99 574	60 59	92   91   90
3	9.14 535 9.14 624	89	9.14.963	91	0 85 037	9 99 572 9 99 570	59 58 57	1 9 2 9 1 0.0 .2 18 4 18 2 18.0
4	9.14 714	90 89	9.15 145 9 15 236	91	0 84 855	9 99 568	_56	.3 27 6 27 3 27 0
5	9 14 891	88	9.15 327	91 90	0 84 673	$9.9956\overline{5}$	55 54	5 46 0 45.5 45.0
7 8	9.14.980	89 88	9 15 417 9 15 508	91 90	0 84 583	9.99 563 9.99 561	53 52	7 64.4 63 7 63.0
9 10	9.15 157	88	9 15 598	90	0.84 402	9.99 559	$\frac{51}{50}$	8 73.6 72 8 72.0 9 82.8 81 9 81.0
11	9 15 333 9 15 421	88	9 15 777 9 15 867	90	0 84 223	9 99 556 9 99 554	49 48	. I 8.9 88
13	9.15 508	8 <sub>7</sub> 88	9 15 956 9 16 046	90	0.84 044 0.83 954	9.99 552	47	.2 17.8 17.6
15	9.15 683	8 <sub>7</sub> 8 <sub>7</sub>	9 16 135	89 89	0.83 865	9.99 550	46	3 26 7 26.4 4 35.6 35.2
17	9 15 770 9 15 857	8 <sub>7</sub> 8 <sub>7</sub>	9 16 224 9 16 312	88 89	0.83 776	9 99 546	44 43	5 44.5 44.0 6 53.4 52.8
18	9 15 944 9 16 030	86 86	9 16 401 9 16 489	88 88	0.83 599	9 99 543 9 99 541	42 41	.7 62.3 61.6 .8 71.2 70.4
20	9 16 116	87	9 16 577 9 16 665	88	0.83 423	9.99 539	40	.9  80.1  79.2   87   86
22 23	9 16 289 9 16 374	86 85	9 16 753 9 16 841	88 88	0.83 247	9 79 535	39 38	.1 8.7 8.6
24	9 16 460	86 85	9.16 928	8 <sub>7</sub> 88	0 83 159 0 83 072	9 99 533 9 99 532	37 36	.2 17.4 17.2 .3 26.1 25.8
25 26	9.16 545 9.16 631	86	9.17 016 9.17 103	87	0 82 984	9.99 530 9.99 528	35 34	1 34.8 34.4 5 43.5 43.0 6 52.2 51.6
27 28	9 16 716 9 16 801	8 <sub>5</sub>	9 17 190 9 17 277	87 87	0.82 810	9.99 526 9.99 524	33 32	6 52.2 51.6 7 60.9 60.2 8 69.6 68.8
$\frac{29}{30}$	9 16 886	8 <sub>5</sub>	9.17 363	86 8 <sub>7</sub>	0 82 637	9.99 522	31	8 69.6 68.8
31	9 17 055	8 <sub>5</sub> 8 <sub>4</sub>	9 17 536	86 86	0.82 464	9.99 520 9.99 <b>5</b> 18	30 29	85   84
32 33	9 17 139 9 17 223	8 <sub>4</sub> 8 <sub>4</sub>	9.17 708	86 86	0.82 378	9.99 517	28 27	.1 8.5 8.4 .2 17.0 16.8
$\frac{34}{35}$	9 17 307	84	9 17 794	86	0.82 206	9 99 513	25	.3 25.5 25.2 .4 34.0 33.6
36	9 17 474 9 17 558	8 <sub>3</sub> 8 <sub>4</sub>	9 17 965 9 18 051	85 86	0 82 <b>0</b> 3 <b>5</b> 0 81 949	9 . 99 509 9 . 99 5 <b>0</b> 7	24 23	.5 42.5 42.0 .6 51.0 50.4
37 38 39	9 17 641 9 17 724	8 <sub>3</sub> 8 <sub>3</sub>	9 18 136 9 18 <b>22</b> 1	8 <sub>5</sub>	0 81 864	9 99 505 9 99 503	22 21	.7 59.5 58.8 .8 68.0 67.2
40	9 17 807	8 <sub>3</sub> 8 <sub>3</sub>	9 18 306 9 18 391	8 <sub>5</sub>	0.81 694	9 99 501	20	.9  76.5  75.6   83   82
41 42	9.17 890	8 <sub>3</sub> 8 <sub>2</sub>	9 18 475	8 <sub>4</sub> 8 <sub>5</sub>	0.81 525	9 99 499 9 99 497	18	.1 8.3 8.2
43 44	9.18 055 9.18 137	82 83	9 18 560 9 18 644	8 <sub>4</sub>	0.81 440 0.81 356	9 99 495 9 99 494	16	.2 16.6 16.4 .3 24.9 24.6
45 46	9 18 220 9 18 302	82	9 18 728 9 18 812	84	0 81 272 0 81 188	9 99 49 <b>2</b> 9 99 490	15	.4 33.2 32.8 .5 41.5 41.0 .6 49.8 49.2
47 48	9 18 383 9 18 465	81 82	9 18 896 9 18 979	8 <sub>4</sub> 8 <sub>3</sub>	o 81 104 o 81 021	9 99 488 9 99 486	13	7 58 1 57.4
<del>49</del> <b>50</b>	9 18 547	82 81	9.19 063	8 <sub>4</sub> 8 <sub>3</sub>	o 80 937 o 80 854	9 99 484	11	.8 <sub>1</sub> 66 4 65.6 .9 74 7 73.8
CT :	9 18 709	81 81	9.19 229	8 <sub>3</sub>	0 80 771	9 99 482 9 99 480	10 9 8	81 80 a
52 53 54	9 18 790 9 18 871	81 81	9 19 312	8 <sub>3</sub> 8 <sub>3</sub>	o 8o 688 o 8o 6o5	9-99-476	8 7 6	2 16.2 16.0 04
52 53 54 55 56	9 18 952 9 19 033	81	9 19 478	83	0.80 522	9 99 474 9 99 472	$\frac{6}{5}$	4 32 4 32.0 0.8
55 56 57 58 59	9 19 113	80 80	9.19 643 9.19 725	82 82	o 80 357 o 80 275	9 99 470 9 99 468	4 3 2	5 40 5 40 0 I.0 6 48 6 48 0 I.2
58	9 19 273 9 19 353	80 80	9 19 807	82 82	0.80 193	9.99 466 9 99 464	2	7 56.7 56.0 I.4   .8 64 8 64 0 I.6
60	9 19 433	80	9 19 971	82	0.80 029	9 99 462	0	.9  72 9  72 0  1 8
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	,	Prop. Pts.
		`			81°			

,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.		Prop. Pts.
0 1 2 3	9.19 433 9.19 513 9.19 592 9 19 672	80 79 80 79	9.19 971 9.20 053 9.20 134 9.20 216	8 <sub>2</sub> 8 <sub>1</sub> 8 <sub>2</sub> 8 <sub>1</sub>	0.80 029 0.79 947 0.79 866 0.79 784	9.99 462 9.99 460 9.99 458 9.99 456	60 59 58 57	. I 82 81 80 . I 8.2 8.1 8.0 2 16.4 16.2 16.0
5 6 7 8	9 19 751 9 19 830 9 19 988 9 19 988	79 79 79 79 79	9.20 297 9.20 378 9.20 459 9.20 540	81 81 81	0.79 703 0.79 622 0.79 541 0.79 460	9.99 454 9.99 452 9.99 450 9.99 448	55 54 53	.3 24.6 24.3 24.0 .4 32.8 32.4 32.0 .5 41.0 40.5 40.0 .6 49.2 48.6 48.0
9 10 11 12	9 20 067 9 20 145 9 20 223 9 20 302 9 20 380	78 78 78 79 78	9.20 621 9.20 701 9.20 782 9.20 862 9.20 942	80 81 80 80	0.79 379 0.79 299 0.79 218 0.79 138 0.79 058	9.99 446 9.99 444 9.99 440 9.99 440	52 51 50 49 48	7 57.4 56.7 56.0 .8 65.6 64.8 64.0 .9 73.8 72.9 72.0
13 14 15 16	9.20 380 9.20 458 9.20 535 9.20 613 9.20 691	78 77 78 78	9.21 022 9.21 102 9.21 182 9.21 261	80 80 80 79	0.78 978 0.78 898 0.78 818 0.78 739	9.99 438 9.99 436 9.99 434 9.99 432 9.99 429	47 46 45 44	.1 7.9 7.8 .2 15.8 15.6 .3 23.7 23.4 4 31.6 31.2 5 39.5 39.0 6 47.4 46.8
17 18 19	9.20 768 9.20 845 9.20 922 9.20 999	77 77 77 77	9.21 341 9.21 420 9.21 499 9.21 578	80 79 79 79	0.78 659 0.78 580 0.78 501 0.78 422	9.99 427 9.99 425 9.99 423 9.99 421	43 42 41 40	.7 55.3 54.6 8 63.2 62.4 .9 71.1 70.2
21 22 23 24	9.21 076 9.21 153 9.21 229 9.21 306	77 77 76 77 76	9.21 657 9.21 736 9 21 814 9 21 893	79 79 78 79 78	0.78 343 0.78 264 0.78 186 0.78 107	9.99 419 9.99 417 9.99 415 9.99 413	39 38 37 36	77 76 .1 7.7 7.6 .2 15.4 15.2 .3 23.1 22.8
25 26 27 28 29	9 21 382 9 21 458 9 21 534 9 21 610 9 21 685	76 76 76 75	9 21 971 9.22 049 9 22 127 9 22 205 9 22 283	78 78 78 78	0.78 029 0.77 951 0.77 873 0.77 795 0.77 717	9.99 411 9.99 409 9.99 407 9.99 404 9.99 402	35 34 33 32 3:	.5 30.8 30.4 .5 38.5 38.0 .6 46.2 45.6 7.53.9 53.2 8 61.6 60.8
30 31 32 33	9 21 761 9 21 836 9 21 912 9 21 987	76 75 76 <b>7</b> 5	9 22 361 9 22 438 9.22 516 9 22 593	78 77 76 77	0.77 639 0.77 552 0.77 484 0.77 407	9.99 400 9.99 398 9.99 396 9.99 394	30 29 28 27	9 60.3 68.4 75 74 .1 7.5 7.4 2 15.0 14.8
34 35 36 37 38	9.22 062 9.22 137 9.22 211 9.22 286 9.22 361	75 75 74 75 75	9.22 670 9.22 747 9.22 824 9.22 901 9.22 977	77 77 77 77 76	0.77 330 0 77 253 0 77 176 0 77 099 0 77 023	9.99 392 9.99 390 9.99 388 9.99 385 9.99 383	25 24 23 22	.3 22.5 22.2 .4 30.0 29.6 .5 37.5 37.0 .6 45.0 44.4 .7 52.5 51.8 .8 60.0 59.2
39 40 41 42	9 22 435 9 22 509 9 22 583 9 22 657	74 74 74 74 74	9 23 054 9 23 130 9 23 206 9 23 283	77 76 76 77 <b>76</b>	0 76 946 0 76 870 0 76 794 0 76 717	9 99 381 9 99 379 9 99 37 <u>7</u> 9 99 37 <u>5</u>	21 20 19 18	.8 60.0 59.2 .9 67.5 66.6 73 7.2 .1 7.3 7.2 .2 14.6 14.4
43 44 45 46 47	9 22 731 9 22 805 9 22 878 9 22 952 9 23 025	74 73 74 73	9 23 359 9 23 435 9 23 510 9 23 586 9 23 661	76 75 76 75	0 76 641 0 76 565 0 76 490 0 76 414 0 76 339	9 99 372 9 99 370 9 99 368 9 99 366 9 99 364	17 16 15 14 13	.3 21.9 21.6 4 29.2 28.8 5 36.5 36.0 6 43.8 43.2
47 48 49 <b>50</b> 51	9 23 098 9 23 171 9 23 244 9 23 317	73 73 73 73	9 23 737 9 23 812 9 23 887 9 23 962	76 75 75 75	0 76 263 0 76 188 0 76 113 0 76 038	9 99 362 9 99 359 9 99 357 9 99 355	12 11 10 0	.7  51.1  50.4 .8  58.4  57.6 .9  65.7  64.8
52 53 54 55 56	9.23 390 9 23 462 9.23 535 9.23 607 9 23 679	73 72 73 72 72	9 24 037 9 24 112 9 24 186 9 24 261 9 24 335	75 75 74 75 74	0.75 963 0.75 888 0.75 814 0.75 739 0.75 665	9.99 353 9.99 351 9.99 348 9.99 346	8 7 6 5 4	7.1   0.3   0.2   2   14.2   0.6   0.4   3   21.3   0.9   0.6   4   28.4   0.9   0.8   5   35.5   1.5   1.0   0.6   42.6   1.8   1.2
55 56 57 58 59 60	9.23 752 9.23 823 9.23 895 9.23 967	73 71 72 72	9.24 335 9.24 410 9.24 484 9.24 558 9.24 632	75 74 74 74	0.75 590 0.75 516 0.75 442 0.75 368	9 99 344 9 99 342 9 99 346 9 99 337 9 99 335	3 2 1 0	428.4 I.2 0.8 5 35.5 I.5 I.0 6 42.6 I 8 I.2 7 49.7 2 I I.4 8 56.8 2 4 I.6 9 63.9 2 7 I.8
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	,	Prop. Pts.
	20 0000	-	z. cotg.		80°	Zi Siii -		110pt Last

v         L. Sin.         d.         L. Tang.         c. d.         L. Cotg.         L. Cos.           0         9 23 967         72         9 24 632         74         0.75 368         9.99 335         60           1         9 24 039         71         9 24 706         73         0.75 294         9.99 333         59           2         9 24 110         71         9 24 779         73         0.75 221         9.99 331         58           3         9 24 181         72         9 24 853         74         0.75 147         9.99 328         57           4         0.23 251         72         0.24 266         73         0.75 147         9.99 328         57	Prop. Pts.    74   73
1 9 24 039 72 9 24 706 73 0 75 294 9 99 333 59 2 9 24 110 71 9 24 779 73 0 75 221 9 99 333 58 9 24 181 71 9 24 853 74 0 75 147 9 99 328 57	.1 7.4 7.3 .2 14.8 14.6 .3 22.2 21.9 .4 29.6 29.2 .5 37 0 36.5
4     9 24 253     71     9 24 920     74     0 .75 000     9 .99 320     50       5     9 24 395     71     9 .25 000     73     0 .75 000     9 .99 324     55       7     9 24 466     70     9 .25 146     73     0 .74 524     9 .99 319     53       8     9 24 536     70     9 .25 219     73     0 .74 781     9 .99 317     52	.7 51 8 51 1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	.9 66.6 65.7 72 71 .1 7.2 7.1 .2 14.4 14.2 .3 21.6 21.3 .4 28.8 28.4 .5 36.0 35.5 .6 43.2 42.6 .7 50.4 49.7
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	.9 64.8 63.9  70 69  .1 7.0 6.9  .2 14.0 13.8  .3 21.0 20.7  .4 28.0 27.6  .5 35.0 34.5  .6 42.0 41.4
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	.7 49.0 48.3 .8 56.0 55.2 .9 63.0 62 I 68 67 2 13.6 13.4 5 20.4 20.1 .4 27.2 26.8 .5 34.0 33.5
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	.6 40.8 40.2 .7 47.6 46.9 .8 54.4 53.6 .9 61.2 60.3   66 65 .1 6.6 6.5 .2 13.2 13.0 .3 19.8 19.5
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	.4 26.4 26.0 .5 33.0 32.5 .0 39.6 39.0 .7 46.2 45.5 .8 52.8 52.0 .9 59.4 58.5 .1 0.1 0.2
53         9         27         602         65         9         28         391         68         0         71         609         9         99         212         7           51         9         27         668         9         28         459         68         0         71         541         9         99         209         6           55         9         27         799         65         9         28         595         68         0         71         473         9         99         204         4           58         9         27         804         65         9         28         602         67         0         71         405         9         99         204         4           58         9         27         930         66         9         28         730         68         0         71         270         9         99         200         2           59         0         27         995         65         9         28         798         68         0         71         202         9         99         10         7         9         99	.2 0.6 0.4 .3 0.9 0.6 .4 1.2 c.8 .5 1.5 1 0 .6 1.8 1.2 .7 2.1 1.4 .8 2.4 1.6 .9 2.7 1.8
La (os. d. La Cotg. c. d. La Tang. L. Sin. /	Prop. Pts.

				11°				
,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.		Prop. Pts.
0	9.28 060 9 28 123	6 <sub>5</sub>	9.28 865 9.28 933	68 67	0.71 135	9.99 19 <del>5</del> 9.99 192	<b>60</b> 59 58	68   67
3	9.28 190 9.28 254 9.28 319	6 <sub>4</sub> 6 <sub>5</sub>	9.29 000	67 67	0.71 000 0.70 933 0.70 866	9.99 190 9.99 18 <u>7</u> 9.99 18 <u>5</u>	58 57 56	.1 6.8 6.7 .2 13.6 13.4
-4 5 6	9.28 384 9.28 448	65 64	9:29 134 9:29 201 9:29 268	67 67	0.70 799	9.99 182 9.99 180	55	.3 20.4 20.1 .4 27.2 26.8 .5 34.0 33.5
7 8	9.28 512 9.28 577	6 <sub>4</sub>	9.29 335 9.29 402	67 67	0.70 665	9 99 177	54 53 52	.5 34.0 33.5 .6 40.8 40.2 .7 47.6 46.9 .8 54.4 53.6
9	9.28 641	6 <sub>4</sub>	9.29 468	66 67	0.70 532	9.99 172	51	.8 54.4 53.6 .9 61.2 60.3
II I2	9.28 769 9.28 833	64 64 63	9.29 601 9.29 668	66 67 66	0.70 399 0.70 332	9.99 16 <u>7</u> 9.99 16 <u>5</u>	49 48	.1 6.6 6.5
13	9.28 896	64 64	9.29 734 9.29 800	66 66	0.70 266	9.99 162	47 46	.2 I3.2 I3.0 .3 I9.8 I9.5
15 16	9 29 024 9.29 087	63 63	9.29 866 9.29 932	66 66	0.70 134	9.99 157	45 44	.4 26.4 26.0 .5 33.0 32.5 .6 39.6 39.0
17 18 19	9.29 150 9.29 214 9.29 277	6 <sub>4</sub> 6 <sub>3</sub>	9.29 998 9.30 064 9.30 130	66 66	0.70 002 0.69 936 0.69 870	9.99 <u>152</u> 9.99 <u>150</u> 9 99 <u>147</u>	43 42 41	.7 46.2 45.5 .8 52.8 52.0
20 21	9.29 340 9.29 403	63 63	9.30-195	65	0.69 805	9 99 14 <del>5</del> 9 99 142	40	.9  59.4  58.5   64   63
22 23	9.29 466 9 29 529	63 63 62	9.30 326 9.30 391	65 65 66	0.69 674	9.99 140	38 37	1 6.4 6.3 .2 12 8 11 6
24	9.29 591	63 62	9.30 457	6 <sub>5</sub>	0.69 343	9.99 132	35	3 19.2 18.9 4 25.6 25.2
26 27 28	9.29 716 9.29 779 9.29 841	63 62	9.30 587 9.30 652 9.30 717	65 65	0.69 413 0.69 348 0.69 283	9.99 130	34 33	.5 32.0 31.5 6 38.4 37.8 .7 44.8 44.1
29 30	9.29 903	62 63	9.30 782	65 64	0.69 218	9.99 124 9.99 122 9.99 119	$\frac{3^2}{3^1}$	.7 44.8 44.1 .8 51.2 50.4 .9 57.6 56.7
31 32	9.30 028	62 62	9.30 911	65 64	0.69 089	9 99 117	29 28	, I 62 61 , I 6.2 6.1
33 34	9 30 151 9 30 213	61 62 62	9.31 040 9.31 104	65 64 64	0.68 960	9.99 112 9.99 109	27 26	.2 I2.4 I2.2 .3 I8.6 I8.3
35 36	9.30 275	61 62	9.31 168	65 64	0.68 832	9.99 106 9.99 104	25 24	.4 24.8 24.4 .5 31.0 30.5 .6 37.2 36.6
37 38 39	9.30 398 9.30 455 9.30 521	61 62	9.31 297 9.31 361 9.31 42 <del>5</del>	64 64	o.68 703 o.68 639 o.68 575	9.99 101 9.99 099 9.99 096	23 22 21	.7 43.4 42.7 .8 49.6 48.8
40 41	9.30 582	61 61	9.31 489 9.31 552	64 63	0.68 511	9.99 093 9.99 091	20 19	.9  55.8  54.9   60   59
42 43	9.30 704	61 61	9.31 616 9.31 6 <b>79</b>	64 63	0.68 384	9.99 o88 9.99 o86	18	.I 6.0 5.9 .2 12.0 11.8
44 45	9.30 826	61	9.31 743	64 63 64	0.68 257	9.99 083	16	.3 18.0 17.7 .4 24.0 23.6 .5 30.0 29.5
46 47 48	9.30 947 9.31 008 9.31 068	61 60	9.31 870 9.31 933 9.31 996	63 63	0.68 130 0.68 067 0.68 004	9.99 078	13	.5 30.0 29.5 .6 36.0 35.4 .7 42.0 41.3 .8 48.0 47.2
<u>49</u> <b>50</b>	9.31 129	61 60	9.32 059	63 63	0.67 941	9.99 072 9.99 070 9.99 067	11 10	.8 48.0 47.2 .9 54.0 53.1
51 52	9 31 250	61 60	9.32 185 9.32 248	63 63	0.67813	9.99 064	9	.1 0.3 0.2 .2 0.6 0.4
53 54	9.31 370 9.31 430	60 60	9.32 311 9.32 373	63 62 63	0.67 752 0.67 689 0.67 627	9.99 059 9.99 056	7	
55 56 57 58 59	9.31 490 9.31 549	59 60	9.32 436 9.32 498	62 63	0.67 564	9 99 054 9 99 051	5 4	. 5 1.5 1.0 .6 1.8 1.2
58	9.31 609 9.31 669 9.31 728	60 59	9.32 561 9.32 (23 9.32 685	62 62	0 67 439 0 67 377 0 67 315	9.99 048 9.99 046 9 99 043	3 2 I	7 2.I I.4 8 2.4 I.6
60	9.31 788	60	9.32 747	62	0.67 253	9.99 040	0	9 2.7 1.8
	L. Cos.	d.	L. Cotg.	C. d.	78°	L. Sin.	,	Prop. Pts.

Î						12°			
I	,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.		Prop. Pts.
1	0	9.31 788	59	9.32 747	63	0.67 253	9.99 040	60	
ı	1 2	9.31 847 9.31 907	60	9.32 810	62	0.67 190 0.67 128	9.99 038	59 58	.1 63 62 .1 6.3 6.2
ı	3	9.31 966	59 59	9.32 933	61 62	0.67 067	9.99 032	57	.2 12.6 12 4
ł	4	9.32 025	59	9.32 995	62	0.67 005	9.99 030	56	.3 18.9 18.6 .4 25.2 24.8
ı	5	9 32 143	<b>5</b> 9	9.33 119	62 61	0.66 881	9.99 024	55 54	.5 31.5 31.0
ı	7 8	9.32 202 9.32 261	59	9.33 180	62	o.66 820 o.66 758	9.99 022 9.99 019	53 52	.6 37.8 37.2 .7 44.1 43.4
	9	9.32 319	58 59	9.33 303	61 62	0.66 697	9.99 016	51	8 50.4 49.6
ı	10	9.32 378	59	$9.3336\overline{5}$	61	o.66 635 o.66 574	9.99 013	50	.9  56.7  55.8
I	11	9.32 437 9.32 495	58	9.33 426 9.33 487	61 61	0.66 513	9.99 008	49 48	.1 6.1 6.0
I	13	9.32 553 9.32 612	58 59	9.33 548	61	0.66 452 0.66 391	9.99 005	47	.2 12.2 12.0 .3 18.3 18.0
ı	- <del>14</del> 15	9.32 670	58	9 33 609	61	0.66 330	9.99 002	46	.4 24.4 24.0
ı	16	9.32 728	58 58	9.33 731	61	0.66 269	9.98 997	44	.5 30.5 30.0 .6 36.6 36.0
ı	17 18	9.32 786 9.32 844	58	9.33 792 9.33 853	6r	0.66 208	9.98 994 9.98 991	43 42	.7 42.7 42.0
ł	19	9.32 902	58 58	9.33 913	60 61	0.66 087	9.98 989	41	.8 48.8 48.0 .9 54.9 54.0
	20	9 32 960 9 33 018	58	9·33 974 9·34 934	60	0.66 026	9.98 986 9.98 983	40	9 34.9 34.0
ı	22	9.33 075	57 53	9.34 095	61	0.65 905	9.98 980	39 38	.1 5.9
ı	23 24	9.33 133 9.33 190	57	9.34 155 9.34 215	60	0.65 845	9.98 978 9.98 97 <del>5</del>	37 36	.2 11.8
١	25	9.33 248	58	9.34 276	61 60	0 65 724	9 98 972	35	4 23.6
ı	26 27	9.33 305 9.33 362	57 57	9.34 336 9.34 396	60	o 65 664 o 65 604	9.98 969 9.98 967	34	.5 29.5 .6 35.4
ı	28	9.33 420	58	9.34 456	60 60	0.65 544	9.98 964	33 32	.7 41.3
ı	$\frac{29}{30}$	9.33 477	57 57	9.34 516	60	0 65 484	9.98 961	31	8 47.2 .9 53.1
	31	9·33 534 9·33 591	57	9.34 576 9.34 635	59	0.65 424	9.98 958 9 98 955	30	58 57
ı	32	9.33 647	56 57	9.34 695	60 60	0.65 305	9.98 9 <u>5</u> 3 9.98 9 <u>5</u> 0	28	1 5.8 5.7 .2 11.6 11.4
ı	33	9 · 33 704 9 · 33 761	57	9·34 755 9·34 814	59 60	0.65 186	9.98 947	27 26	.3 17.4 17.1
ı	35	9.33 818 9.33 874	57 56	9.34 874	59	0.65 126	9.98 944	25	.4 23.2 22.8 .5 29.0 28.5
١	36 37 38	9.33 931	57	9·34 933 9·34 992	59	0.65 008	9.98 941 9.98 938	24 23	.5 29.0 28.5 .6 34 8 34.2 .7 40 6 39.9
ı	38	9.33 987 9.34 <b>0</b> 43	56 56	9.35 051	59 60	0.64 949	9.98 936 9 98 933	22 21	.8 46.4 45.6
ı	40	9.34 100	57	9.35 170	59	0.64 830	9.98 930	$\frac{21}{20}$	.9  52.2  51.3
	4I 42	9.34 156 9.34 212	56 56	9.35 229 9.35 288	59 59	0.64 771	9.98 927 9.98 924	19 18	56 55 .1 5.6 5.5
ı	43	9.34 268	56	9.35 347	59 58	0.64 653	0.08 921	17	.2 11.2 11.0
	44	9.34 324 9.34 380	56 56	9.35 405	59	0.64 595	9.98 919	16	.4 22.4 22.0
	45 46	9.34 436	56	9.35 464 9.35 523	59	0.64.477	9.98 913	15	.5 28.0 27.5 .6 33.6 33.0
	47 48	9 · 34 491 9 · 34 547	55 56	9.35 581 9.35 640	58 59	0.64 419	9.98 910	13	.7 39.2 38.5
	49	9.34 602	55 56	9.35 698	58 59	0.64 302	9.98 904	11	.8 44.8 44.0 .9 50.4 49.5
	50	9.34 658	55	9.35 757	58	0.64 243	9.98 901 9.98 898	10	3 2
1	51 52	9 34 713 9 34 769 9 34 824	56	9.35 815 9.35 873	58	0.64 127	a.o8 8o6	8	.1 0.3 0.2
	53	9 34 824 9 34 879	55 55	9 · 35 931 9 · 35 989	58 58	0.64 069	9.98 893 9.98 890	7 6	.3 0.9 0.6
	53 54 55 56 57 58 59 60	9.34 934	55	9 36 047	58	0.63 953	9.98 887		4 1.2 0.0
-	56	9.34 989 9 35 044	55 55	9 36 105 9 36 163	58 58	0.63 895	9.98 884 9.98 881	5 4 3 2	5 I.5 I.0 6 I.8 I.2
	58	9 35 099	55	9 36 221	58 58	0.63 779	9.98878		7 2.1 1.4 .8 2.4 1.6
	59	9.35 154	55	9.36 279	57	0.63 721	9.98 875	0	.9 2.7 1.8
	00	9.35 209 L. Cos.	d.	9.36 336 L Cota	a d	L. Tang.	L. Sin.	-	Prop. Pts.
		I II. Cus.	(1)	I II. Codg.	10. 11.	77°	т. ош.	<u>'</u>	1100.100

	13°											
,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	-	Prop. Pts.				
0	9.35 209	54	9.36 336 9.36 394	58	0 63 664	9.98 872 9.98 869	60	58   57				
2	9.35 318	55 55	9.36 452	58 57	0.63 548	9.98 867	<b>5</b> 9 58	. I 5.8 5.7				
3	9 · 35 373	54	9.36 509 9.36 566	57	0.63 491	9.98 864 9.98 861	57 56	.2 11.6 11.4				
1-4-	$\frac{9.35\ 4^27}{9.35\ 481}$	54	9.36 624	58	0.63 376	9.98 858	55	.3 17.4 17.1 4 23.2 22.8				
5	9.35 536	55 54	9.36 681	57 57	0.63 319	9.98 855	54	.5 29.0 28.5				
7 8	9.35 590	54	9.36 738	57	0.63 262	9.98 852	53 52	.6 34 8 34.2 .7 40 6 39.9				
9	9.35 698	54 54	9.36 852	57 57	0.63 148	9.98 846	51	.8 46.4 45.6				
10 11	9.35 752 9.35 806	54	9.36 909 9.36 966	57	0.63 091	9.98 843	50	.9  52.2  51.3   5 <sup>6</sup>   55				
12	9.35 860	54	9.37 023	57	0.62 977	9.98 837	49 48	.1 5.6 5.5				
13	9.35 914 9.35 968	54 54	9.37 080	57 57	0.62 920	9.98 834 9.98 831	47 46	.2 11.2 11.0 .3 16.8 16.5				
14 15	9.35 900	54	9.37 137	56	0.62 807	9.98 828	45	.4 22.4 22.0				
16	9.36 075	53 54	9.37 250	57 56	0.62 750	9.98 825	44	.5 28.0 27.5 .6 33.6 33.0				
17 18	9 36 129 9 36 182	53	9.37 306 9.37 363	57	0.62 694	9.98 822 9.98 E19	43 42	.6 33.6 33.0 .7 39.2 38.5 .8 44.8 44.0				
19	9.36 236	54 53	9.37 419	56 57	0.62 581	9.98 816	4I					
20	9.36 289	53	9.37 476	56	0.62 524	9.98813	40	.9  50.4  49.5   54				
2I 22	9.36 342 9.36 395	53	9.37 532 9.37 588	56	0.62 468	9.98 810	39 38	.1 5.4				
23	9.36 449	54 53	9.37 644	56 56	0.62 356	9.98 804	37	.2 IO.8 .3 I6.2				
24	9.36 502 9.36 55 <del>5</del>	53	9.37 700	56	0.62 300	9.98 801	36 35	.3 16.2 .4 21.6				
<b>2</b> 6	9.36 608	53 52	9.37 812	56 56	0.62 188	9.98 795	34	.5 27.0				
27 28	9.36 660 9.36 713	53	9.37 868	56	0.62 132	9.98 792	33	.6 32.4 .7 37.8				
29	9.36 766	53 53	9.37 980	56	0.62 020	9.98 786	31	.7 37.8 .8 43.2 .9 48.6				
30	9.36 819	52	9.38 035	55 56	0.61 963	9.98 783	80	53   52				
31 32	9.36 871	53	9.38 <b>0</b> 91 9.38 <b>1</b> 47	56	0.61 909 0.61 853	9.68 780	29 28	.1 5.3 5.2				
33	9.36 976	52 52	9.38 202	55 55	0.61 798	9.98 774	27	.2 10.6 10.4 .3 15.9 15.6				
34	9.37 028 9 37 081	53	9.38 257	56	0.61 743	9.98 771	25	.4 21.2 20.8				
35 36	9.37 133	52 52	l 9.38 368	55	0.61 632	9.98 765	24	.5 26.5 26.0 .6 31 8 31.7				
37	9.37 185 9.37 237	52	9.38 423	55 56	0.61 577	9.98 762	23	.7 37 1 36.4				
39	9.37 289	52 52	9.38 534	55	0.61 466	9.98 756	21	.8 42.4 41.6 .9 47.7 46.8				
40	9.37 341	52	9.38 589 9.38 644	55 -55	0.61 411	9.98 7 <u>5</u> 3 9.98 7 <u>5</u> 0	20	51 4				
4I 42	9·37 393 9·37 445	52	9.38 699	55	0.61 301	9.98 746	19 18	.1 5.1 0.4				
43	9 37 497	52 52	9.38 754 9.38 808	55 54	0.61 246	9.98 743	17 16	.2 10.2 0.8 .3 15.3 1.2				
44 45	9.37 549	51	9.38 863	55	0.61 192	9.98 740	15	.4 20.4 1.6				
46	9.37 652	52 51	9.38 918	55 54	0.61 082	9.98 734	14	.5 25.5 2.0 .6 30.6 2.4				
47 48	9·37 70 <u>3</u> 9·37 75 <u>5</u>	52	9.38 972 9.39 027	55	0.61 028 0.60 973	9.98 731 9.98 728	13	.7 35.7 2.8				
49	9.37 806	51 52	9.39 082	55	0.60 918	9.98 725	II	.8 40.8 3.2 .9 45.9 3.6				
50 51	9.37 858	51	9.39 136 9.39 19 <u>0</u>	54 54	0.60 864	9.98 722 9.98 719	10	3 2				
52	9.37 909	51	9.39 195	55	0.60 755	9.98 715	9 8	.1 0.3 0.2				
52 53 54	9 38 011 9.38 062	51 51	9.39 299	54 54	0.60 701	9.98 712 9.98 709	7 6	.2 0.6 0.4 .3 0.9 0.6				
55	9.38 113	51	9 · 39 353 9 · 39 407	54	0.60 503	9.98 706	5	1 .4 1.2 0.8				
55 56	9.38 113 9.38 164 9.38 215 9.38 266	51 51	9.39 461	54 54	0.60 539	9.98 703 9.98 700	4	.5 I 5 I.0 6 I.8 I.2				
57 58	9.38 215	51	9.39 515	54 54	0.60 485	9.98 700	3 2	.7 2.1 1.4 .8 2.4 1.6				
59_	9.30 317	51 51	9.39 623	54 54	0.60 377	9.98 694	I	.9 2.7 1.8				
60	9 38 368		9.39 677		0.60 323	9.98 690	0					
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	,	Prop. Pts.				
					76°							

I						14°				
۱	1_	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
ı	0	9.38 368 9.38 418	50	9.39 677	54	0.60 323	9.98 690	3	60	
ı	I 2	9.38 469	51	9.39 73 <u>1</u> 9.39 78 <u>5</u>	54	0.60 269	9.98 687 9.98 684	3	59 58	
I	3	9.38 519 9.38 570	50 51	9.39 838	53 54	0.60 162	9.98 681	3	57	54 53 -1 5-4 5-3
-	4-	9.38 620	50	9.39 892 9.39 945	53	0.60 108	9.98 678	3	56	.2 10 8 10.6
١	5	9.38 670	50 51	9.39 999	54 53	0.60 001	9.98671	4	54	.3 16.2 15.9 4 21.6 21.2
ı	7	9 38 721 9.38 771	50	9.40 052 9.40 106	54	0.59 948 0.59 894	9.98 668 9.98 665	3	53	.5 27.0 26.5
1	9	9.38 821	50	9.40 159	53 53	0.59 841	9.98 662	3	52 51	.6 32.4 31 8 .7 37 8 37.1
-	10	9 38 871	50	9.40 212	54	0.59 788	9.98 659	3	50	.8 43.2 42.4
ı	II I2	9.38 921 9.38 971	50	9.40 266	53	0.59 734 0.59 681	9.98 656 9.98 6 <b>52</b>	4	49 48	.9   48.6   47.7
ı	13	9 39 021	50 50	9.40 372	53 53	0.59 628	9.98 649	3	47	
I	14	9.39 071	50	9.40 425	53	0.59 575	9.98 646	3	46	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Ĭ	16	9 39 170	49	9.40 531	53	0.59 469	9.98 640	3	45 44	.2 10.4 10.2
ı	17 18	9.39 220	50 50	9.40 584	53 52	0.59 416	9.98 636	4	43	.3 15.6 15.3
ı	19	9.39 270 9.39 319	49	9.40 636 9.40 689	53	0.59 364	9.98 633 9.98 630	3	42 4I	.5 26.0 25.5
١	20	9.39 369	50 49	9.40 742	53 53	0.59 258	9.98 627	3	40	.6 31.2 30.6
D. Contract	21 22	9.39 418 9.39 467	49	9.40 795	52	0.59 205 0.59 153	9.98 623 9 98 620	4	39 38	8 41.6 40.8
and a	23	9.39 517	50 49	9.40 900	53 52	0.59 100	9.98617	3	37	.9 46.8 45.9
1	24	9.39 566	49	9.40 952	53	0.59 048	9.98614	3	_36_	
-	25 26	9.39 61 <del>5</del> 9.39 664	49	9.41 00 <del>5</del> 9.41 057	52	0.58 995	9 98 610 9 98 607	3	35 34	50   49
-	27	9.39 713	49 49	9.41 109	52 52	0.58891	9.98 604	3	33	1 5.0 4.9 2 Er.0 9.8
ı	28 29	9.39 762 9.39 811	49	9.41 161 9.41 214	53	o.58 839 o.58 786	9.98 601 9.98 597	4	33 31	.3 15.0 14 7
Į	30	9.39 860	49 49	9.41 266	52 52	0.58 734	9.98 594	3	30	.4 20.0 19.6 .5 25.0 24.5
1	3I 32	9.39 909 9.39 958	49	9.41 318	52	0.58 682 0.58 630	9.98 <b>591</b> 9.98 <b>5</b> 88	3	29 28	.6 30.0 29.4
ı	33	9.40 006	48	9.41 422	52 52	0.58 578	9.98 584	4	27	.7 35.0 34.3 .8 40.0 39.2
	34	9.40 055	49 48	9.41 474	52	0.58 526	9.98 581	3	26	.9 45.0 44.1
١	35 36	9.40 I03 9.40 I52	49	9.41 526	52	0.58 474	9.98 578 9.98 574	4	25 24	
١	37	9.40 200	48 49	9.41 629	51 52	0.58 371	9.98 571	3	23	48 47
	38 39	9.40 249	48	9.41 681 9.41 733	52	0.58 319	9.98 568 9.98 56 <del>5</del>	3	22 21	.1 4,8 47
ŀ	40	9.40 346	49 48	9.41 784	51 52	0.58 216	9.98 561	4	20	.2 9.6 9.4 .3 14.4 14.1
	4I 42	9 40 394	48	9.41 836 9.41 887	51	0.58 164	9.98 558 9.98 55 <del>5</del>	3	19	.4 19.2 18.8
i	43	9 40 490	48 48	9.41 939	52	0.58 061	9.98 551	4	17	.5 24.0 23.5 .6 28.8 28.2
	44	9.40 538	48	9.41 990	51 51	0.58 010	9.98 548	3	16	.7 33.6 32.9
-	45 46	9.40 586 9.40 634	48	9.42 04I 9.42 093	52	0.57 959	9.98 54 <del>5</del> 9.98 541	4	15 14	.8 38.4 37.6 .9 43.2 42.3
Cash Str	47	9.40 682	48 48	9.42 144	51 51	0.57 856	9.98 538	3	13	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	48 49	9.40 <b>7</b> 30 9.40 778	48	9.42 195 9.42 <b>2</b> 46	51	0.57 805	9.98 53 <del>5</del> 9.98 531	4	12 11	1413
1	50	9.40 825	47 48	9.42 297	51	0.57 703	9.98 528	3	10	.1 0.4 0.3
	51	9.40 873	48	9. <b>42</b> 348 9.42 399	51 51	0.57 652 0.57 601	9.98 525 9 98 521	3	9 8	.2 0.8 0.6
1	53	9 4c 968	47	9.42 450	51	0.57 550	9.98 518	3	7 6	.4 1.6 1.2
	54	9.41 016	48 47	9.42 501	51 51	0.57 499	9.98 515	3 4		.5 2.0 1.5
	55 56	9.41 063	48	9.42 552 9.42 603	51	0.57 448	9.98 511 9.98 508	3	5	1.7 2.8 2.1
	57	9 41 158	47 47	9.42 653	-50 51	0.57 347	9.98 505	3	4 3 2	.8 3.2 2.4 .9 3.6 2.7
	57 58 59	9 41 205	47	9 42 704 9 42 755	51	0.57 296	9 98 <b>501</b> 9 98 498	4	2	.9 3.6 2.7
	60	9 41 300	48	9.42 805	50	0.57 195	9 98 494	4	0	
TOTAL STREET		L. Cos.	d.	L. Cotg.	c.d.		L. Sin.	d.	,	Prop. Pts.
The State of the S						75°				
1										

	15°											
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.			
1	9 41 300 9 41 347	47	9.42 805 9.42 856	51 50	0.57 195	9 98 494 9.98 491	3	<b>60</b> 59				
3 4	9.41 394 9 41 441 9.41 488	47 47	9.42 906 9.42 957 9.43 007	50	0 57 094 0 57 043 0 56 993	9.98 488 9.98 484 9.98 481	4	58 57 56	51 50 .1 5.1 5.0 .2 10.2 10 0			
5 6	9 41 53 <del>5</del> 9 41 582	47 47 46	9.43 057 9.43 108	50 51 50	0.56 943	9.98 477 9.98 474	3	55 54	.3 15.3 15 0			
7 8 9	9.41 628 9.41 675 9.41 722	47 47	9.43 158 9.43 208 9.43 258	50 50	0.56 842 0.56 792 0.56 742	9.98 471 9.98 467 9.98 464	4	53 52 51	.4 20.4 20.0 .5 25.5 25.0 .6 30 6 30.0 .7 35.7 35.0			
10	9.41 768 9.41 81 <del>5</del>	46 47 46	9.43 308 9.43 358	50 50	0.56 692	9.98 460	3 4	50 49	.7 35.7 35.0 .8 40.8 40.0 .9 45.9 45.0			
12 13 14	9.41 861 9.41 908 9.41 954	47 46	9.43 408 9.43 458 9.43 508	50	0.56 592 0.56 542 0.56 492	9.98 453 9.98 450 9.98 447	3	48 47 46	49   48			
15 16	9.42 001	47 46	9.43 558 9.43 607	50 49	0.56 442	9.98 443	3	45 44	.1 49 4.8 .2 98 9.6			
17 18 19	9.42 093 9.42 140 9.42 186	46 47 46	9.43 657 9.43 707 9.43 756	50 50 49	0.56 343 0.56 293 0.56 244	9.98 436 9.98 433 9.98 429	4 3 4	43 42 41	.3 14.7 14.4 .4 19.6 19.2 .5 24.5 24.0			
20 21	9.42 232 9.42 278	46 46	9.43 806 9.43 85 <u>5</u>	50 49	0.56 194	9.98 426 9.98 422	4	40	.6 29.4 28.8 .7 34.3 33.6			
22 23 24	9.42 324 9.42 370 9.42 416	46 46 46	9.43 905 9.43 954 9.44 004	50 49 50	0.56 095 0.56 046 0.55 996	9.98419 9.98415 9.98412	_3 4 3	39 38 37 36	.8   39.2   38 4   .9   44.1   43.2			
25 26	9.42,461	45 46 46	9.44 053	49 49	0.55 947 0.55 898	9.98 409	3	35 34	. I 47 46 1			
27 28 29	9 .42 553 9 42 599 9 .42 644	46 45	9.44 151 9.44 201 9.44 250	49 50 49	0.55 849 0.55 799 0.55 750	9.98 402 9.98 398 9.98 395	3 4 3	33 32 31	.2 9.4 9.2 .3 14.1 13.8			
30 31	9.42 690 9.42 735	46 45	9 44 299 9 44 348	49 49	0.55 701	9.98 391	4	30	.4 18.8 18.4 .5 23.5 23.0 6 28.2 27.6			
32 33 34	9 42 781 9 42 826 9 42 872	46 45 46	9 44 397 9 44 44 <u>6</u> 9 44 49 <u>5</u>	49 49 49	0.55 603 0.55 554 0.55 505	9.98 384 9.98 381 9.98 377	4 3 4	28 27 26	.7 32.9 32.2 .8 37.6 36.8			
35 36	9 42 917 9 42 962	45 45 46	9 44 544 9 44 592	49 48	0.55 456	9.98 373 9.98 370	3	25 24	.9  42.3  41.4			
37 38 39	9 43 008 9 43 053 9 43 098	45 45	9 44 641 9 44 690 9 44 738	49 49 48	0.55 359 0.55 310 0.55 262	9.98 366 9.98 363 9.98 359	3 4	23 22 21	.1 4.5 4.4 .2 9.0 8.8			
10 41	9.43 I43 9 43 ISS	45 45	9 44 7 <sup>8</sup> 7 9 44 836	49	0.55 213	9 98 356 9.98 352	3	20	.2 9.0 8.8 .3 13.5 13.2 .4 18.0 17.6			
42 43 44	9 43 233 9 43 278	45 45 45	9.44 884 9.44 933 9.44 981	48 49 48	0.55 116 0.55 067 0.55 019	9.98 349 9.98 345 9.98 342	3 4 3	18 17 16	.5 22.5 22.0 .6 27.0 26.4			
45 46	9 43 3 <sup>2</sup> 3 9 43 3 <sup>6</sup> 7 9 43 412	44 45	9.45 029	48	0.54 971	9.98 338	4	15 14	.7 31.5 30.8 .8 36.0 35.2 .9 40.5 39.6			
47 48 49	9 43 457 9 43 502 9 43 546	45 45 44	9.45 126 9.45 174 9.45 222	48 48 48	0.54 874 0.54 826 0.54 778	9.98 331 9.98 327 9.98 324	3 4 3	13 12 11	[4]3			
50 51	9.43 591	45	9.45 27I 9 45 3I9	49 48 48	0.54 729	9.98 320	3	10 9	.I 0 4 0 3 .2 0.8 0.6			
52 53 54	9.43 680 9.43 724 9.43 769	45 44 45	9.45 36 <u>7</u> 9.45 41 <u>5</u> 9.45 46 <u>3</u>	48	0.54 633 0 54 585 0.54 537	9.98 313 9.98 309 9.98 306	4 4 3	8 7 6	.3 I.2 0.9 .4 I.6 I.2 .5 2.0 I.5 .6 2.4 I.8			
55 56	9 43 813 9.43 857	44 44 44	9.45 511 9.45 559 9.45 606	48	0.54 489	9 98 302 9 98 299	3	5 4 3 2	1.7 2.8 2.1			
55 56 57 58 59	9.43 901 9.43 946 9.43 990	45 44	9.45 606 9.45 654 9.45 702	47 48 48	0 54 394 0 54 346 0 54 298	9.98 295 9.98 291 9.98 288	4 4 3	3 2 I	.8 3.2 2.4 .9 3.6 2 7			
60	9.44 034	. 44	9.45 750	48	0 54 250	9.98 284	4	0				
	L. Cos.	d.	T. Cotg.	e. d.	74°	L. Sin.	d.	1 /	rcp. P			

						16°				
ı	,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
and the second s	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	9.44 034 9.44 078 9.44 166 9.44 210 9.44 210 9.44 210 9.44 387 9.44 4387 9.44 428 9.44 472 9.44 579 9.44 602 9.44 602 9.44 689	44 44 44 43 44 44 44 43 44 44 43 44 44 4	9.45 750 9.45 707 9.45 845 9.45 892 9.45 940 9.45 987 9.46 035 9.46 130 9.46 177 9.46 221 9.46 319 9.46 369 9.46 413 9.46 413	47 48 47 48 47 48 47 48 47 47 47 47 47	0.54 250 0.54 203 0.54 155 0.54 108 0.54 060 0.54 013 0.53 965 0.53 976 0.53 870 0.53 776 0.53 789 0.53 634 0.53 587 0.53 587	9.98 284 9.98 277 9.98 277 9.98 279 9.98 270 9.98 262 9.98 262 9.98 255 9.98 251 9.98 244 9.98 244 9.98 249 9.98 233	3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 3 4 4 4 3 4 4 4 3 4 4 4 3 4 4 4 4 3 4	50 59 58 57 56 55 54 53 52 51 50 48 47 46 45	48   47   4.8   4.7   4.8   4.7   4.8   4.7   4.8   4.7   4.9   4.14   1.4
A STREET, SQUARE, SQUA	17 18 19 20 21 22 23 24 25 26	9 44 733 9 44 776 9 44 819 9 44 905 9 44 949 9 45 935 9 45 077 9 45 163	43 43 43 43 44 43 42 43 43 43	9.46 507 9.46 554 9.46 601 9.46 648 9.46 694 9.46 741 9.46 788 9.46 837 9.46 881 9.46 928 9.46 975	47 47 47 46 47 47 47 46 47 47 46	0.53 493 0.53 446 0.53 399 0.53 352 0.53 259 0.53 212 0.53 119 0.53 072 0.53 025	9.98 226 9.98 222 9.98 215 9.98 217 9.98 207 9.98 204 9.98 200 9.98 196 9.98 192 9.98 192 9.98 192	4 4 3 4 4 3 4	44 43 42 41 40 39 38 37 36 35 34	.2 9.2 9.0 .3 13.8 13.5 .4 18.4 18.0 .5 23.0 22.5 .6 27.6 27.0 .7 32.2 31.5 8 36.8 36.0 .9 41.4 40.5
THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	27 28 29 30 31 32 33 34 35 36 37	9 45 206 9 45 249 9 45 292 9 45 334 9 45 377 9 45 419 9 45 504 9 45 504 9 45 589 9 45 632	43 42 43 42 43 42 43 42 43 42 43	9.47 021 9.47 068 9.47 114 9.47 160 9.47 207 9.47 253 9.47 346 9.47 392 9.47 488 9.47 488	47 46 46 47 46 46 47 46 46 46	0.52 979 0.52 932 0.52 886 0.52 840 0.52 793 0.52 747 0.52 654 0.52 668 0.52 562 0.52 516	9.98 185 9.98 177 9.98 177 9.98 170 9.98 166 9.98 162 9.98 155 9.98 151 9.98 147	4 4 3 4 4 4 4 4 4 4	33 32 31 30 29 28 27 26 25 24 23	.1
	37 38 39 40 41 42 43 44 45 46 47 48	9.45 674 9.45 716 9.45 758 9.45 801 9.45 843 9.45 885 9.45 927 9.45 969 9.46 011 9.46 053 9.46 095	42 42 43 42 42 42 42 42 42 42	9.47 530 9.47 576 9.47 622 9.47 668 9.47 714 9.47 866 9.47 852 9.47 897 9.47 943 9.47 989	46 46 46 46 46 46 46 46 46	0.52 470 0.52 424 0.52 378 0.52 332 0.52 286 0.52 240 0.52 194 0.52 148 0.52 103 0.52 057 0.52 011	9.98 144 9.98 140 9.98 136 9.98 132 9.98 125 9.98 121 9.98 117 9.98 117 9.98 110 9.98 106	3 4 4 4 3 4 4 4 4 3	22 21 20 19 18 17 16 15 14 13 12	42   41   4.2   4.1   4.2   4.8
	50 51 52 53 54 55 56 57 58 59 60	9 46 136 9 46 178 9 46 220 9 46 262 9 46 303 9 46 345 9 46 428 9 46 469 9 46 511 9 46 552 9 46 594	41 42 42 41 42 41 42 41 42 41 42 41	9.48 035 9.48 080 9.48 171 9.48 217 9.48 262 9.48 337 9.48 353 9.48 343 9.48 443 9.48 443 9.48 534	46 45 46 45 45 45 46 45 46 45 46	0.51 965 0.51 920 0.51 874 0.51 829 0.51 783 0.51 783 0.51 693 0.51 647 0.51 602 0.51 557 0.51 557	9.98 102 9.98 098 9.98 094 9.98 097 9.98 083 9.98 079 9.98 075 9.98 067 9.98 063 9.98 063	4 4 4 4 4 4 3	11 10 9 8 7 6 -5 4 3 2 1	4   3   0.4   0.3   0.6   0.6   0.6   0.6   0.6   0.6   0.6   0.5   0.6   0.5   0.6   0.5   0.5   0.6   0.5   0.
		L. Cos.	d.		c.d.	L. Tang.	L. Sin.	d.	<u>,</u>	Prop. Pts.
						73°				

Ī						17°				
ı	,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
١	U	9.46 594	41	9.48 534	45	0.51 466	9.98 060	4	60	
ı	1 2	9.46 635	41	9.48 579 9.48 624	45	0.51 421	9.98 056	4	59 58	
ı	3	9.46 717	41 41	9.48 669	45 45	0.51 331	9.98 048	4	57 56	.I 4.5 4.4
ı	4	9.46 758	42	9.48 714	45	0.51 286	9.98 044	4	56	.2 9.6 8.8
I	5 6	9.46 800 9.46 841	41	9.48 759 9.48 804	45	0 51 241 1	9.98 036	4	55 54	.3 13.5 13.2 .4 18.0 17 6
ı	7 8	9.46 882	4I 4I	9.48 849	45 45	0.51 151	9.98 032	4	53	.5 22.5 22 0
ı	9	9.46 923 9.46 964	41	9.48 894 9.48 939	45	0.51 106	9.98 029 9.98 02 <del>5</del>	4	52 51	
ł	10	9.47 005	41	9.48 984	45	0.51 016	9.98 021	4	50	.8 36.0 35.2
ı	II	9.47 045	40 41	9.49 029	45 44	0.50 971	9.98017	4	49 48	.9 40.5 39.6
ı	12 13	9.47 086 9.47 127	41	9.49 073	45	0.50 927	9.98 o13 9.98 oo9	4	47	
İ	14	9.47 168	41 41	9.49 163	45 44	0.50 837	9.98 005	4	46	43 42
I	15 16	9.47 209	40	9.49 207	45	0.50 793	9.98 001	4	45	.1 4.3 4.2 .2 8.6 8.4
1	17	9.47 249 9.47 290	41	9.49 252 9.49 296	44	0.50 748	9.97 997	4	44 43	.3 12.9 12.6
H	18	9.47 330	40 41	9.49 341	45 44	0.50 659	9.97 989	4	42	.4 17.2 16.8
	19 20	9.47 371	40	9.49 385	45	0.50 570	9.97 986	4	$\frac{4I}{40}$	.6 25.8 25.2
ı	21	9.47 452	41 40	9.49 474	44	0.50 526	9.97 978	4		.7 30.1 29.4 .8 34.4 33.6
	22	9 47 492	41	9.49 519 9.49 563	45 44	0.50 481	9.97 974	4	39 38	.8 34.4 33.6 .9 38.7 37 8
ı	23 24	9 · 47 533 9 · 47 573	40	9.49 503	44	0.50 393	9.97 966	4	37 36	
ì	25	9.47 613	40 41	9.49 652	45	0.50 348	9.97 962	4	35	1 41 40
I	26	9 47 654 9 47 694	40	9.49 696	44	0.50 304	9.97 958	4	34	I 4.I 4.0
ł	27 28	9 47-734	40 40	9.49 784	44	0.50 216	9.97 950	4	33 32	.2 8.2 8 0 .3 12.3 12.0
ı	29	9 47 774	40	9.49 828	44	0.50 172	9 97 946	4	31	1.4 16.4 16 0
ł	30 31	9 47 814 9 47 854	40	9.49 872	44	0.50 128	9.97 94 <del>2</del> 9.97 938	4	30 29	.5 20.5 20.0 .6 24.6 24.0
ı	32	9 47 894	40	9.49 900	44 44	0.50 040	9.97 934	4	28	.7 28.7 28.0 .8 32.8 32.0
١	33 34	9 47 934 9 47 974	40	9.50 004	44	0.49 996	9.97 930 9.97 926	4	27 26	.8 32.8 32.0 .9 36.9 36.0
1		9 48 014	40	9.50 092	44	0.49 908	9.97 922	4	25	.9   36.9   36.0
1	35 36	9 48 054	40	9.50 136	44	0.49 864	9.97 918	4	24	
١	37 38	9 48 094	39	9.50 180	43	0.49 820	9.97 914 9.97 910	4	23	39 5
i	39	9.48 173	40	9.50 207	44	0.49 733	9.97 906	4	21	.I 3.9 0.5 .2 7.8 I.0
10	40	9.48 213	39	9.50 311	1 44	0.49 689	9.97 902 9.97 898	4	20	.3 11.7 1.5
ı	42	9 45 292	40	9.50 355 9.50 398	43	0.49 602	9.97 894	4	19	.4 I5.6 2.0 .5 I9.5 2.5
	43	9.48 332	40 39	9 50 442	44	0.49 558	9.97 890 9.97 886	.4	17 16	.6 23.4 3.0
	44	9 48 371	40	9 50 485	44	0.49 515	9.97 882	4	15	.7 27.3 3.5 .8 31.2 4 0
1	45 46	9.48 450	39 40	9-50 572	43	0.49 428	9.97 878	4	14	.9 35.I 4.5
	47 48	9.48 490 9 48 529	39	9 50 616	44	0.49 384	9.97 874 9 97 870	4	13	
	49	9.48 568	39	9.50 703	44	0.49 297	9.97 866	5	11	4   3
	50	9.48 607	39	9.50 746	43	0.49 254	9 97 861 9 97 857	4	10	.1 0.4 0.3
	51 52	9 48 647	39	9.50 789 9 50 833	44	0 49 211	9.97 857 9 97 853	4	8	
	53	9 48 725	39 39	9 50 876	43	0 49 124	9.97 849	4	7 6	.4 1.6 1.2
	54	9 48 764 9 48 803	39	9 50 919	43	0 49 081	9 97 845	4		.3 1.2 0.9 .4 1.6 1.2 .5 2.0 1.5 .6 2.4 1.8 .7 2.8 2.1 .8 3.2 2.4
1	56	9.48 842	39	9 51 005	43	0 49 038 0 48 995	9.97 837	4	5 4 3 2	.7 2.8 2.1
1	57	9.48 881	39 39	9.51 048	43	0 48 952	9 97 833 9 97 829	4	3	.8 3.2 2.4 .9 3.6 2.7
1	52 53 54 55 56 57 58 59	9 48 920	39	9 51 092	43	0 48 865	9.97 825	4	1	3, 3, 5, 2, 7
1	60	9 48 998	39	9 51 178	43	0.48 822	9.97 821	4	0	,
1		L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
1						$72^{\circ}$				
1										

						18°				
	,	L. Sin.	d.		c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
1000	1	9.48 998 9.49 <b>9</b> 37	39	9.51 178 9.51 221	43	0 48 822	9 97 821 9 97 817	4	<b>60</b> 59	A CONTRACTOR OF THE PARTY OF TH
	2	9.49 076 9.49 115	39 39	9 51 264	43 42	0 48 736 0.48 694	9 97 812 9.97 808	5 4	58	43   42
	3 4	9.49 153	38 39	9.51 349	43	0.48 651	9.97 804	4	57 56	.I 4 3 4.2 .2 8.6 8.4
П	5 6	9 49 192	39	9.51 392	43	0.48 608	9 97 800	4	55	.3 12.9 12.6
ı		9.49 23 <b>I</b> 9 49 269	38	9.51 43 <del>5</del> 9.51 478	43	0.48 565	9.97 796	4	54	4   17.2   16.8
H	7 8	9.49 308 9.49 347	39 39	9.51 520 9.51 563	43	2 48 480 2 48 437	9.97 788 9.97 784	4	52	6 25 8 25.2
	$\frac{9}{10}$	9.49 385	38	9.51 606	43	0.48 394	9 97 779	5	$\frac{51}{50}$	7 30. I 29.4 .8 34.4 33.6
Н	11	9 49 424	39 38	9.51 648	42 43	0.48 352 0.48 309	9 . 97 775	4	49 48	.9   38 7   37.8
H	12	9.49 462	38 39	9.51 734	43 42	0.48 266	9.97 771 9.97 <b>7</b> 67	4	47	
H	14	9.49 539	38	9.51 776	43	0.48 224	9.97 763 9.97 759	4	46	.1 4.1
ı	15 16	9.49 577 9.49 615	38 39	9.51 861	42 42	0.48 139	9.97 754	5	45 44	.2 8 2
H	17 18	9.49 654 9.49 692	38	9.51 903	43	0.48 097	9.97 750 9.97 <b>7</b> 46	4	43 42	.3 12 3 .4 16.4
	19	9.49 730	38 38	9.51 988	42 43	0.48 012	9.97 742	4	41	.5 20.5 .6 24.6
and the	20	9.49 768 9.49 806	38	9.52 031	42	0.47 969	9.97 738 9.97 734	4	40	.7 28.7
ı	22	9.49 844	38 38	9.52 115	42 42	0.47 885	9.97 729	5	39 38	.8 32.8 7 36.9
ı	23 24	9.49 882 9.49 920	38	9.52 157 9.52 200	43	0.47 843	9.97 725 9.97 721	4	37 36	110
ı	25	9 49 958	38 38	9.52 242	42 42	0.47 758	9.97 717	4	35	. 59   38
:	26 27	9.49 996 9.50 034	38	9.52 <b>2</b> 84 9.52 <b>3</b> 26	42	0.47 716	9.97 713	5	34	1 3.9 3.8
١	28	9.50 072	38 38	9.52 368 9.52 410	42 42	0.47 632	9 97 704	4	32	3 11.7 11.4
1	<sup>29</sup> / <b>30</b>	9.50 110	38	9.52 452	42	0.47 590	9.97 700	4	$\frac{31}{30}$	.4   15.6   15.2
ı	31	9.50 185 9.50 223	37 38	9.52 494 9.52 536	42 42	0.47 506	9.97 69 <b>1</b> 9.97 687	5 4	29 28	.6 23.4 22.8
	32	9.50 261	38 37	9.52 578	42 42	0.47 422	9.97 683	4	27	.7 27.3 26.6 .8 31.2 30.4
1	34	9.50 298	38	9.52 661	41	0.47 380	9.97 679	5	26	.9   35.1   34.2
1	35 36	9.50 374	38 37	9.52 703	42 42	0.47 297	9.97 670	4	24	
١	37 38	9.50 411	38	9.52 745 9.52 787	42	0.47 255	9.97 666	4	23	37 36 . I 3 7 3.6
Ì	39	9 50 486	37 37	9.52 829	42 41	0.47 171	9.97 657	5 4	$\frac{21}{20}$	.2 7.4 1.2
i	40	9 50 523 9 50 561	38	9.52.070	42	0.47 130	9 97 653 9 97 649	4	19	.3 II.1 10.8 .4 14.8 14.4
ı	42	9 50 598 9 50 635	37	9 52 953 9 52 995	1 41	0 47 047	9.97 643	' 4 <sub>1</sub> 5	18 17	.5 18.5 18 0   .6 22.2 21 6
1	44	9.50 673	3 <sup>8</sup>	9.53 037	42	0.46 963	9.97 636	4	16	.7 25.9 25.2
١	45	9 50 710	37	9.53 078 9.53 120	42	0.46 922	9.97 632 9.97 628	4	15 14	.8 29.6 28.8 .9 33.3 32.4
ı	47 48	9.50 784	37 37	9.53 161	41	0.46 839	9.97 623	5 4	13	17100010
	48	9.50 821 9 50 858	37	9.53 202 9.53 244	42	0.46 798	9.97 619 9.97 615	4	12 11	1 5 4
	50	9.50 896	38	9.53 285	41	0.46 715	9.97 610	5	10	.1 0.1, 3.4
	51 52	9.50 933	37	9.53 327 9.53 368	41	0.46 673	9.97 606 9.97 602	4	<b>8</b>	.3 1.5 1.2
	53	9.51 007	37 36	9.53 409 9.53 450	41	0 46 591	9-97 597 9-97 593	5 4	7 6	1.4 2.0 1.6
	54	9 51 080	37	9.53 492	42	0.46 508	9.97 589	4		6 3.0 2.4
	55 56 57 58	9.51 117 9.51 154	37	9 · 53 · 533 9 · 53 · 574	41	0.46 467	9.97 584 9.97 580	5	5 4 3 2	.8 4.0 3.2
	58	9.51 191	37 36	9.53 015	41	0.46 385	9.97 576	4 5	2 I	.9 4.5 3.6
	59 <b>60</b>	9.51 227	37	9.53 656	41	0.46 344	9.97 571	4	$\frac{1}{0}$	
	,,,,	L. Cos.	d.	L. Cotg.	c. d.	300000000000000000000000000000000000000	L. Sin.	d.	<del>,</del>	Prop. Pts.
1				<u></u>		71°				

1	19°											
7	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	d.		Prop. Pts.			
0	9.51 264	37	9.53 697 9.53 738	41	0.46 303	9.97 567 9.97 563	4	60				
I 2	9.51 301 9.51 338	37. 36	9·53 779 9·53 820	41 41	0.46 221	9.97 558	5	59 58	41 } 40			
3 4	9.51 374 9 51 411	37	9.53 820 9.53 861	41	0.46 180 0.46 139	9.97 5 <u>5</u> 4 9.97 5 <u>5</u> 0	4	57 56	.1 4.1 4.0			
	9.51 447.	36	9.53 902	41	0.46 098	9.97 545	5	55	.2 8.2 8.0 .3 12.3 12.0			
<b>5</b>	9.51 484	37 36	9.53 943	4I 4I	0.46 057 0 46 016	9.97 541	4 5	54	.4 16.4 16.0			
7 8	9.51 520 9.51 557	37 36	9.53 984 9.54 025	41 40	0.45 975	9.97 536 9.97 532	4	53 52	.5 20.5 20.0 .6 24.6 24.0			
9	9.51 593	36	9.54 065	41	0.45 935	9.97 528	4 5	$\frac{51}{50}$	.7 28.7 28.0			
10	9.51 629 9.51 666	37	9.54 147	41 40	0.45 894	9.97 523 9.97 519	4		.8 32.8 32.0 .9 36.9 36.0			
:2	9.51 702 9.51 738	36 36	9.54 187 9.54 <b>2</b> 28	41	0.45 813	9.97 515	4 5	49 48 47				
13 14	9.51 774	36 37	9.54 269	41 40	0.45 731	9.97 506	4	46	39			
15	9.51 811	36	9.54 309	41	0.45 691	9.97 501	5 4	45	· .1 3.9 7.8			
16 17	9.51 847 9.51 883	36 36	9.54 350 9.54 390	40 41	0.45 650	9.97 497	5	44   43	.3 11.7			
18	9.51 919	36	9.54 431	40	0.45 569	9.97 488	4	42 41	.4 15.6 .5 19.5			
20	9.51 955	36	9.54 471	41	0.45 488	9.97 479	5	40	.6 23.4			
21	9.52 027	36 36	9.54 552	40 41	0.45 448	9.97 475	4 5	39 38	.7 27.3 .8 31.2			
22	9.52 063	36 36	9 · 54 593 9 · 54 633	40 40	0.45 407	9.97.470	4	37	3  35.1			
24	9.52 135	36	9.54 673	41	0.45 327	9.97 461	5	36				
25	9.52 171 9.52 207	36	9.54 714 9.54 754	40	0.45 286	9 · 97 457 9 · 97 453	4	35 34	37 36			
27	9.52 242	35 36	9.54 794	40 41	0.45 206	9.97 448	5	33	.1 3.7 3.6 .2 7.4 7.2			
29	9.52 278 9.52 314	36 36	9.54 83 <u>5</u> 9.54 875	40	0.45 165	9·97 444 9·97 439	5	32 31	.3 11.1 10.8			
30	9.52 350	35	9.54 915	40	0.45 085	9.97 435	5	30	.5 18.5 18.0			
31 32	9.52 385 9.52 421	36	9.54 955	40	0.45 045	9.97 430 9.97 426	4	29 28	.6 22.2 21.6 .7 25.9 25.2			
33	9 52 456	35 36	9.55 035	40	0.44 965	9.97 421	5 4	27 26	.8 29.6 28.8			
34	9.52 492 9.52 527	35	9.55 075	40	0.44 885	9.97 417	5	25	.9   33.3   32.4			
35 36	9.52 563	36	9.55 155	40	0.44 845	9.97 408	5	24				
37 38	9.52 598 9.52 634	36	9 55 195 9.55 235	40	0 44 765	9.97 403 9.97 399	4	23	.I 35 34 3.5 3.4			
39	9.52 669	35 36	9 55 275	40	0.44 725	9 97 394	5	$\frac{2I}{20}$	.2 7.0 6.8			
40	9 52 70 <del>5</del> 9 52 740	35	$9.5531\overline{5}$ $9.5535\overline{5}$	40	0 44 685	9.97 390 9 97 385	5	19	.3 10.5 10.2 .4 14.0 13.6			
42	9.52 775	35 36	9 - 55 395	39	0 44 605	9.97 381 9.97 376	5	18	.5 17.5 17.0			
33	9 52 811 9.52 846	35	9·55 434 9·55 474	40	0 44 526	9.97 372	4	16	.6 21.0 20.4 .7 24.5 23.8			
45	9 52 881	35	9.55 514	40	0.44 486	9.97 367	5 4	15	.8 28.0 27.2			
46	9.52 916 9.52 951	35	9·55 554 9·55 593	39	0.44 446	9.97 363 9.97 358	5	13	.9  31.5  30.6			
47 48	9.52 986	35	9.55 633 9.55 673	40	0.44 367	9 · 97 353 9 · 97 349	5 4	12	1 5 1 4			
$\frac{49}{50}$	9.53 021	35	9.55 712	- 39	0.44 288	9.97 349	5	10	.I 0.5 0.4			
51	9.53 092	36 34	9.55 752	39	0.44 248 0.44 209	9.97 340	4 5	9 8	.2 1.0 0.8			
52 53	9.53 126 9.53 161	35	9.55 79I 9.55 83I	40	0.44 169	9.97 335 9.97 331	4	7 6	1 20 1.6			
54	9.53 196	35	9 55 870	39	0.44 130	9.97 326	5 4		.3 I.5 I.2 .4 2.0 I.6 .5 2.5 2.0 .6 3.0 2.4 .7 3.5 2.8 .8 4.0 3.2			
55 56 57 58 59	9.53 231 9.53 266	35	9.55 910 9 55 949	39	0.44 051	9.97 322 9.97 317	5	5 4	1.7 3.5 2.8			
57	9.53 301	35	9.55 989 9 56 028	39	0.44 011 0.43 972	9.97 312 9.97 308	5	3 2	.8 4.0 3.2 .9 4.5 3.6			
59	9.53 355 9.53 370	34	9 50 007	39	0.43 933	9.97 303	5	I				
60	9 53 405	35	9 56 107	-	0.43 893	9.97 299	4	0				
-	L. Cos.	d.	1 L. Cotg.	c. d	.L. Tang.	L. Sin.	d.	,	Prop. Pts.			
					70°							

						20°				
Į	,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
ı	0	9.53 405	35	9.56 107 9.56 146	39	0.43 893	9.97 299	5	60	
ł	1 2	9 · 53 · 44 <u>0</u> 9 · 53 · 475	35	9.56 185	39	0.43 854	9.97 294 9.97 289	5	59 58	1 40 1 40
Į	3	9.53 509	34 35	9.56 224 9.56 264	39 40	0.43 776	9.97 285	4 5	57	.I 4.0 3.9
Į	4	$\frac{9.53\ 544}{9.53\ 578}$	34	9.56 303	39	0.43 736	9.97 280	4	<u>56</u> 55	.I 4.0 3.9 .2 8 0 7.8
ì	5	9.53 613	35 34	9.56 342	39 39	0.43 658	9.97 271	5	54	.3  12.0   11.7 .4  16.0   15.6
I	7 8	9.53 647 9.53 682	35	9.56 381 9.56 420	39	0.43 619 0.43 580	9.97 266 9.97 262	4	53 52	.5 20.0 19.5 .6 24.0 23 4
ı	9	9.53 716	34 35	9.56 459	39 39	0.43 541	9.97 257	5	51	.6   24.0   23   4   .7   28.0   27.3   .8   32.0   31.2
l	10	9.53 751 9.53 785	34	9.56 498 9.56 537	39	0.43 502	9.97 252 9.97 248	4	50	.8  32.0   31.2 .9  36.0   35.1
ı	12	9.53 819	34 35	9.56 576	39 39	0.43 424	9.97 243	5 5	49 48	.9 (30.0) 33.1
1	13 14	9.53 854 9.53 888	34	9.56 615 9.56 654	39	0.43 385	9.97 238	4	47 46	38   37
I	15 16	9.53 922	34 35	9.56 693	39 39	0.43 307	9.97 229	5	45	.1 3.8 3.7
1	16 17	9·53 957 9·53 991	34	9.56 732 9.56 771	39	0.43 268	9.97 224	5 4	44	.2 7.6 7.4 .3 II.4 II.I
I	18	9.54 025	34 34	9.56810	39 39	0.43 229	9.97 220	5	43 42	.4 15.2 14.8
	19	9 54 059	34	9.56 849	38	0.43 151	9.97 210	5 4	41	.5 19.0 18.5 .6 22.8 22.2
I	20	9.54 <b>0</b> 93 9.54 <b>1</b> 27	34	9.56 887 9.56 926	39	0.43 113	9.97 206 9.97 201	5	40	.7 26.6 25.9
ı	22	9.54 161	34 34	9.56 96 <del>5</del>	39 39	0.43 035	9.97 196	5 4	39 38	.8 30.4 29.6 34.2 33.3
ı	23 24	9.54 I95 9.54 229	34	9.57 004 9.57 042	38	0.42 996	9.97 192 9.97 187	5	37 35	71 341-1 3313
ł	25	9.54 263	34 34	9.57 081	39 39	0.42 919	9.97 182	5	35	¹ <b>2</b> 5
ı	26	9 · 54 · 297 9 · 54 · 33 I	34	9.57 120 9.57 158	38	0.42 880	9.97 178	4 5	34	.1 3.5 .2 7.0
I	27 28	9.54 365	34 34	9.57 197	39 38	0.42 803	9.97 173 9.97 168	5	33 32	
ı	29	9 54 399	34	9.57 235	39	0.42 765	9.97 163	5 4	31	.3 IO.5 .4 I4.0
	30 31	9·54 433 9·54 466	33	9.57 274 9.57 312	38	0.42 726	9.97 159 9.97 154	5	30	.5 17.5 .6 21.0
1	32	9.54 500	34 34	9.57 351	39 38	0.42 649	9.97 149	5 4	28	.7 24.5
1	33 34	9·54 534 9·54 567	33	9.57 389 9.57 428	39	0.42 611	9.97 14 <del>5</del> 9.97 140	5	27 26	.8 28.0 .9 31.5
1	35 36	9.54 601	34 34	9.57 466	38 38	0.42 534	9.97 135	5 5	25	.913*.3
ı	30	9.54 63 <del>5</del> 9.54 668	33	9.57 504 9.57 543	<b>3</b> 9	0.42 496	9.97 130 9.97 126	4	24 23	
ł	: 38	9.54 702	34 33	9.57 581	38 38	0.42 419	9.97 121	5	22	34 33 .1 3.4 3.3
I	$\frac{39}{40}$	9 54 735 9 54 769	34	9.57 658	39	0.42 381	9.97 116	5	$\frac{21}{20}$	.2 6.8 6.6
1	41	9.54 802	33 34	9.57 696	38 38	0.42 304	9.97 107	4	19	.3 IO 2 9.9 .4 I3 6 I3.2
-	42	9 54 836 9 54 869	33	9·57 734 9·57 772	38	0.42 266	9.97 102 9.97 097	5 5	18 17	.5 17.0 16.5
	44	9.54 903	34 33	9.57 810	38 39	0.42 190	9.97 092	5 5	16	.7 23.8 23.1
	45 46	9.54 936	33	9.57 849 9 57 887	38	0.42 I5I 0.42 I13	9.97 087 9.97 083	4	15	.8 27.2 26.4 .9 30.6 29.7
	47 48	9.54 969 9.55 <b>00</b> 3	34	9.57 925	38 38	0.42 075	9.97 078	5	14	.9130.0[29.7
1	48 49	9.55 036	33 33	9.57 963 9.58 <b>0</b> 01	38	0.42 037 0.41 999	9.97 <b>0</b> 73 9.97 <b>0</b> 68	5 5	12 11	1.61.4
	50	9.55 009	33	0.58 030	38	0.41 961	9.97 063	5	10	5 4
	51	9.55 136	34 33	9.58 077	38 38	0.41 923	9.97 059	4 5		.2 1.0 0.8
	52	9.55 169 9.55 202	33	9.58 077 9.58 115 9.58 153 9.58 191	38	0.41 885 0.41 847	9.97 <b>0</b> 54 9.97 <b>0</b> 49	5	9 7 6	.3 I.5 I.2 .4 2.0 I.6
1	54	$9.55\ 23\overline{5}$	33 33	9.58 191	38 38	0.41 809	9.97 044	5		5 2 51 2.0 1
-	55	9 55 268 9 55 301	33	9.58 229	38	0.41 771 0.41 733	9.97 03 <u>9</u> 9.97 03 <u>5</u>	4	5 4	.6 3.0 2.4 .7 3.5 2.8 .8 4.0 3.2 .9 4.5 3.6
1	57	9 - 55 334	33 33	9.58 304	37 38	0.41 696	9.97 030	5	4 3 2	.7 3.5 2.8 .8 4.0 3 2
1	55 56 57 58 59	9-55 367 9-55 400	33	9.58 267 9.58 304 9.58 342 9.58 380	38	0.41 658 0 41 620	9.97 02 <del>5</del> 9.97 020	5 5	2 I	.9   4.5   3.6
Name and	60	9-55-433	33	9.58 418	38	0.41 582	9.97 015	5	0	
		L. Cos.	d.		c. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
						- 69°				

 $69^{\circ}$ 

	21°											
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.			
0	9.55 433	33	9.58 418	37	0.41 582	9.97 015	5	60				
I 2	9.55 466 9.55 499	33	9.58 455 9.58 493	38	0.41 545	9.97 010	5	59 58				
3	9.55 532	33 32	9.58 531	38 38	0.41 469	9.97 001	4 5	57 56	.1 38 37 .1 3.8 3.7			
4	9.55 564	33	9.58 569	37	0.41 431	9.96 996	5	56	.2 7.6 7.4			
5	9·55 597 9·55 630	33	9.58 644	38	0.41 394	9.96 991 9.96 986	5	55 54	.3 11.4 11.1			
7 8	9.55 663	33 32	9.58 681	37 38	0.41 319	9.96 981	5 5	53	.4 15.2 14.8 .5 19.0 18.5			
8	9.55 695 9.55 728	33	9.58 719 9.58 757	38	0.41 281	9.96 976 9.96 971	5	52 51	.6 22.8 22.2			
$\overline{10}$	9.55 761	33	9.58 794	37	0.41 206	9.96 966	5	$\frac{3}{50}$	.7 26.6 25.9 .8 30 4 29 6			
II	9.55 793	32 33	9.58832	38 37	0.41 168	9.96 962	4 5	49	.9 34.2 33.3			
12	9.55 826 9.55 858	32	9.58 869 9.58 907	38	0.41 131	9.96 957 9.96 952	5	48 47				
14	9 55 891	33 32	9.58 944	37 37	0.41 056	9.96 947	5 5	46	36 33			
15 16.	9 55 923	33	9.58 981	38	0.41 019	9.96 942	5	45	.I 3.6 3.3 .2 7.2 6.6			
17	9.55 956 9.55 988	32	9.59 <b>0</b> 19 9.59 <b>0</b> 56	37	0.40 981	9.96 93 <b>7</b> 9.96 93 <b>2</b>	5	44 43	.3 10.8 9.9			
18	9.56 021	33 32	9.59 094	38	0.40 906	9.96 927	5	42	.4 14.4 13.2			
19 20	9.56 o53 9.56 o85	32	9.59 131	37	0.40 869	9.96 922	5	$\frac{4^{\mathrm{I}}}{40}$	.5 18.0 16.5 .6 21.6 19.8			
21	9.56 118	33	9.59 205	37	0.40 832	9.96 917 9.96 912	5		.7 25.2 23.1			
22	9.56 150	32 32	9.59 243	38	0.40 757	9.96 907	5	39 38	.8 28.8 26.4 .9 32.4 29.7			
23 24	9.56 182 9.56 215	33	9.59 280	37	0.40 720	9.96 903 9.96 898	5	37 36	713 111 -217			
25	9.56 247	32	9 - 59 354	37	0.40 646	9.96 893	5	35				
26	9.56 279	32 32	9.59 391	37 38	0.40 609	9.96 888	5	.34	.1 3.2			
27	9.56 311	32	9 · 59 429 9 · 59 466	37	0.40 571	9.96 883 9.96 <b>8</b> 78	5	33	.2 6.4			
29	9.56 375	32 33	9.59 503	37	0.40 497	9.96 873	5 5	3 <b>1</b>	.3 9.6 .4 12.8			
30	9.56 408	32	9.59 540	37	0.40 460	9.96 868	5	30	.4 12.8 5 16.0 .6 19.2			
31 32	9 56 440 9 56 472	32	9.59 577 9.59 614	37	0.40 423	9.96 863 9.96 858	5	29 28				
33	9.56 504	32 32	9.59 651	37 37	0.40 349	9.96 853	5	27	.7 32.4 .8 25.6			
34	9.56 536	32	$\frac{9.59}{9.59} \frac{688}{7^2\overline{5}}$	37	0.40 312	9.96 848	5	25	.9 28.8			
35 36	9.56 599	31	9.59 762	37	0.40 238	9.96 838	5	24				
37 38	9.56 631	32 32	9.59 799	37 36	0.40 201	9.96 833	5	23	31   6			
39	9.56 663 9.56 695	32	9.59 835 9.59 872	37	0.40 165	9.96 828 9.96 823	5	22 21	.1 3.1 0.6			
40	9 56 727	32	9.59 909	37	0.40 091	9.96 818	5	20	.2 6.2 I.2 .3 9.3 I 8			
4I 42	9.56 759 9.56 700	32 31	9.59 946	37	0.40 054	9.96 813 9.96 808	5	19 18	.4 12.4 2.4			
43	9 56 822	32	9.59 983	36	0.40 017	9.96 803	5	17	.5 15.5 3.0 .6 18.6 3.6			
44	9.56 854	32 32	9.60 056	37 37	0.39 944	9.96 798	5	16	.7 21.7 4.2			
45 46	9.56 886 9.56 917	31	9.60 093 9.60 130	37	0.39 907	9.96 793 9.96 788	5	15 14	.8 24.8 4.8			
47	9.56 949	32	9.60 166	36	0 39 834	9.96 783	5	13	.9   27.9   5 4			
48 49	9 56 980	31 32	9.60 203	37 37	0.39 797	9.96 778	5 5	12				
<b>50</b>	9 57 012	32	9.60 240	36	0.39 760	9.96 772	5	10	.1 0.5 94			
51	9.57 075	31 32	9.60 313	37	0.39 687	9.96 762	5	9	.2 1.0, 08			
52	9.57 107 9.57 138	31	9.60 349 9.60 386	36 37	0.39 651	9.96 757 9.96 752	5	8 7 6	.3 1.5 1 2 .4 2.0 1 6			
52 53 54	9.57 169	31	9.60 330	36	0.39 578	9.96 747	5	6	.4 2.0 I 6			
55	9.57 201	32 31	9.60 459	37 36	0 39 541	9.96 742	5	5	1.5 1 2 4 2.0 1 6 .5 2.5 2.0 .6 3.0 2 4 .7 3.5 2 8 8 4.0 3 2 .9 4.5 3 6			
50	9.57 232 9 57 264	32	9.60 495 9.60 532	37	0.39 505	9.96 737 9.96 732	5	5 4 3 2	8 4.0 3 2			
55 56 57 58 59	9.57 295	31	9.60 568	36	0.39 432	9.96 727	5		.9 4.5 3.6			
59 <b>60</b>	9.57 326	31	9.60 605	37 36	0 39 395	9.96 722	5 5	1				
00	9.57 358		9 60 641		0.39 359	9.96 717		0				
	L. Cos.	d.	L. Cotg.	ic. d.	L. Tang.	L. Sin.	d.	/	Prop. Pts.			
H					68°							

					22°			Processor and the second	
1	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
0 1 2	9.57 358 9.57 389 9.57 420 9 57 451	31 31	9 60 641 9 60 677 9 60 714 9 60 750	36 37 36	0.39 359 0.39 323 0.39 286	9 96 717 9.96 711 9.96 706	6 5 5	60 59 58	37   36
3 4 5 6	9 57 482 9 57 514 9 57 545	31 32 31	9 60 786 9 60 823 9 60 859	36 37 36	0.39 250 0 39 214 0 39 177 0 39 141	9.96 701 9 96 696 9 96 691 9 96 686	5 5 <b>5</b>	57 56 55 54	1 3 7 3.6 2 7.4 7.2 3 11.1 10.8
7 8 9	9 . 57 576 9 . 57 607 9 . 57 638	31 31	9.60 895 9.60 931 9.60 967	36 36 36 37	0.39 10 <del>5</del> 0 39 069 0.39 033	9.96 681 9.96 676 9.96 670	5 5 6 5	53 52 51	5 18.5 18.0 6 22.2 21 6 7 25.0 25 2
10 11 12 13	9 57 669 9 57 700 9 57 731 9 57 762	31 31 31	9.61 004 9 61 040 9 61 076 9 61 112	36 36 36 36	0.38 996 0.38 960 0.38 924 0.38 888	9.96 665 9.96 655 9.96 650	5 5 5 5	50 49 48 47	.8 29.6 28.8 .9 33.3 32.4
14 15 16 17 18	9.57 793 9.57 824 9.57 855 9.57 885 9.57 916	31 30 31	9.61 148 9.61 184 9.61 220 9.61 256 9.61 292	36 36 36 36	0 38 852 0 38 816 0 38 780 0 38 744 0 38 708	9.96 645 9.96 640 9.96 634 9.96 629 9.96 624	5 6 5	46 45 44 43	35 1 3.5 .2 7.0 .3 10.5 .4 14.0
19 20 21 22	9.57 947 9.57 978 9.58 008 9.58 039	31 30 31	9 61 328 9 61 364 9 61 400 9 61 436	36 36 36 36	0.38 672 0.38 636 0.38 600 0.38 564	9.96 619 9.96 614 9.96 608 9.96 603	5 5 6 5	42 41 40 39 38	.5 17.5 .6 21.0 .7 24.5 .8 28.0
23 ·24 25 26	9.58 070 9.58 101 9.58 131 9.58 162	31 30 31	9.61 472 9.61 508 9.61 544 9.61 579	36 36 36 35	0.38 528 0.38 492 0.38 456 0.38 421	9.96 598 9.96 593 9.96 588 9.96 582	5 5 5 6	37 36 35	9   31.5
27 28 29 30	9 58 192 9 58 223 9 58 253	30 31 30	9.61.615 9.61.651 9.61.687	36 36 36 35	0.38 385 0.38 349 0.38 313 0.38 278	9.96 577 9.96 572 9.96 567	5 5 5 5	34 33 32 31	3.2 3.1 2 6.4 6.2 3 9.6 9.3 4 12.8 12.4
31 32 33 34	9 58 284 9 58 314 9 58 345 9 58 375 9 58 406	30 31 30	9.61 722 9.61 758 9.61 794 9.61 830 9.61 865	36 36 36 35	0.38 278 0.38 242 0.38 206 0.38 170 0.38 135	9.96 562 9.96 556 9.96 551 9.96 546 9.96 541	6 5 5	30 29 28 27 26	.5 16.0 15.5 .6 19.2 18.6 .7 22.4 21.7 .8 25.6 24.8 .9 28.8 27.9
35 36 37 38	9 58 436 9 58 467 9 58 497 9 58 527	30 31	9.61 901 9.61 936 9.61 972 9.62 008	36 35 36 36	0.38 099 0.38 064 0.38 028 0.37 992	9.96 535 9.96 530 9.96 52 <del>5</del> 9.96 520	6 5 5 5	25 24 23 22	30   29
39 10 41 42	9 58 557 9 58 588 9 58 618 9 58 648	30 31 30	9.62 043 9.62 079 9.62 114 9.62 150	35 36 35 36	0.37 957 0.37 921 0.37 886 0.37 850	9.96 514 9.96 509 9.96 504 9.96 498	5 5 6	21 20 19 18	.1 3.0 2.9 .2 6.0 5.8 .3 9.0 8.7 .4 12.0 11.6
43 44 45 46	9 58 678 9 58 709 9 58 739	30 31 30	9.62 185 9.62 221 9.62 256	35 36 35 36	0.37 815 0.37 779 0.37 744	9.96 493 9.96 488 9.96 483	5 5 5	17 16 15	.5   15.0   14.5 .6   18 0   17.4 .7   21.0   20.3 .8   24.0   23.2
47 48 49	9.58 769 9.58 799 9.58 829 9.58 859	30 30 30	9.62 292 9.62 327 9.62 362 9.62 398	35 35 36 36	0.37 708 0.37 673 0.37 638 0.37 602	9.96 477 9.96 472 9.96 467 9.96 461	5 5 6 5	14 13 12 11	.9  27.0  26.1   6   5
50 51 52 53 54	9.58 889 9.58 919 9.58 949 9.58 979 9.59 009	30 30 30	9.62 433 9.62 468 9.62 504 9.62 539 9.62 574	35 · 36 · 35 · 35	0 37 567 0.37 532 0 37 496 0.37 461	9.96 456 9.96 451 9.96 445 9.96 440 9.96 435	5 6 5	10 9 8 7 6	.1 0.6 0.5 .2 1.2 1.0 .3 1.8 1.5 .4 2.4 2 0
55 56 57 58	9 59 039 9 59 069 9 59 098 9 59 128	30 30 29 30	9.62 574 9.62 609 9.62 645 9.62 680 9.62 715	35 36 35 35	0.37 426 0.37 391 0.37 355 0.37 320 0.37 285	9.96 429 9.96 424 9.96 419	6 5 5 6	5 4 3 2	.5 3.0 2.5 .6 3.6 3.0 .7 4.2 3.5 .8 4.8 4.0 9 5 4 4.5
59 60	9.59 158	30 30	9.62 750	35 35	0.37 250	9.96 413 9.96 408 9.96 403	5 5	$\frac{1}{0}$	
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	/	Prop. Pts.

	23°											
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.			
0	9.59 188	30	9.62 785	35	0.37 215	9.96 403	6	60				
I 2	9.59 218 9.59 247	29	9.62 820 9.62 855"	35	0.37 180	9.96 397 9.96 392	5	59 58	1 05 1 00			
3	9.59 277	30	9.62 890	35 36	0.37 110	9.96 387	5	57 56	.1 3.6 3.5 .1 3.6 3.5			
4	9.59 307	29	9.62 926	35	0.37 074	9.96 381	5	56	.2 72 7.0			
5 6	9.59 336 9.59 366	30	9.62 961	35	0.37 039	9.96 370	6	55 54	.3 10.8 10.5			
7 8	9.59 396	30 29	9.63 031	35 35	0.36 969	9.96 365	5 5	53	.5 18 0 17.5			
8 9	9.59 42 <u>5</u> 9.59 455	30	9.63 066     9.63 101	35	0.36 934	9.96 360 9.96 354	6	52 51	6 21.6 21.0			
10	9.59 484	29	9.63 135	34	0.36 865	9.96 349	5	$\frac{50}{50}$	.8 28.8 28.0			
11	9.59 514	30 29	9.63 170	35 3 <b>5</b>	0.36 830	9.96 343	5	49 48	9 32.4 31.5			
12	9 · 59 543 9 · 59 573	30	9.63 205 9.63 240	35	0.36 795	9.96 338 9.96 333	5	47				
14	9.59 602	29 30	9.63 275	35 35	0.36 725	9.96 327	6 5	46	34			
15	9.59 632	29	9.63 310	35	0.36 690	9.96 322	6	45	.I 3.4 .2 6.8			
16 17	9.59 661 9.59 690	29	9.63 34 <del>5</del> 9.63 379	34	0.36 655	9.96 316	5	44 43	.3 10.2			
18	9.59 720	30 29	9.63 414	35 35	0.36 586	9.96 305	6 5	42	.4 13.6			
$\frac{19}{20}$	9.59 749	29	9.63 449	35	0.36 551	9.96 300	6	$\frac{4^{\mathrm{I}}}{40}$	.6 20.4			
21	9.59808	30	9.63 519	35	0.36 481	9.96 289	5	30	7 23.8			
22	9.59 837	29 29	9.63 553	34 35	0.36 447	9.96 284	5 6	38	9 30.6			
23 24	9.59 866 9.59 895	29	9.63 588 9.63 623	35	0.36 412	9.96 273	5	37 36				
25	9.59 924	29	9.63 657	34	0.36 343	9.96 267	6	35	30   29			
26	9.59 954 9.59 983	30 29	9.63 692	35 34	0.36 308	9.96 262	5	34	1 20 20			
27 28	9.59 903	29	9.63 726 9.63 761	35	0.36 239	9 96 251	5	33 32	.2 6.0 5.8			
29	9.60 041	29 29	9.63 790	35 34	0.36 204	9.96 245	5	31	.3 9.0 8.7 .4 12.0 11.6			
30	9.60 070	29	9.63 830 9.63 865	35	0.36 170	9.96 240 9.96 234	6	30 29	.5 15.0 14.5			
31 32	9.60 128	29	9.63 899	34	0.36 101	9 96 229	5	28	.6 18.0 17.4 .7 21.0 20.3			
33	9.60 157	29	9.63 934	35 34	0.36 066	9.96 223	5	27 26	.8 24.0 23.2			
35	9.60 215	29	9.63 968	35	0.35 997	9.96 212	6	25	.9 [27.0] 26 1			
36	9.60 244	29	9.64 037	34 35	0.35 963	9.96 207	5	24	,			
37 38	9 60 273	29	9.64 072	34	0.35 928	9.96 201	5	23	28			
39	9 60 331	29	9.64 140	34 35	0.35 860	9.96 190	6	21	.I 2.8 .2 5.6			
40	9.60 359	29	9.64 175	34	0.35 825	9.96 185	5	20	.3 8.4			
41 42	9.60 388	29	9.64 209	34	0.35 791	9.96 179	5	19	.4 11.2			
43	9.60 446	28	9.64 278	35 34	0.35 722	9.96 168	6	17	.6 16.8			
44	9.60 474	29	9.64 312	34	0.35 688	9.96 162	5	16	.7 19.6 .8 22.4			
45	9.60 503	29	9 64 346 9.64 381	35	0.35 619	9.96 151	6	14	.9 25.2			
47   48	9.60 561	29	9.64 413	34	0.35 585	9.96 146	5	13				
49	9.60 589	29	9.64 449 9.64 483	34	0.35 551	9.96 140 9.96 135	5	11	6   5			
50	9.60 646	28	0.64 517	34	0.35 483	9.96 129	6	10	.1 0.6 0.5			
51 52	9.60 675	20	5 6 552 9.04 586	35 34	0.35 448	9.96 123 9.96 118	5	9	.2 I.2 I.0			
1 53	9.60 732	28	9.04.020	34	0.35 414	9.96 112	6	8 7 6	1 2 1 2 0			
54	9.60 76.	29	9.64 654	34	0.35 346	9.96 107	5		.5 3.0 2.5 .6 3.6 3.0			
55 56 57 58 59	9.6c 789 9.60 818	29	9.64.688 9.64.722	34	0.35 312 0.35 278	9.96 101	6	5 4	1.8 1.5 .4 2.4 2.0 .5 3.0 2.5 .6 3.6 3.0 .7 4.2 3.5 .8 4.8 4.0 .9 5.4 4.5			
57	9 60 846	28	9.64 756	34 34	0.35 244	9.96 090	5	3 2	.7 4.2 3.5 .8 4.8 4.0			
58	9.60 875	28	9.64 790	34	0.35 210	9.96 <b>0</b> 84 9.96 <b>0</b> 79	5	2 I	.9 5.4 4.5			
$\frac{39}{60}$	9.60 931	28	9.64 858	34	0.35 142	9.96 073	6	0				
	L. Cos.	d.	L. Cotg.	Co d.	L. Tang.	L. Sin.	d.	1	Prop. Pts.			
					66°				,			

66,

					24°				
′	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
0	9.60 931	29	9.64 858 9.64 892	34	0.35 142 0.35 108	9.96 073 9.96 067	6	60	
2	9.60 988	28 28	9.64 926	34	0.35 074	9.96 062	5 6	59 58	34   33
3	9.61 016 9.61 04 <del>5</del>	29	9.64 960	34 34	0.35 040	9.96 056	6	57 56	
4	9.61 073	28	9.64 994	34	0.35 006	9.96 050 9.96 04 <del>5</del>	5	55	
56	9.61 101	28 28	9.65 062	34 34	0.34 938	9.96 039	6 5	54	.3 10 2 9.9 .4 13.6 13.2
8	9.61 129	29	9.65 096	34	0.34 904	9.96 034 9.96 028	6	· 53 52	.5 17.0 16.5
9	9.61 186	28 28	9.65 164	34 33	0.34 836	9.96 022	6 5	51	
10	9.61 214	28	9.65 197	34	0.34 803	9.96 017	6	50	.8 27.2 26.4
11	9.61 242	28	9.65 231 9.65 265	34	0.34 769	9.96 001	6	49 48	.9 30.6 29.7
13	9.61 298	28 28	9.65 299	34 34	0.34 701	9.96 000	5	47	1 20
14	9.61 326	28	9.65 333	33	0.34 667	9.95 994 9.95 988	6	46 45	.1 2.9
15 16	9.61 382	28 29	9.65 400	34	0.34 600	9.95 982	6	45	.2 5.8
17	9.61 411	27	9.65 434	34 33	0.34 566	9.95 977 9.95 971	<b>5</b>	43	.3 8.7 .4 11.6
19	9 61 466	28 28	9.65 501	34	0.34 499	9.95 965	6	42 41	.5 14.5
20	9.61 494	28	9.65 535	34	0.34 465	9.95 960	5 6	40	
21 22	9.61 522 9.61 550	28	9.65 568	34	0.34 432	9 95 954 9 95 948	6	39 38	.8 23 2
23	9.61 578	28 28	9.65 636	34	0.34 364	9.95 942	6 <b>5</b>	37 36	.9  26.1
24	9.61 636	28	9.65 669	34	0.34 331	9.95 937	6	30	
25 26	9.61 662	28	9.65 736	33	0:34 264	9.95 931	6	35 34	.1 2.8
27 28	9.61 689	27 28	9.65 770 9.65 803	34	0.34 230	9.95 920	<b>5</b>	33	.2 5.6 3 8.4
29	9 61 745	28	9.65 837	34	0.34 163	9.95 914 9.95 908	6	32 31	
30	9 61 773	27	9.65 870	33	0.34 130	9.95 902	5	30	.5 14.0
31	9.61 800	28	9.65 904	33	0.34 096	9.95 897 9.95 891	5	<b>2</b> 9 <b>2</b> 8	
33	9 61 856	28	9.65 971	34 33	0.34 029	9.95 885	6	27	7 19.6 .8 22.4
34	9.61 883	28	9.66 004	34	0.33 996	9.95 879	6	26 25	.9  25.2
35	9 61 939	28	9.66 071	33	0.33 929	9.95 868	5	24	
37	9 61 966	27 28	9 66 104 9 66 138	33	0 33 896	9 95 862 9 95 856	6	23	27
39	9 62 021	27 28	9 66 171	33	0.33 829	9 95 850	6	21	.1 2.7
40	9.62 049	27	9.66 204	33	0.33 796	9.95 844	5	20	.3 8.1
41	9.62 076	28	9.66 238	33	0.33 762	9.95 839 9.95 833	6	19 18	.4 10.8 .5 13.5
43	9.62 131	27	9.66 304	33	0.33 696	9 95 827	6	17	.6 16.2
44		27	9.66 337	34	0.33 663	9.95 821	6	16	.7 18.9 .8 21.6
46	9.62 214	28	9.66 404	33	0.33 596	9.95 810	5	14	.9 24 3
47	9.62 241	27	9.66 437	33	0.33 563	9.95 804	6	13 12	
49	9.62 296	28	9.66 503	33	0.33 497	9.95 792	6	11	6   5
50		27	9.66 537 9.66 570	34	0.33 463	9.95 786	6	10	.1 0.6 0.5
51 52	9.62 377	27	9.66 603	33	0.33 430	9.95 780 9.95 775	5	8	.2 1.2 1.0 .3 1.8 1.5
53	9.62 405	28	9.66 636	33	0.33 364	9 95 769	6	7 6	1.4 2.4 2.0
54		27	9.66 669	- 33	0.33 331	9-95 763 9-95 757	6	5	.5     3 ° 2.5       6     3.6       3.0     3.0
55 55 55 55	9.62 486	27	9.66 735 9.66 768	33	0.33 263	9.95 751	6	4	6 3.6 3.0 .7 4.2 3.5 .8 4.8 4.0 .9 5.4 4.5
57	9.62 513	28	9.66 768 9.66 801	33	0.33 232	9·95 745 9·95 739	6	3 2	9 5.4 4.5
59	9.62 568	27	9.66 834	33	0.33 166	9.95 733	6 5	I	
60			9.66 867		0.33 133	9.95 728		0	
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
					65°				

	25°										
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.		
0	$9.6259\overline{5}$ $9.52622$	27	9.66 867 9.66 900	33	0.33 133	9.95 728 9.95 722	6	60			
2	9.62 649	27 27	9 66 933	33 33	0.33 067	9.95 716	6	59 58	33   32		
3 4	9.62 676	27	9.66 966 9.66 999	33	0.33 034	9.95 710 9.95 704	6	57 56	.I 3.3 3.2		
5	9.62 730	27 27	9.67 032	33	0.32 968	9.95 698	6	55	.2 6.6 6.4 .3 9.9 9.6		
6	9.62 757 9.62 784	27	9.67 06 <del>5</del> 9.67 098	33 33	0.32 935	9.95 692 9.95 686	6	54	1 .4   13.2   12.8		
7 8	9.62811	27 27	9.67 131	33 32	0.32 869	9.95 68o	6	53 52	.5 16.5 16.0 .6 19.8 19.2		
9 10	$\frac{9.62838}{9.62865}$	27	9.67 163	33	0.32 837	9.95 674 9.95 668	6	$\frac{51}{50}$	.7 23.1 22.4 .8 26.4 25.6		
11	9.62 892	27 26	9.67 229	33 33	0.32 771	9.95 663	5	40	.9 29.7 28.8		
12 13	9.62 918 9.62 945	27	9.67 262	33	0.32 738	9.95 657 9.95 651	6	48 47			
14	9.62 972	27 27	9.67 327	32 33	0.32 673	9.95 645	6	46	27		
15 16	9.62 999 9.63 026	27	9.67 360 9.67 393	33	0.32 640 0.32 607	9.95 639 9.95 633	6	45 44	.I 2.7 .2 5.4		
17	9.63 052	26 27	9.67 426	33 32	0.32 574	9 95 627	6	43	3 8.1		
18	9.63 <b>0</b> 79 9.63 <b>10</b> 6	27	9.67 458 9.67 491	33	0.32 542	9.95 621 9.95 615	6	42 41	.5 13.5		
20	9.63 133	27 26	9.67 524	33 32	0.32 476	9.95 609	6	40			
2I 22	9.63 159 9.63 186	27	9.67 556 9.67 589	33	0.32 444	9.95 603 9.95 597	6	39 38	.8 21.6		
23	9.63 213	27 26	9.67 622	33 32	0.32 378	9.95 591	6	37	.9   24.3		
24	9.63 239	27	9.67 687	33	0.32 346	9.95 585	6	36 35			
25 26	9.63 292	26 27	9.67 719	32 33	0.32 281	9.95 573	6	34	.I 2.6		
27 28	9.63 319 9.63 345	26	9.67 752 9.67 785	33	0.32 248	9.95 567 9.95 561	6	33 32	.2 5.2		
30	9.63 372	27 26	9.67817	32 33	0.32 183	9 95 555	6 6	3 <b>I</b>	.4 10.4		
31	9 63 398 9 63 42 <del>5</del>	27	9.67 850 9.67 882	32	0.32 150	9 95 549 9 95 543	6	30 29	.5 13.0 .6 15.6		
32	9.63 451	26 27	9.67 915	33 32	0.32 085	9.95 537	5 6	28	.7 18.2		
33	9 63 478 9 63 504	26 27	9.67 947 9.67 980	33	0.32 053 0.32 020	9.95 53 <u>1</u> 9.95 52 <u>5</u>	6	27 26	.8 20.8 .9 23.4		
35	9.63 531	26	9.68 <b>0</b> 12 9.68 <b>0</b> 44	32 32	0.31 988	9.95 519	6	25	,, , ,		
36 37 38	9 63 557 9 63 583	26 27	9 68 077	33	0.31 956	9.95 513	6	24 23	1 7		
38	9 63 610 9 63 636	26	9 68 109	32 33	0.31 891 0.31 858	9.95 500 9.95 494	7 6	22 21	.1 0.7		
40	9 63 662	26	9 68 174	32	0.31 826	9.95 488	6	$\frac{21}{20}$	.2 1.4		
41 42	9.63 689 9 63 715	27 26	9.68 206 9 68 239	32 33	0.31 794 0.31 761	9.95 482	6	19 18	.4 2.8		
43	9 63 741	26 26	9 68 271	32 32	0.31 729	9.95 470	6	17	.5 3.5 .6 4.2		
44_	9.63 767	27	9.68 303	33	0.31 697	9.95 464	6	16	.7 4.9 .8 5.6 .9 6 3		
45 46	9.63 794 9.63 820	26 26	9.68 368	32	0.31 632	9.95 458 9.95 452	6	15 14	.9 6 3		
47 48	9.63 846 9.63 872	26	9.68 400	32 32	0.31 600	9 95 446 9 95 440	6	13 12			
49	9.63 898	26 26	9 68 465	33 32	0.31 535	9.95 434	6 7	ΙΙ	6 5		
50 51	9.63 924 9.63 950	26	9.68 497	32	0.31 503 0.31 471	9.95 427 9.95 421	6	10	.I 0.6 0.5 .2 I.2 T.0		
12	9.63 976	26 26	9.68 529	32	0.31 439	9.95 415	6	9			
53 54	9.64 002 9.64 028	26	9.68 593 9.68 626	33	0.31 407 0.31 374	9.95 409 9.95 403	6	7	.3 1.8 1.5 .4 2.4 2.0 .5 3.0 2.5 .6 3.6 3.0		
53 54 55 56	9.64 054	26 26	9.68 658	3 <sup>2</sup>	0.31 342	9.95 397	6		.5 3.0 2.5 .6 3.6 3.0 .7 4.2 3.5 .8 4.8 4.0 .9 5.4 4.5		
50	9.64 080 9.64 106	26	9.68 690	32	0.31 310 0.31 278	9 95 391 9 95 384	7	5 4 3 2	.7 4.2 3.5 .8 4.8 4.0		
58	9.64 132	26 26	9.68 754	32 32	0.31 246	9.95 378	6	2 I	9 5.4 4.5		
57 58 59 60	9.64 158	26	9.68 786	32	0.31 214	9.95 372	6	$\frac{1}{0}$			
-	L. Cos.	d.		c. d.	L. Tang.	L. Sin.	d.	<del>,</del>	Prop. Pts.		
	210 0030	u.	. A. Ootga	o us	61°	The Carre			21000 2 000		

64°

					26°				
1	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
7 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 24 25	L. Sin.  9.64 184  9.64 210  9.64 236  9.64 236  9.64 313  9.64 339  9.64 339  9.64 391  9.64 417  9.64 545  9.64 545  9.64 673  9.64 673  9.64 673  9.64 774  9.64 774  9.64 779  9.64 774  9.64 774  9.64 774  9.64 774  9.64 775  9.64 775  9.64 775  9.64 775  9.64 775  9.64 788	26 26 26 26 25 26 26 26 26 26 26 27 26 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27	1. Tang. 9.68 818 9.68 850 9.68 882 9.68 914 9.68 978 9.69 070 9.69 074 9.69 074 9.69 106 9.69 138 9.69 170 9.69 202 9.69 234 9.69 206 9.69 329 9.69 361 9.69 393 9.69 425 9.69 520 9.69 520 9.69 520 9.69 584 9.69 554	32 32 32 32 32 32 32 32 32 32 32 32 32 3		9.95 366 9.95 369 9.95 369 9.95 341 9.95 341 9.95 335 9.95 329 9.95 323 9.95 317 9.95 310 9.95 304 9.95 298 9.95 298 9.95 273 9.95 261 9.95 261 9.95 261 9.95 242 9.95 242 9.95 242 9.95 243 9.95 242 9.95 223 9.95 223 9.95 211	6 6 7 6 6 6 6 6 7 6 6 6 6 7 6 6 6 6 7 6 6 6 7 6 6 6 7 6 6 6 6 7 6 6 6 6 6 7 6	60 59 58 57 56 55 51 50 48 47 46 43 44 40 39 38 37 36 35 35 35 36 37 36 37 38 38 38 38 38 38 38 38 38 38	32   31   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.1   3.2   3.3   3.4   12.8   12.4   21.7   3.8   25.6   24.8   27.9   28.8   29.8
25 26 27 28 29 30 31 32 33 34 35 36 37 38	9.64 851 9.64 857 9.64 902 9.64 953 9.64 953 9.65 003 9.65 003 9.65 005 9.65 079 9.65 130 9.65 130 9.65 130	25 26 25 26 25 26 25 26 25 26 25 25 26 25 25 25 25 25 25 25 25 25 25 26 25 25 26 25 25 26 25 26 25 26 25 25 26 25 25 26 26 26 26 26 26 26 26 26 26 26 26 26	9.69 647 9.69 679 9.69 710 9.69 742 9.69 774 9.69 85 9.69 85 9.69 888 9.69 900 9.69 932 9.69 963 9.69 993 9.69 993 9.70 026	32 32 31 32 32 31 32 31 32 31 32 31	0.30 363 0.30 353 0.30 321 0.30 220 0.30 226 0.30 195 0.30 163 0.30 163 0.30 160 0.30 068 0.30 035 0.30 005 0.30 07	9.95 204 9.95 198 9.95 192 9.95 185 9.95 179 9.95 167 9.95 160 9.95 148 9.95 148 9.95 148 9.95 148 9.95 135 9.95 135	7 6 7 6 6 7 6 6 7 6 6 7 6 6	35 34 33 32 31 30 29 28 27 26 25 24 23 22	25 .1 2.5 .2 5.0 .3 7.5 10.0 .5 12.5 .6 15.0 .7 17.5 .8 20.0 .9 22.5
39 40 41 42 43 44 45 46 47 48	9.65 180 9.65 205 9.65 230 9.65 255 9.65 281 9.65 306 9.65 331 9.65 381 9.65 381 9.65 406	25 25 25 26 25 25 25 25 25 25 25	9.70 058 9.70 089 9.70 121 9.70 152 9.70 184 9.70 215 9.70 247 9.70 278 9.70 309 9.70 341	32 31 32 31 32 31 32 31 32 31 32 31	0.29 942 0.29 911 0.29 879 0.29 848 0.29 785 0.29 753 0.29 753 0.29 752 0.29 659	9 95 122 9 95 116 9 95 103 9 95 090 9 95 090 9 95 084 9 95 078 9 95 071 9 95 065	7 6 6 7 6 7 6 7 6 7 6	21 20 19 18 17 16 15 14 13 12	.1 2.4 .2 4.8 .3 7.2 .4 9.6 .5 12.0 .6 14.4 .7 16.8 .8 19.2 .9 21.6
49 50 51 52 53 54 55 56 57 58 59 60	9.65 431 9.65 486 9.65 506 9.65 531 9.65 556 9.65 580 9.65 630 9.65 630 9.65 630 9.65 680 9.65 6705	25 25 25 25 25 25 25 24 25 25 25 25 25 25 25 25 25 25 25 25 25	9.70 372 9.70 404 9.70 435 9.70 498 9.70 529 9.70 560 9.70 562 9.70 623 9.70 654 9.70 685 9.70 717	32 31 31 32 31 32 31 32 31 31 31 32	o. 29 628 o. 29 596 o. 29 505 o. 29 534 o. 29 502 o. 29 471 o. 29 408 o. 29 377 o. 29 346 o. 29 315 o. 29 283	9.95 o59 9.95 o52 9.95 o36 9.95 o33 9.95 o27 9.95 o20 9.95 o17 9.95 o07 9.95 o11 9.94 995 9.94 988	7 6 7 6 6 7 6 7 6 6 7	11 10 9 8 7 6 5 4 3 2 1	7 0.6 .2 1.4 1.2 .3 2.1 1.8 .4 2.8 2.4 .5 3.5 3.0 .6 4.2 3.6 .7 4.9 4.2 .8 5.6 4.8 .9 6.3 5.4
_	L. Cos.	d.	L. Cotg.	c. d		L. Sin.	d.	,	Prop. Pts.
					63°				

	27°										
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.		
0	9.65 70 <del>5</del> 9.65 729	24	9.70 717 9.70 748	31	0.29 283	9.94 988	6	60			
2	9.65 754	25 25	9.70 779	31	0.29 252	9.94 982 9.94 975	7	59 58	1 22 1 22		
3	9.65 779 9.65 804	25	9:70 779 9:70 810 9:70 841	31	0.29 190	9.94 969	6 7	57	. I 3.2 3.1 3.2 3.1		
- 4	9.65 828	24	9.70 873	32	0.29 159	9.94 962	6	56	.2  6.4  6.2		
5 6	9.65 853	25 25	9.70 904	31	0.29 096	9.94 949	7 6	55 54	.3 9.6 9.3 .4 12.8 12.4		
7 8	9.65 878	24	9.70 935	31	0.29 065	9.94 943	7	53	.5 16 0 15.5		
9	9.65 927	25 25	9.70 997	31	0.29 003	9.94 936 9.94 930	6	52 51	.6 19.2 18.6 .7 22.4 21.7		
10	9.65 952	24	9.71 028	31	0.28 972	9.94 923	7	50	.8 25.6 24.8		
11	9.65 976 9.66 001	25	9.71.059	31	0.28 941	9.94 91 <b>7</b> 9.94 911	6	49 48	.9   28.8   27.9		
13	9.66 025	24 25	9.71 121	31 32	0.28 879	9.94 904	7 6	47			
15	9.66 050	25	9.71 153	31	0.28 847	9.94 898	7	46	.I 3.0		
16	9.66 099	24 25	9.71 215	31	0.28 785	9.94 891 9.94 88 <del>5</del>	6	45 44	.2 6.0		
17 18	9.66 124 9.66 148	24	9.71 246	31	0.28 754 0.28 723	9.94 878	7	43	.3 9.0 .4 12.0		
19	9.66 173	25	9.71 277 9.71 308	31	0.28 692	9.94 871 9.94 86 <del>5</del>	6	42	.5 15.0		
20	9.66 197	24	9.71 339	31	0.28 661	9.94 858	7 6	40	.6 18.0 .7 21.0		
2I 22	9 66 <b>221</b> 9 66 246	25	9.71 370 9.71 401	31	0.28 630	9.94 852 9.94 845	7	39 38	.7 21.0 .8 24.0		
23	9.66 270	24 25	9.71 431	30	0 28 569	9.94839	6	37	.9 27.0		
24	9.66 295	24	9.71 462	31	0.28 538	9.94 832	7 6	37 36			
25 26	9.66 343	24	9 71 493 9 71 524	31	0.28 507	9.94 826 9.94 819	7	35 34	25 24		
27 28	9 66 368	25 24	9 71 555	31	0.28 445	9 94 813	6 7.	33	.1 2.5 2.4 .2 5.0 4.8		
20	9.66 392 9.66 416	24	9.71 586 9 71 617	31	0.28 414 0.28 383	9.94 806 9.94 799	7	32 31	3 7.5 7.2		
30	9 66 441	25	9 71 648	31	0.28 352	9.94 793	6	$\frac{30}{31}$	.4 10.0 9.6		
31 32	9 66 46 <del>5</del> 9 66 489	24 24	9 71 679	30 31	0.28 321	9.94 786	7	29	.5 12.5 12.0 .6 15.0 14.4		
33	9 66 513	24	9 71 709 9 71 740	31	0.28 260	9.94 780 9.94 773	7	28 27	.7 17.5 16.8 .8 20.0 19.2		
34	9.66 537	24 25	9.71 771	31	0.28 229	9.94 767	6	26	.8 20.0 19.2 .9 22.5 21.6		
35 36	9 66 562 9.66 586	24	9.71 802 9.71 833	31	0.28 198	9.94 760	7	25			
37 38	9.66 610	·24	9.71 863	30	0.28 137	9 · 94 753 9 · 94 747	6	24 23	23		
38	9.66 634 9.66 658	24	9.71 89 <u>4</u> 9.71 92 <u>5</u>	31	0.28 106	9.94 740	6	22	.1 2.3		
10	9 66 682	24	9.71 955	30	0.28 045	9.94 734	7	$\frac{21}{20}$	.1 2.3 .2 4.6 .3 6.9		
41	9.66 706	24	9.71 986	31	0.28 014	9.94 720	7 6°	19	.4 9.2		
42 43	9.66 731 9.66 75 <del>5</del>	24	9.72 017 9 72 648	31	0.27 983	9.94 714 9.94 707	7	18	.6 13.8		
44	9.66 779	24 24	9.72 078	30	0.27 922	9.94 700	7 6	16	.7  IO.I		
45 46	9.66 803 9.66 827	24	9.72 109 9 72 140	31	0 27 891	9.94 694	7	15			
47 48	9.66 851	24	9.72 170	30	0.27 860 0.27 830	9.94 687 9.94 680	7	14	.9 20.7		
	9 66 87 <del>5</del> 9 66 899	24	9 72 201	30	0.27 799	9.94 674	6 7	12			
49 <b>50</b>	9 66 922	23	9 72 231	31	0.27 769	9.94 667	7	10	.1 0.7 06		
51	9.66 946	24 24	9 72 293	31	0.27 707	9.94 654	6	9	.2 1.4 1.2		
52 53	9.66 970 9.66 994	24	9 72 323	30	0.27 677	9 94 647 9 94 640	7	8 7 6	.3 2.1 1 8 .4 2.8 2.4		
53 54	9 67 018	24 24	9 72 384	30	0.27 616	9.94 634	6	6	.3 2.1 1 8 .4 2.8 2.4 .5 3.5 3.0 .6 4.2 3.6		
	9 67 042 9.67 066	24	9.72 415	30	0.27 585	9 94 627	7	5	.4 2.8 2.4 .5 3.5 3.0 .6 4.2 3.6 .7 4.9 4.2		
57	9 67 090	24	9.72 445	31	0.27 555	9.94 620 9.94 614	6	5 4 3 2	.7 4.9 4.2 .8 5.6 4.8 .9 6.3 5.4		
55 56 57 58 59	9 67 113	23	9.72 506	30	0.27 494	3.94 607	7		.9 6.3 5.4		
$\frac{59}{60}$	9 67 161	24	9.72 537	30	0.27 463	9.94 600	7	1			
	L. Cos.	d.		c. d.	L. Tang.	L. Sin.	d.		Prop. Ptc		
	30		Z. Cotg.	U• U•	62°	11. (3111.)	u.		Prop. Pts.		
					04						

					28°				
1	L. Sin.	d.	L. Tang.	c. d.	1	L. Cos.	d.		Prop. Pts.
0	9.67 161 9.67 18 <del>5</del>	24	9.72 567 9.72 598	31	0.27 433 0.27 402	9.94 593	6	60	
2	9.67 208	23	9.72 028	30	0.27 372	9.94 587	7	59 58	1
3 4	9.67 232 9.67 256	24	9.72 659 9.72 689	30	0.27 341	9 94 573	7 6	57	31 30 3.1 3.0
	9.67 280	24	9.72 720	31	0.27 311	9.94 567	7	56	.2 6.2 6.0
5	9 67 303	23 24	9.72 750	30	0.27 250	9 - 94 553	7	55 54	.3 9.3 9.0 .4 I2.4 I2.0
7 8	9.67 327 9.67 350	23	9.72 780 9.72 811	31	0.27 220	9.94 546 9.94 540	6	53	.5 I5.5 I5 o .6 I8.6 I8 o
9	9.67 374	24 24	9.72 841	30	0.27 159	9.94 540	7	52 51	
10	9.67 398 9.67 421	23	9.72 872 9.72 902	30	0.27 128	9.94 526	7	50	.8 24.8 24.0
12	9.67 445	24 23	9.72 902	30	0.27 098	9.94 519 9.94 513	6	49 48	.9 27 9 27.0
13	9.67 468 9.67 492	24	9.72 963	32	0.27 037	9.94 506	7	47	
15	9.67 515	23	9.72 993	30	0.26 977	9.94 499	7	46	.I 2.9
16	9.67 539	24	9 73 054	31 30	0.26 946	9.94 492	7 6	45 44	.2 5.8
17 18	9.67 562 9.67 586	24	9.73 084 9.73 114	30	0.26 916 0.26 886	9.94 479	7	43	.3 8.7 .4 11.6
19	9.67 609	23 24	9.73 144	30	0.26 856	9.94 472 9.94 465	7	42 41	.5 14.5
20	9 67 633 9 67 656	23	9 73 175	30	0.26 825	9.94 458	7	40	.6 17.4
22	9.67 680	24 23	$9.73\ 20\overline{5}$ $9.73\ 235$	30	0.26 795	9.94 451 9.94 445	6	39 38	.8 23.2
23 24	9.67 703 9.67 726	23	9.73 265	30 30	0.26 735	9.94 438	7	37 36	.9 26 1
25	9 67 750	24	9 73 295	31	0.26 705	9.94 431	7	36	
26	9.67 773	23 23	9.73 356	30 30	0.26 644	9 94 424	7	35 34	24 23
27 28	9.67 796 9.67 820	24	9.73 386	30	0.26 614	9.94 410	7 6	33	.I 2.4 2.3 .2 4.8 4.6
<b>2</b> 9	9.67 843	23 23	9.73 446	30 30	0.26 554	9 · 94 · 404 9 · 94 · 397	7	32 31	1 .3 7.2 6.9
30 31	9.67.866 9.67.890	24	9.73 476	31	0.26 524	9.94 390	7	30	.4 9.6 9.2 .5 12.0 11.5
32	9.67 913	23 23	9 · 73 507 9 · 73 537	30	0.26 493 0.26 463	9.94 383 9.94 376	7	29 28	.5 12 0 11.5 .6 14.4 13.8 .7 16.8 16.1
33 34	9.67 936 9.67 959	23	9.73 567	30 30	0.26 433	9.94 369	7	27	.7 16.8 16.1 .8 19.2 18.4
	9.67 982	23	9 73 597	30	0.26 403	9.94 362	7	26	.9 21.6 20.7
35 36	9.68 006	24 23	9.73 657	30 30	0.26 343	9.94 349	6	25 24	I
37 38	9.68 <b>02</b> 9 9 68 <b>05</b> 2	23	9.73 687 9.73 717	30	0.26 313	9.94 342 9.94 33 <del>5</del>	7	23 22	22
39	9.68 075	23 23	9.73 747	30 30	0.26 253	9.94 333	7	2I	.1 2.2
40	9.68 098	23	9 · 73 777 9 · 73 807	30	0.26 223	9.94 321	7	20	.3 66
42	9.68 144	23 23	9.73 837	30	0.26 163	9.94 314 9.94 307	7	19	.4 8.8
43	9 68 167 9 68 190	23	9.73 867 9.73 897	30 30	0.26 133	9.94 300	7	17	.6 13.2
	9 68 213	23	9.73 927	30	0.26 073	9.94 293	7	16	.7 15.4 .8 17.6
45 46	9 68 237 9.68 260	24 23	9.73 957	30 30	0.26 043	9.94 279	7 6	14	.9 19.8
47 48	9.68 283	23	9.73 987	30	0.26 013	9.94 273 9.94 266	7	13 12	
49	9 68 305	22 23	9.74 047	30 30	0.25 953	9.94 259	7	II	7   6
50 51	9.68 328 9.68 351	23	9.74 077	30	0.25 923	9.94.252	7	10	.1 0.7 0.6
51 52	9.68 374	23 23	9.74 107 9.74 137 9.74 166	30	0.25 863	9.94 24 <del>5</del> 9.94 238	7	9 7 6	.2 I.4 I.2 .3 2.1 I.8
53 54	9 68 397 9 68 420	23	9.74 166 9.74 196	29 30	0.25 834	.9.94 231	7	7	.4 2.8 2.4
55	9.68 443	23	9.74 226	30	0.25 774	9.94 224	7		.5 3.5 3.0 .6 4.2 3.6
56	9.68 466 9.68 489	23 23	9.74 256	30 30	0.25 744	9.94 210	7	5 4 3 2	.7 4.9 4.2 .8 5.6 4.8 .9 6.3 5.4
58	9.68 512	23	9.74 286 9.74 316	30	0.25 714 0.25 684	9.94 <b>20</b> 3 9.94 <b>1</b> 96	7	3	.9 6.3 5.4
55 56 57 58 59 <b>60</b>	9.68 534	22 23	9.74 345	29 30	0.25 655	9.94 189	7	I	
00	9.68 557		9.74 375		0.25 625	9.94 182	7	0	
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	đ.	,	Prop. Pts.
					61°				

29°									
	THE R. LEWIS CO., LANSING, MICH.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
	9.68 557 9.68 580	23	9·74 37 <u>5</u> 9·74 40 <u>5</u>	30	0.25 625	9.94 182 9.94 175	7	60	
11	2 9 58 603	23	$9.7443\overline{5}$	30	0.25 565	9.94 168	7	59 58	1 30
	9.68 625	23	9.74 465 9.74 494	29	0.25 535	9.94 161 9.94 154	7	57 56	.1 3.0
	9.68 671	23	9.74 524	30	0.25 476	9.94 147	7	55	.2 6.0 .3 9.0
		22	9 · 74 554 9 · 74 583	30 29	0.25 446	9.94 I40 9.94 I33	7	54	.4 12.0
	9 68 73)	23	9.74 613	30 30	0.25 387	9.94 126	7	53 52	.5 I5.0 .6 18.0
10		22	9.74 643	30	0.25 357	9.94 119	7	51 50	.7 21.0 .8 24.0
1	0.68 807	23	9.74 702	29	0.25 298	9.94 II2 9.94 IO5	7		.9 27.0
I	100	23	9.74 732 9.74 762	30 30	0.25 268	9.94 098 9.94 090	7 8	49 48	
Î	9.68 875	23 22	9.74 791	29 30	0.25 209	9.94 083	7	47 46	29
I	9.68 897	23	9.74 821 9.74 851	30	0.25 I79 0.25 I49	9.94 076	7	45	.1 2.9 .2 5.8 .3 8.7
I		22 23	9.74 880	29	0.25 120	9.94 069	7	44 43	.3 8.7
10		22	9.74 910 9.74 939	29	0.25 090	9.94 <b>055</b> 9.94 <b>0</b> 48	7 7	42 41	.4  11.0
20		23	9.74 969	30	0.25 031	9.94 041	7	$\frac{41}{40}$	.6 17.4
2:	9.69 032	23	9.74 998 9.75 028	29 30	0.25 002	9.94 034	7	39 38	.7 20.3 .8 23.2
2	9.69 077	22	9.75 058	30	0.24 9/2	9.94 <b>027</b> 9.94 <b>020</b>	<i>7</i> 8	37	.9 26.1
2.		22	9.75 087	29 30	0.24 913	9.94 012	7	37 36	
2		22	9.75 117 9.75 146	29	0.24 854	9.94 005	7 -	35 34	22
2	7 9.69 167	23	9.75 176	30 29	0.24 824	9.93 991	7	33	.I 2.3 .2 4.6
29		23	9.75 20 <u>5</u> 9.75 23 <u>5</u>	30	0.24 765	9.93 984	7	32 31	.3 6.9
30	7 7 0 3	22	9.75 264	29 30	0.24 736	9.93 970	7	30	.4 9.2 .5 11.5 .6 13.8
3		23	9.75 294 9.75 323	29	0.24 706	9.93 963	8	29 28	.6 13.8 .7 16.1
3.	9.69 301	22	9.75 353	30 29	0.24 647	9.93 948	7	27 26	.8 18.4
3.	9.69 345	22	9.75 382	29	0.24 589	9.93 941	7	25	9120.7
30	ó 📗 g tig 368 -	23 22	9.75 441	30 29	0.24 559	9.93 927	7	24	
3	9 69 412	22	9 75 470	30	0.24 530	9.93 920 9.93 912	8	23	.I 2.2
3	9 69 434	22	9.75 529	29	0.24 471	9.93 905	7	21	.2 4.4
4		23	9.75 558 9.75 588	30	0.24 442	9.93 898 9.93 891	7	20	.3 6.6 .4 8.8
4	9.69 501	22	9.75 617	29 30	0.24 383	9.93 884	7 8	18	.5 11.0
4.		22	9.75 647 9.75 676	29,	0.24 353	9.93 876 9.93 869	7	17 16	6 13.2 .7 15.4
4	9.69 567	22	9.75 705	29 30	0.24 295	9.93 862	7	15	.8 17.6
4	9.69 589	22	9·75 735 9·75 764	29	0.24 265	9.93 85 <del>5</del> 9.93 847	8	14 13	.9  19.8
4	9.69 633	22	9.75 793 9.75 822	29 29	0.24 207	9.93 840	7 7	12 11	1 0 1 -
4 5 (		22	0.75 852	30	0.24 178	9.93.833	7	$\frac{11}{10}$	.1 0.8 0.7
5	9.69 699	22	9.75 881	29 29	0.24 119	9.93 819	7 8	9	.2 1.6 1.4
5.	3 9.69 743	22	9.75 910 9.75 939	29	0.24 090 0.24 061	9.93 811	7	8 7 6	.3 2.4 2.1 .4 3.2 2.8
5	4 9 69 765	22	9.75 969	30 29	0.24 031	9.93 797	7 8		2.4 2.1 .4 3.2 2.8 .5 4.0 3.5 .6 4.8 4.2 .7 5.6 4.9 .8 6.4 5.6 .9 7.2 6.3
5.	9 69 787 6 9.69 809	22	9.75 998 9.76 027	29	0.24 002 C 23 973	9.93 789 9.93 782	7	5 4 3 2	.7 5.6 4.9 .8 6.4 5.6
5	9.69 809 9.69 831 9.69 853	22	9.76 <b>o</b> 56 9.76 <b>o</b> 86	29 30	0.23 944	9.93 77 <del>5</del> 9.93 768	7	3	.8 6.4 5.6 .9 7.2 6.3
5 5 5	9.69.875	22	9.76 113	29	0.23 914	9.93 760	8	I	J , -1 - 3
6	9.69.897	-22	9.76 144	29	0.23 856	9.93 753	7	0	
	L. Cos.	d.	L. Cotg.	c. d.		L. Sin.	d.	,	Prop. Pts.
					60°				

60

						30°				
	,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
	0	9.69 897	22	9.76 144 9.76 173	29	0.23 856	9.93 753	7	60	
ı	2	9.69 941	22	9.76 202	29	0 23 798	9 93 746 9 93 738	8	59 58	
	3	9 69 963	21	9.76 <b>2</b> 31 9.76 <b>2</b> 61	30	0 23 769	9 93 731	7	57	.I 30 29
ı	4 5	9.70 006	22	9.76 200	29	0 23 739	9 93 724	7	56	.2 6.0 58
	5	9.70 028	22	9.76 319	29 29	0 23 681	9 93 709	8	55 54	.3 9.0 8 7 .4 12.0 11.6
ı	7 8	9.70 050 9.70 072	22	9.76 348 9.76 377	29	0 23 652	9.93 702	7	53	.5 15.0 14.5
-	9	9.70 093	21 22	9.76 406	29	0 23 594	9.93 69 <del>5</del> 9 93 687	8	52 51	
	10	9.70 115	22	9.76 435	29 29	0.23 565	9 93 680	7	50	.7 21.0 20.3 .8 24.0 23.2
ı	11	9.70 137	22	9.76 464 9.76 493	29	0.23 536	9.93 673 9 93 665	7 8	49 48	.9   27.0   26.1
1	13	9.70 180	21	9.76 522	29 29	0.23 478	9.93 658	7	47	
	14	9.70 202	22	9.76 551	29	0 23 449	9 93 650	8	46	.1 2.8
1	15 16	9.70 245	2I 22	9.76 500	29	0.23 420	9.93 643 9 93 636	7	45 44	.1 2.8 .2 5.6 .3 8 4
I	17 18	9.70 267 9 70 288	22 21	9.76 639 9.76 668	30 29	0 23 361	9 93 628	8	43	
	19	9.70 310	22 22	9.76 697	29	0.23 332	9.93 621 9.93 614	7	42 41	.4 II.2 .5 I4.0
į	20	9 70 332	21	9.76 725	28	0.23 275	9.93 606	8	40	.5 14.0
	2I 22	9 · 70 35 <u>3</u> 9 · 70 375	22	9.76 754 9.76 783	29 29	0 23 246	9.93 599	7 8	39 38	.7 19.6 .8 22.4
TANKE DE	23	9 70 396	21	9 76 812	29 29	0.23 188	9.93 591 9 93 584	7	37	.9 25.2
-	24	9 70 418	21	9.76 841	29	0.23 159	9 93 577	7 8	37 36	
	<b>25</b> 26	9 70 439 9 70 461	22 21	9.76 899	29	0 23 130 0 23 101	9 93 569 9 93 562	7	35 34	22
COMPLETE STATE	27 28	9 70 482	22	9.76 928	29 29	0.23 072	9 93 554	8	33	1 2 2 .2 4 4
	29	9 70 504 9 70 525	21	9 76 957 9.76 986	29	0.23 043	9 · 93 547 9 · 93 539	8	32 31	.3 66
	30	9 70 547	21	9 77 013	29 29	0.22 985	9.93 532	7	30	.4 8.8
	31 32	9 70 568 9 70 590	22	9 - 77 044 9 77 073	29	0.22 956	$9.9352\overline{5}$ 9 93 517	7 8	29 28	.6 13.2
	33	9 70 611	21	9.77 101	28 29	0.22 899	9.93 510	7	27	.7 15.4 .8 17.6
Total Control	35	9 70 633	21	9.77 130	29	0.22 870	9.93 502	7	26	.9 19.8
-	36	9 70 675	21	9.77 159 9.77 188	29	0.22 812	9 93 495 9 93 487	8	25 24	
The same of	37 38	9 70 697	21	9.77 217 9.77 246	29 29	0 22 783	9.93 480	7	23	21
S. Calenda	39	9 70 739	21	9.77 274	28	0 22 754 0.22 726	9.93 472 9 93 46 <del>5</del>	7	22 21	. ï 2. ī
	40	9 70 761 9 70 782	21	9.77 303	29 29	0.22 697	9 93 457	8	20	.2 4 2
	41 42	9 70 803	21	9·77 332 9·77 361	29	0.22 668	9.93 450	8	19	.4 8.4
-	43	9 70 824 9 70 846	21	9.77 399	29 28	0.22 610	9.93 435	7 8	17	.5 IO.5 .6 I2.6
	44 45	9.70 867	21	$\frac{9.77}{9.77}$	29	0.22 582	9.93 427	7	16	.7 14.7 .8 16.8
COLUMN TO SERVICE	46	9.70 888	21 21	9.77 476	29 29	0.22 524	9.93 412	8	14	9 18.9
	47 48	9.70 909 9.70 931	22	$9.7750\overline{5}$ 9.77533	28	0.22 495	9.93 40 <del>5</del> 9.93 39 <b>7</b>	7 8	13 12	
	49	9.70 952	21 21	9.77 562	29 29	0.22 438	9.93 390	7	11	1817
	50	9.70 973	21	9.77 591	28	0.22 409	9.93 382	7	10	.1 08 0.7
	51	9.70 994	21	9.77 619 9.77 648	29	0.22 381	9 93 375 9 93 367	8	8	.2 I.6 I.4 .3 2.4 2.I
1	53 54	9.71 036 9 71 <b>0</b> 58	22	9.77 677	29 29	0.22 323	-9.93 360	7	98 7	.4 3.2 2.8
1 . 1	55	9.71 079	21	9.77 706	28	0 22 294	9 93 35 <sup>2</sup> 9 93 344	8		2.4 2.1 3.2 2.8 5.4 0 3.5 6.4 8 4.2 7.5.6 4.9 8.6.4 5.6 9.7.2 6.3
1	55 56	9.71 100	21	9.77 763	29	0.22 237	9.93 337	7 8	5 4	.7 5.6 4.9
	57 58	9.71 121 9 71 142	21	9.77 791 9.77 820	29	0 22 209	9.93 329 9.93 322	7	3 2	.6 4.8 4.2 .7 5.6 4.9 .8 6.4 5.6 .9 7.2 6.3
	_59_	9.71 163	21 21	9.77 849	29 28	0.22 151	9.93 314	8 7	_ I	
	60	9.71 184		9.77 877		0.22 123	9 93 307		0	
I		L. Cos.	d.	L. Cotg.	c.d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
						$59^{\circ}$				

	31°										
7	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.		
0	9.71 184	21	9.77 877	29	0.22 123	9.93 307	8	60			
I 2	9 71 205	21	9.77 906	29	0.22 065	9.93 299 9.93 291	8	59 58	1 20		
3	9.71 247	21	9.77 963	28	0.22 037	9.93 284	7 8	57	.1 2.9		
4	9.71 268	21	9.77 992	28	0.22 008	9.93 276	7	56	.2 5.8		
5 6	9.71 310	21	9.78 049	29 28	0.21 951	9.93 261	8	55 54	.3 8.7 .4 11.6		
7 8	9 71 331 9 71 352	21	9.78 077 9.78 106	29	0.21 923	9.93 <b>25</b> 3 9.93 <b>2</b> 46	7	53	.5 14.5		
9	9.71 373	21 *	9.78 135	29 28	0.21 865	9.93 238	8	52 51			
10	9.71 393	21	9.78 163 9.78 192	29	0.21 837	9.93 230	7	50	.8 23.2		
11 12	9.71.414	21	9.78 220	28	0.21 808	9.93 223 9.93 215	8	49 48	.9 26.1		
13	9.71 456	21	9.78 249	29 28	0.21 751	9.93 207	8	47	,   28		
14	9.71 477	21	9.78 277 9.78 306	29	0.21 723	9.93 200	8	46	.1 2.8		
16	9.71 519	21 20	9.78 334	28 29	0.21 666	9.93 184	8 7	45 44	.2 5.6		
17	9.71 539 9.71 560	21	9.78 363 9.78 391	28	0.21 637	9.93 177	8	43	.3 8.4 .4 II.2		
19	9.71 581	2I 2I	9.78 419	28 29	0.21 581	9.93 161	8	42 41	.5 14.0		
20	9.71 602	40	.6 16.8 .7 19.6								
2I 22	9.71 622	21	9.78 476 9.78 50 <del>5</del>	28 29	0.21 524	9.93 <b>1</b> 46 9.93 <b>13</b> 8	8	39 <b>3</b> 8	.8 22.4		
23	9.71 664	2I 2I	9.78 533	28 29	0.21 467	9.93 131	7 8	37	.9  25.2		
24 25	9.71 685	20	9.78 562	28	0.21 438	9.93 123	8	36			
26	9.71 726	2I 2I	9.78 618	28	0.21 382	9.93 108	7 8	35 34	.I 2.I		
27	9.71 747 9.71 767	20	9.78 647 9.78 675	29 28	0.21 353	9.93 100	8	33	.2 4.2		
29	9.71 788	21 21	9.78 704	29	0.21 325	9.93 092 9.93 084	8	32 31	.3 6.3		
30	9.71 809	20	9.78 732	28 28	0.21 268	9.93 077	8	30	.5 10.5		
31	9.71 829	21	9.78 760 9.78 789	29	0.21 240	9.93 069	8	29 28			
33	9.71 870	20 21	9.73817	28 28	0.21 183	9.93 053	8 7	27	.7 14.7 .8 16.8		
34	9.71 891	20	9.78 845	29	0.21 155	9.93 046	8	26	.9  18.9		
35 36	9.71 911	2I 20	9.78 902	28	0.21 098	9.93 030	8	25 24			
37 38	9.71 952	21	9.78 930 9.78 959	28 29	0.21 070	9.93 022	8	<b>2</b> 3	20		
39	9.71 973 9.71 994	21	9.78 987	28	0.21 013	9.93 014 9.93 007	7	22 21	.I 2.0 .2 4.0		
40	9 72 014	20	9.79 015	28 28	0.20 985	9.92 999	8	20	.3 6.0		
4I 42	9 72 034 9.72 055	21	9-79 043 9-79 072	29	0.20 957	9.92 991 9.92 983	8	19	.4 8.0		
43	9.72 075	20	9.79 100	28 28	0.20 900	9.92 976	7 8	17	.5 10.0 .6 12.0		
44	9.72 096	20	9.79 128	28	0.20 872	9.92 968	8	16	.7 14.0 .8 16.0		
45 46	9.72 116 9.72 137	21	9.79 185	29	0.20 815	9.92 960 9.92 952	8	15	.9 18.0		
47 48	9.72 157	20 20	9.79 213	28 28	0.20 787	9.92 944	8	13			
49	9.72 177 9.72 198	21	9.79 241 9.79 269	28	0.20 759	9.92 936 9.92 929	7	12 11	1817		
50	9.72 218	20	9.79 297	28	0.20 703	9.92 921	8	10	.1 0.8 0.7		
51 52	9.72 238 9.72 259	21	9.79 326 9.79 354	29 28	0.20 674	9.92 913	8	9	.2 I.6 I.4 .3 2.4 2.I		
53 54	9 72 279	20 20	9.79 382	28 28	0.20 618	9.92 897	8	8 7 6	.4 3.2 2.8		
54	9.72 299	21	9.79 410	28	0.20 590	9.92 889	8		2.4 2.1 .4 3.2 2.8 .5 4.0 3.5 .6 4.8 4.2 .7 5.6 4.9 .8 6.4 5.6 .9 7.2 6.3		
55 56 57 58 59	9.72 340	20	9.79 430	28	0.20 502	9.92 874	7	5 4 3 2	.7 5.6 4.9		
57	9.72 360 9.72 381	20 21	9.79 495	29 28	0.20 505	9.92 866	8	3	.8 6.4 5.6 .9 7.2 6.3		
59	9.72 401	20	9.79 523 9.79 551	28	0.20 477	9.92 8 <u>5</u> 8 9.92 8 <u>5</u> 0	8	1	7, 7,-1 3.3		
60	9.72 421	20	9.79 579	28	0.20 421	9.92 842	8	0			
	L. Cos.	d.	L. Cotg.	c. d.		L. Sin.	d.	,	Prop. Pts.		
	58°										

						32°			-==	
	,	L. Sin.	d.		c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	9. 72 421 9. 72 441 9. 72 461 9. 72 482 9. 72 502 9. 72 522 9. 72 542 9. 72 562 9. 72 562 9. 72 602 9. 72 622 9. 72 663 9. 72 663 9. 72 763 9. 72 773 9. 72 773 9. 72 763 9. 72 763 9. 72 763 9. 72 763	d.  20 20 21 20 20 20 20 20 20 20 20 20 20 20 20 20	9.79 579 9.79 607 9.79 635 9.79 6691 9.79 719 9.79 747 9.79 776 9.79 804 9.79 888 9.79 916 9.79 916 9.79 972 9.80 000 9.80 028 9.80 056 9.80 084	28 28 28 28 28 28 28 28 28 28 28 28 28 2	L. Cotg.	9 92 842 9 92 834 9 92 826 9 92 818 9 92 810 9 92 795 9 92 779 9 92 779 9 92 779 9 92 779 9 92 739 9 92 739 9 92 739 9 92 735 9 92 739 9 92 739 9 92 739 9 92 75 9 92 76 9 9	d. 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	59 57 56 55 55 55 51 50 49 48 47 46 43 44 43 42	29 28 .1 2.9 2.8 .2 5.8 5.6 .3 8.7 8.4 .4 11.6 11.2 .5 14.5 14.0 .6 17.4 16.8 .7 20.3 19.6 .8 23.2 22.4 .9 26.1 25.2
	19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	9.72 803 9.72 823 9.72 843 9.72 863 9.72 863 9.72 902 9.72 902 9.72 902 9.72 902 9.72 962 9.73 962 9.73 002 9.73 002 9.73 061 9.73 081 9.73 101 9.73 121	20 20 20 20 20 20 20 20 20 20 20 20 20 2	9.80 112 9.80 140 9.80 168 9.80 195 9.80 223 9.80 251 9.80 307 9.80 363 9.80 363 9.80 391 9.80 474 9.80 502 9.80 550	28 28 27 28 28 28 28 28 28 28 28 27 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28	o.19 888 o.19 860 o.19 832 o.19 805 o.19 777 o.19 779 o.19 721 o.19 603 o.19 665 o.19 637 o.19 553 o.19 553 o.19 553 o.19 498 o.19 470	9.92 691 9.92 683 9.92 675 9.92 659 9.92 651 9.92 635 9.92 635 9.92 603 9.92 501 9.92 503 9.92 595 9.92 571 9.92 563	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25	13.5   16.2   18.9   8   21.6   9   24.2   1   2.1   2.0   2   4.2   4.0   3   6.3   6.0   4   8.4   8.0   5   10.5   10.0   6   12.6   12.0   7   14.7   14.0   8   18.0   18.0
	35 36 37 38 39 40 41 42 43 44 45 46 47 48	9. 73 140 9. 73 160 9. 73 180 9. 73 200 9. 73 239 9. 73 259 9. 73 278 9. 73 378 9. 73 337 9. 73 357 9. 73 357 9. 73 377	19 20 20 20 19 20 20 19 20 20 19 20 20	9.80 586 9.80 614 9.80 669 9.80 699 9.80 725 9.80 781 9.80 808 9.80 836 9.80 892 9.80 892	28 28 28 27 28 28 28 28 27 28 28 27 28 28 27 28 28	0.19 414 0.19 386 0.19 358 0.19 331 0.19 275 0.19 247 0.19 192 0.19 164 0.19 136 0.19 081	9.92 555 9.92 540 9.92 538 9.92 530 9.92 514 9.92 506 9.92 498 9.92 499 9.92 499 9.92 473 9.92 465 9.92 457	8 9 8 8 8 8 8 8 8 8	24 23 22 21 20 19 18 17 16 15 14 13 12	19 9 1 1.9 0.9 2 3.8 1.8 3 5.7 2.7 4 7.6 3.6 5 9.5 4.5 6 11.4 5.4 7 13.3 6.3 8 15.2 7.2 9 17.1 8.1
	49 50 51 52 53 54 55 56 57 58 59 <b>60</b>	9 73 396 9 73 416 9 73 435 9 73 455 9 73 474 9 73 494 9 73 513 9 73 532 9 73 552 9 73 591 9 73 611	20 19 20 19 20 19 20 19 20 19 20	9.80 947 9.80 975 9.81 033 9.81 033 9.81 058 9.81 141 9.81 149 9.81 169 9.81 224 9.81 252	28 28 27 28 28 27 28 28 27 28 28 27 28	0.19 053 0.19 025 0.18 997 0.18 942 0.18 914 0.18 859 0.18 859 0.18 831 0.18 804 0.18 776 0.18 748	9.92 449 9.92 441 9.92 433 9.92 425 9.92 406 9.92 400 9.92 392 9.92 384 9.92 376 9.92 367 9.92 359	8 8 9 8 8 8 8 9	11 10 9 8 7 6 5 4 3 2 1	1
Service Con		L. Cos.	d.	L. Cotg.	c.d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
						$57^{\circ}$				

56°

	34°										
i.	,	L. Sin.	d.	L. Tang.	e. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.	
П	0	9.74 756	19	9.82 899	27	0.17 101	9.91 857	8	60		
	1 2	9 · 74 775   9 · 74 794	19	9.82 926 9.82 953	27	0.17 074 0.17 047	9.91 849 9.91 840	9	59 58	28   27	
	3	9.74 812	18	9.82 980	27 28	0.17 020	9.91 832	8 9	57	.1 2.8 2.7	
-	4	9.74 831	19	9.83 008	27	0.16 992	9.91 823	8	56 55	.2 5.6 5.4 .3 8.4 8.1	
Ш	5	0 74 868 1	18 19	9.83 062	27	0.16 938	9.91 806	9	54	.3 8.4 8.1	
	7 8	9.74 887	19	9.83 089	28	0.16 911	9.91 798 9.91 789	9	53 52	.5 14.0 13.5 .6 16.8 16.2	
Ш	9	9.74 906	18	9.83 144	27 27	0.16 856	9.91 781	8 9	51	.7 19.6 18.9	
	10	9.74 943	18	9.83 171	27	0.16 829	9.91 772	9	50		
Ш	11	9-74 961 9.74 980	19	9.83 198 9.83 <b>225</b>	27	0.16 802 0.16 775	9.91 76 <u>3</u> 9.91 755	8	49 48	.9   25.2   24.3	
	13	9.74 999	18	9.83 252	27 28	0.16 748 0.16 720	9.91 746	9	47	1 26	
	14	9.75 017	19	9.83 280	27	0.16 693	9.91 738	9	46	.I 2.6	
И	15 16	9.75 054	18	9.83 334	27 27	0.16 666	9.91 720	9	44	.2 5.2 .3 7.8	
	17	9.75 073 9.75 091	18	9.83 36 <b>1</b> 9.83 388	27	0.16 639	9.91 712	9	43 42	.4 10.4	
1	19	9.75 110	19	9.83 415	27	0.16 585	9.91 695	8	41	.5 13.0 .6 15.6	
	20	9.75 128	19	9.83 442	28	0.16 558	9.91 686	9	40	.7 18.2	
	2I 22	9.75 147 9.75 165	18	9.83 470 9.83 497	27	0 16 503	9.91 677	8	39 38	.8 20.8 .9 23.4	
	23	9.75 184	19	9.83 524	27 27	0.16476	9.91.660	9	37 36	.9123.4	
	24	9.75 202 9.75 221	19	9.83 551	27	0 16 422	9.91 651	8	35	I9	
	26	9.75 239	18 19	9.83 605	27	0.16 395	9.91 634	9	34		
П	27 28	9.75 258 9.75 276	18	9.83 632 9.83 659	27	0.16 368	9.91 625 9.91 617	8	33 32	.2  3.8	
H	<b>2</b> 9	9.75 294	18	9.83 686	27	0.16 314	9.91 608	9	31	·3 5·7 ·4 7.6	
	30	9.75 313	18	9.83 713	27	0.16 287	9.91 599	8	<b>30</b> 29	.5 9.5	
	31 32	9.75 3 <u>3</u> 1 9.75 3 <u>5</u> 9	18	9.83 740 9.83 768	28	0.16 232	9.91 591	9	28		
	33	9.75 368	18	9.83 79 <del>5</del> 9.83 822	27	0.16 205	9.91 573	8	27 26	.8 15.2	
	34	9.75 386	19	9.83 849	27	0.16 151	0.91 556	9	25	.91 17.1	
	35 36	9 75 423	18	9 83 876	27	0.16 124	9 91 547	9	24		
	37 38	9 . 75 44 I 9 75 459	18	9.83 903	27	0.16 097	9 91 538	8	23 22	.1 1.8	
	39	9.75 478	19	9.83 957	27	0.16 043	9.91 521	9	21	2 3.6	
	40	9.75 496	18	9.83 984 9.84 011	27	0.16016	9.91 512	8	20	·3 5·4 ·4 7·2	
	42	9.75 533	19	9.84 038	27	0.15 962	9.91 495	9	18	.5 9.0	
Ì	43 44	9.75 551 9.75 569	18	9.84 065	27	0.15 935	9.91 486	9	17 16		
1	45	9.75 587	18	9.84 119	- 27	0.15 881	9.91 469	. 8	15	.8 14.4	
١	40	9.75 605	18	9.84 146	27	0.15 854	9.91 460	9	14	.9 16.2	
1	47 48	9 75 624 9 75 642	18	9.84·173 9.84 200	27	0.15 800	9.91 451 9.91 442	9	12		
	49	9.75 660	18	9.84 227	27	0.15 773	9.91 433	. 8	$\frac{11}{10}$	. I 0.9 0.8	
	50 51	9.75 678 9.75 696	18	9.84 254 9.84 280	26	0.15 746	9.91 425	9		1.2 1.8 16	
	52	9.75 714 9.75 733	18	9.84 307	27	0.15 693	9.91 407	9	8 7	.3 2.7 2.4 .4 3.6 3.2	
	52 53 54	9.75 751	18	9.84 334 9.84 361	27	0.15 666	9.91 398 9.91 389	9	7 6	5 4.5 4.5	
	55	9.75 769	18	9 84 388	27	0.15 612	9.91 381	8		3.6 3.2 .5 4.5 4.6 .6 5.4 4.8 .7 6.3 5.6 .8 7.2 6.4 .9 8.1 7.2	
	55 56 57 58 59	9 · 75 769 9 · 75 787 9 · 75 805 9 · 75 823	18	9.84 415	27	0.15 58	9.91 372 9.91 363	9	5 4 3 2	.8 7.2 6.4	
	58	9.75 823	18	9.84 469	27	0.15 531	9.91 354	9		.9 8.1 7.2	
	59 <b>60</b>	9.75 041	18	9.84 496	27	0.15 504	9.91 345	9	0		
	00	9.75 859		9.84 523		0.15 477	9.91 336 L. Sin.	d.	, ·	Prop. Pts.	
		L. Cos.	d.	L. Cotg.	ic. a		1 11. 19111.	· d•	1 /	1 Liops Lus	
	1					55°					

ĺ						• > = 0				
1	,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
	1   2   3   4   15   16   17   18   19   20   21   22   24   25   26   27   28   29   30   31   32   33   34   42   43   44   45   54   55   55   55   55	9. 75 859 9. 75 859 9. 75 895 9. 75 895 9. 75 931 9. 75 967 9. 76 039 9. 76 039 9. 76 039 9. 76 039 9. 76 039 9. 76 039 9. 76 146 9. 76 182 9. 76 182 9. 76 236 9. 76 253 9. 76 336 9. 76 336 9. 76 336 9. 76 342 9. 76 342 9. 76 343 9. 76 344 9. 76 36 9. 76 36 9. 76 35 9. 76 55 9. 76 55 9. 76 50 9. 76 55 9. 76 55 9. 76 67 9. 76 67 9. 76 67 9. 76 68 9. 76 88 9.	18 18 18 18 18 18 18 18 18 18 18 18 18 1	9.84 523 9.84 523 9.84 526 9.84 637 9.84 637 9.84 657 9.84 657 9.84 654 9.84 771 9.84 734 9.84 776 9.84 776 9.84 776 9.84 879 9.84 879 9.84 879 9.84 979 9.85 086 9.85 113 9.85 086 9.85 1140 9.85 123 9.85 220 9.85 287 9.85 380 9.85 387 9.85 386 9.85 547 9.85 549	27 20 27 27 27 27 27 27 27 27 27 27 27 27 27	D. Colgs.  O. 15 477  O. 15 450  O. 15 424  O. 15 397  O. 15 370  O. 15 336  O. 15 262  O. 15 262  O. 15 262  O. 15 128  O. 15 128  O. 15 155  O. 15 128  O. 15 101  O. 15 075  O. 15 048  O. 15 101  O. 15 075  O. 15 048  O. 14 994  O. 14 994  O. 14 914  O. 14 987  O. 14 753  O. 14 646  O. 14 549  O. 14 573  O. 14 566  O. 14 573  O. 14 486  O. 14 573  O. 14 566  O. 14 573  O. 14 486  O. 14 573  O. 14 566  O. 14 573  O. 14 573  O. 14 566  O. 14 1513  O. 14 383  O. 14 380  O. 14 383  O. 14 380  O. 14 373  O. 14 486  O. 14 513  O. 14 486  O. 14 486  O. 14 486  O. 14 486  O. 14 513  O. 14 486  O. 14 383  O. 14 380  O. 14 380  O. 14 1380  O. 14 1380  O. 14 103  O. 14 067  O. 13 980  O. 13 954  O. 13 990	9-01 336 9-01 336 9-01 330 9-01 310 9-01 301 9-01 253 9-01 253 9-01 256 9-01 257 9-01 248 9-01 230 9-01 230 9-01 221 9-01 230 9-01 123 9-01 175 9-0	8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	60 59 57 56 55 57 56 55 57 56 57 56 57 57 57 57 57 57 57 57 57 57	1 2.7 2.6 1 2.7 2.6 2 5.4 5.2 3 8.1 7.8 4 10.8 10.4 5.5 13.5 13.5 13.6 7.8 12.6 20.8 9 24.3 23 4  18 1 1.8 2 3.6 3 5.4 4 7.2 5 9.0 6 10.8 7 12.6 8 14.4 9 16 2  17 1.7 2 5.4 3 6.8 5 14.4 9 15 2  10 11 1.0 2 2.0 3 3.0 4 4.0 5 15.0 0 15.3
	60	9 76 922		9.86 126	26	0.13874	9.90 796	9	0	
		L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
-						54°				

					36°				
,	L. Sin.	d.	L. Tang.	c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
7 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	9.76 922 9 76 939 9 76 957 9.76 974 9.76 991 9.77 026 9.77 043 9.77 061 9.77 078 9.77 130 9.77 147 9.77 164 9.77 181 9.77 181 9.77 199 9.77 216 9.77 233	17 18 17 18 17 18 17 18 17 18 17 18 17 17 18 17 17 18 17 17 18 17 17 18 17 17 18 17	9.86 126 9.86 153 9.86 179 9.86 206 9.86 252 9.86 255 9.86 338 9.86 305 9.86 345 9.86 448 9.86 447 9.86 498 9.86 551 9.86 577 9.86 577	e. d.  27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27	0.13 874 0.13 847 0.13 821 0.13 704 0.13 768 0.13 741 0.13 715 0.13 662 0.13 662 0.13 655 0.13 552 0.13 552 0.13 552 0.13 559 0.13 449 0.13 449 0.13 423 0.13 423	9.90 796 9.90 787 9.90 777 9.90 778 9.90 759 9.90 750 9.90 741 9.90 722 9.90 713 9.90 694 9.90 685 9.90 676 9.90 648 9.90 648 9.90 649	9 10 9 9 9 9 10 9 9 10 9 9	50 558 556 554 553 551 50 49 48 47 46 43 42	1 2.7 26 .2 5.4 5.2 .3 8.1 78 .4 10 8 10.4 .5 13.5 13.0 .6 16.2 15.6 .7 18.9 18.2 .2 21.6 20.8 .9 24.3 23.4
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	9.77 250 9.77 268 9.77 285 9.77 302 9.77 319 9.77 330 9.77 353 9.77 370 9.77 495 9.77 495 9.77 490 9.77 490 9.77 490 9.77 490 9.77 490 9.77 597 9.77 597	17 18 17 17 17 17 17 17 17 18 17 17 17 17	9.86 630 9.86 656 9.86 656 9.86 679 9.86 736 9.86 762 9.86 845 9.86 842 9.86 894 9.86 974 9.86 974 9.87 000 9.87 027	27 26 27 27 27 27 27 27 27 27 27 27 27 27 27	0.13 370 0.13 344 0.13 317 0.13 291 0.13 264 0.13 211 0.13 185 0.13 155 0.13 132 0.13 006 0.13 000 0.12 973 0.12 947	9.90 620 9.90 611 9.90 602 9.90 592 9.90 583 9.90 574 9.90 557 9.90 557 9.90 537 9.90 537 9.90 537 9.90 537 9.90 537 9.90 590 9.90 490 9.90 480	9 9 10 9 9 10 9 10 9 10 9	41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26	.5 9.0 .6 10.8 .7 12.6 .8 14.4 .9 16.2 .1 1.7 .2 3.4 .3 5.1 .4 6.8 .5 8.5 .6 10.2 .7 11.9 .8 13.6 .9 15.3
35 36 37 38 39 40 41 42 43 44 45 46 47 48	9 · 77 · 541 9 · 77 · 558 9 · 77 · 575 9 · 77 · 592 9 · 77 · 609 9 · 77 · 649 9 · 77 · 640 9 · 77 · 640 9 · 77 · 677 9 · 77 · 694 9 · 77 · 728 9 · 77 · 728	17 17 17 17 17 17 17 17 17 17 17 17	9.87 079 9.87 106 9.87 132 9.87 185 9.87 218 9.87 228 9.87 264 9.87 290 9.87 343 9.87 343 9.87 369 9.87 369	26 27 26 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27	0.12 921 0.12 804 0.12 868 0.12 842 0.12 789 0.12 736 0.12 736 0.12 750 0.12 633 0.12 631 0.12 631	9.90 47I 9.90 462 9.90 452 9.90 443 9.90 434 9.90 424 9.90 495 9.90 396 9.90 377 9.90 358 9.90 358 9.90 349	9 10 9 10 9 10 9 10 9	25 24 23 22 21 20 19 18 17 16 15 14 13	16 1.6 2.3.2 3.4.8 4.6.4 5.5 6.9.6 7.11.2 12.8 9.14.4
50 51 52 53 54 55 56 57 58 59 60	9.77 761 9.77 778 9.77 779 9.77 812 9.77 829 9.77 846 9.77 879 9.77 879 9.77 930 9.77 930 9.77 946	17 17 17 17 17 16 17 17 17 17	9.87 442 9.87 448 9.87 475 9.87 551 9.87 554 9.87 556 9.87 580 9.87 633 9.87 685 9.87 685 9.87 711	26 27 26 26 27 26 26 27 26 26 26 26 26	0.12 578 0.12 552 0.12 525 0.12 499 0.12 446 0.12 420 0.12 394 0.12 341 0.12 315 0.12 289	9.90 339 9.90 330 9.90 320 9.90 311 9.90 301 9.90 292 9.90 282 9.90 273 9.90 263 9.90 264 9.90 244	9 10 9 10 9 10 9 10 9	11 10 98 76 5 4 32 1	1 1.0 0.9 .2 2.0 1.8 .3 3.0 2.7 .4 4.0 3.6 .5 5.0 4.5 .6 6.0 5.3 .7 7.0 6.3 .8 8.0 7.2 .9 9.0 8.1
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	/ \	Prop. Pts.

	37°										
,	1. Sin.	d.	L. Tang.	e. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.		
0	9.77 946	17	9.87 711	27	0.12 289	9.90 235	10	60			
I 2	9.77 963 9.77 980	17	9.87 738 9.87 764	26	0.12 262	9 90 225	9	59 58			
3	9.77 997	17	9.87 790.	26 27	0.12 210	9.90 206	9	57 56	.I 2.7		
4	9.78 013	17	9.87 817	26	0.12 183	9.90 197	10		.2 5.4 .3 8.1		
5 6	9.78 030	17	9.87.869	26	0.12 131	9.90 187 9 90 178	9	55 54			
7 8	9.78 063	16 17	9.87 895	26 27	0.12 105	9 90 168	10	53			
8 9	9.78 080 9.78 097	17	9.87 922 9.87 948	26	0.12 078	9.90 159	10	52 51	.6 16.2		
10	9.78 113	16	9.87 974	26 26	0.12 026	9.90 139	10	50	.7 18.9 .8 21.6		
II I2	9.78 130 9.78 147	17	9.88 000	27	0.12 000	9.90 130	9 10	49 48	.9 24.3		
13	9.78 163	16	9.88 053	26 26	0.11 947	9.90 120	9	40 47			
14	9.78 180	17	9.88 079	26	0.11 921	9.90 101	10	46	26		
15 16	9.78 197 9.78 213	16	9.88 105 9.88 131	26	0.11 895	9.90 091 9.90 082	9	45	.1 2.6 .2 5.2		
17	9.78 230	17 16	9.88 158	27 26	0.11 842	9.90 072	10	44 43	.3 7.8		
18	9.78 246 9.78 263	37	9.88 184 9.88 210	26	0.11 816	9.90 063 9.90 053	9	42	.4 IO.4 .5 I3.0		
$\frac{19}{20}$	9.78 280	17	9.88 236	26	0.11 764	9.90 053	10	$\frac{41}{40}$	.6 15.6		
21	9.78 296	16 17	9.88 262	26 27	0.11 738	9 90 034	9		.7 I8.2 .8 20.8		
22 23	9.78 313 9.78 329	16	9.88 <b>2</b> 89 9.88 <b>3</b> 15	26	0.11 711	9.90 024 9.90 014	10	39 38	.9 23 4		
24	9.78 346	17 16	9.88 341	26 26	0.11 659	9.90 005	9	37 36			
25 26	9.78 362 9.78 379	17	9.88 367 9.88 393	26	0.11 633	9.89 995	10	35	1 27		
	9.78 395	16	9.88 420	27	0.11 580	9.89 985 9.89 976	9	34 33	.1 1.7		
27 28	9.78 412 9.78 428	17 16	9.88 446 9.88 472	26 26	0.11 554	9.89 966	10	32	2 3.4 .3 5.1		
$\frac{29}{30}$	9.78 445	17	9.88 498	26	0.11 528	9.89 956	9	$\frac{31}{30}$	.4 6.8		
31	9.78 461	16°	9.88 524	26 26	0.114 <u>7</u> 6	9.89 937	10	29	.5 8.5 .6 10.2		
32 33	9.78 478 9.78 494	16	9.88 550	27	0.11 450	9.89 927 9.89 918	9	28	7 11.9		
34	9.78 510	16 17	9.88 603	26 26	0.11 397	9.89 908	10	27 26	.8 13.6 .9 15.3		
35 36	9.78 527	16	9.88 629 9.88 655	26	0.11 371	9.89 898	10	25	1912313		
30	9.78 543 9.78 56 <b>0</b>	17	9.88 681	26	0.11 345	9.89 888 9.89 879	.9	24 23	1 16		
37 38	9.78 576	16 16	9.88 707	26 26	0.11 293	9.89 869	10	22	.1 1.6		
$\frac{39}{40}$	9.78 592	17	9.88 733	26	O. 11 267	9.89 859	10	$\frac{21}{20}$	.2 2.2		
41	9.78 625	16 17	9.88 786	27 26	0.11 214	9.89 840	9		.3 48		
42 43	9.78 642 9.78 658	16	9.88 812 9.88 838	26	0.11 188	9.89 830 9.89 820	10	18	.5 8.0		
43	9.78 674	16 17	9.88 864	26	0.11 136	9.89810	10	17 16	.7 11.2		
45	9.78 691	16	9.88 890	26 26	0.11 110	9.89 801	9	15	.8 12.8		
46 47	9.78 707 9.78 723	16	9.88 916 9.88 942	26	0.11 084 9.11 058	9.89 791 9.89 781	10	14 13	.9  14.4		
48	9.78 739	16 17	9.88 968	26 26	0.11 032	9.89 771	10	12			
49 <b>50</b>	9 78 756	16	9.88 994	26 26	0.11 006	9.89 761	9	11	10 9		
51	9.78 788	16	9.89 046	26	0.10 954	9.89 752 9.89 742	Io	10	.I I.O 0.9 .2 2.0 I.8		
52	9.78 805	17	9.89 073	27 26	0.10 927	9.89 732	10	9	.3 3.0 2.7		
53 54	9.78 821 9.78 837	16	9.89 099 9.89 12 <del>5</del>	26	0.10 901 0.10 875	9.89 722 9.89 712	10	7 6	.4 4.0 3.6 .5 5.0 4.5 .6 6.0 5.4		
55 56	9.78 853 9.78 869	16 16	9.89 151	26 26	0.10849	9.89 702	10	5	.4 4.0 3.6 .5 5.0 4.5 .6 6.0 5.4 .7 7.0 6.3 .8 3.0 7.2		
56	9.78 869 9 78 886	17	9.89 177	26 26	0 10 823 0.10 797	9.89 693 9.89 683	9	4	.7 7.0 6.3 .8 3.0 7.2		
57 58	9.78 902	16 16	9.89 229	26 26	0.10 771	9.89 673	10	3 2	.8 S.o. 7.2 .9 9.0 8.1		
<u>59</u> <b>60</b>	9.78 918	16	9.89 255	26 26	0 10 745	9.89 663	10	1			
00		_			0 10 719	9.89 653	<u> </u>	0			
	L. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.		

!					38°				
,	L. Sin.	d.	L. Tang.	c. d.	Butter the same of	L. Cos.	d.		Prop. Pts.
0	9.78 934 9.78 950	16	9.89 281 9.89 307	26 26	0 10 719	9 89 6 <b>53</b> 9 89 643	10	60 59	
3	9.78 967 9.78 983	16	9.89 333 9.89 359	26	0.10667	9.89 633	10	59 58 57	26   25
4	9.78 999	. 16	9.89 385	26 26	0.10613	9 89 614	IC	_56	.I 2.6 2.5 .2 5.2 5.0
5 6	9.79 015	16 ≥6	9.89 411 9.89 437	26	0.10 589	9.89 604 9.89 594	10	55 54	3 7.8 7.5
7 8	9.79 047 9.79 063	16	9.89 463 9 89 489	26 26	0.10 537	9.89 584	10	53	.4 10.4 10.0 .5 13.0 12.5 .6 15.6 15.0
9	9.79 079	16	9.89 515	26	0.10485	9.89 574 9.89 564	10	52 51	.6 15.6 15.0 .7 18.2 17.5
10	9.79 O95 9.79 III	16	9.89 541 9.89 567	26	0.10 459	9.89 554 9.89 544	10	50	.7 18.2 17.5 .8 20.8 20.0 .9 23.4 22.5
12	9.79 128	17	9.89 593	26 26	0.10407	9.89 534	10	49 48	.91 23.41 22.5
13	9.79 I44 9.79 I60	16 16	9.89 619 9.89 645	26 26	0.10381	9.89 524 9.89 514	10	47 46	17
15 16	9.79 176	16	9.89 671	26	0.10 329	9.89 504	10	45	.I I.7 .2 3.4
17	9.79 192 9.79 208	16	9.89 723	26 26	0.10 303	9.89 49 <u>5</u> 9.89 48 <u>5</u>	10	44 43	.2 3.4 .3 5.1 .4 6.8
18	9 79 224 9 79 240	16	9.89 749 9.89 775	26	0.10 251	9.89 47 <u>3</u> 9.89 46 <u>5</u>	10	42.	
20	9.79 256	16 16	9.89801	26 26	0.10 199	9.89 455	10	$\frac{4^{\mathrm{I}}}{40}$	.6 10.3
2I 22	9.79 <b>272</b> 9. <b>7</b> 9 <b>2</b> 88	16	9.89827 9.89853	26	0.10173	9.89 445 9.89 435	10	39 38	8 13.6
23	9 79 304	16 15	9.89879	26 26	0.10 121	9.89 425	10	37 36	.9  15.3
24 25	9 79 319	16	9.89 905	26	0.10 095	9.89 415	10	35	
26 27	9 79 35 <b>I</b> 9 79 367	16 16	9.89 957	26 26	0.10 043	9.89 39 <u>5</u> 9.89 38 <u>5</u>	10	34	.1 1.6 1.5
28	9 79 383	. 16 16	9.90 009	26 26	0.10 017	9.89 375	10	33 32	2 2 2 3.0
30	9 79 399	16	9.90 035 9.90 061	26	0.09 965	9.89 364	11	$\frac{31}{30}$	.3 4.8 4.5
31	9 79 431	16 16	9.90 086	25 26	0.09 914	9.89 344	10	29	.5 8.0 7.5 .6 9.6 9.0
32	9 79 447 9 79 463	16	9.90 112	26	0.09 888	9.89 334 9.89 324	10	28 27	.7 II.2 10.5 .8 I2.8 I2.0
34	9.79 478	15 16	9.90 164	26 26	0.09 836	9.89 314	10	26	9 14.4 13.5
35 36	9 79 494 9 79 510	16 16	9.90 190 9.90 216	26 26	0.09810	9.89 304 9.89 294	10	25 24	
37 38	9 79 526 9 79 542	16	9 90 242 9 90 268	26	0 09 758	9.89 284 0.89 274	10	23 22	1 11
39	9 79 558	16 15	9 90 294	26 26	0.09 706	9.89 264	10	21	.I I.I .2 2.2
40 41	9 <b>7</b> 9 573 9 <b>7</b> 9 589	16	9.90 320 9.90 346	26	0.09 680	9 89 254 9 89 244	10	20	.3 3.3
42	9.79 60 <del>5</del> 9.79 621	16 16	9.90 371	25 26	0.09 629	9.89 233	11	18	.4 4.4 .5 5.5 .6 6.6
43	9.79 636	15	9.90 397 9.90 423	26 26	0 09 603	9.89 223 9.89 213	10	17 16	
45 46	9.79 652 9 79 668	16	9.90 44 <u>9</u> 9.90 47 <u>5</u>	26	0.09 551	9.89 203	10	15	.7 7.7 .8 8.8 .9 9.9
47	9.79 684	16 15	9.90 501	26 26	0.09 499	9.89 183	10	14	791 9.9
48	9.79 699 9.79 715	16 16	9.90 527 9.90 553	26	0.09 473 0.09 447	9.89 173 9.89 162	10	12 11	) ro   9
50 51	9.79 73I 9.79 746	15	9.90 578	25 26	0.09 422	9.89 152	10	10	.1 1.0 0.9
52	9 79 762	16	9.90 604 9.90 630	26	0.09 396	9.89 142 9.89 132	10	9 8	.2     2.0     1.8       .3     3.0     2.7
52 53 <u>54</u>	9 79 778 9 79 <b>7</b> 93	16 15	9.90 656 9.90 682	26 26	0.09 344 0.09 318	9.89 <b>122</b> 9.89 <b>112</b>	10	8 7 6	4 4.0 3.6
55 56	ç 79 809	16 16	9.90 708	26 26	0.09 292	9.84 101	11	5	3 3.0 2.7 .4 4.0 3.6 .5 5.9 4.5 .6 6.0 5.4 .7 7.0 6.3 .8 8.0 7.2 .9 9.0 8.1
50	9.79 82 <del>3</del> 9.79 840	15	9.90 734 9.90 759	25	0.09 266 0.09 241	9 89 <b>091</b> 9 89 <b>08</b> 1	10	4	.8 8.0 7.2
57 58 59	9.79 856 9.79 872	16 16	9.90 785	26 26	0.09 215	9.89071	10	3 2 1	.9  9.0  8.1
60	9.79 887	15	9.90 811	26	0.09 189	9.89 060	10	0	
	L. Cos.	d.	L. Cotg.	c. d.		L. Sin.	d.	,	Prop. Pts.
					51°				

					39°				
,	L. Sin.	d.	L. Tang.	c.d.	CORPORATION AND ADDRESS OF THE PARTY OF THE	L. Cos.	d.		Prop. Pts.
0 I 2	9.79 887 9.79 903 9.79 918 9.79 934	16 15 16	9.90 837 9.90 863 9.90 889 9.90 914	26 26 25 ·	0.09 163 0.09 137 0.09 111 0.09 086	9.89 050 9.89 040 9.89 030 9.89 020	10 10	60 59 58	26
3 4 5 6	9.79 9 <u>5</u> 4 9.79 9 <u>5</u> 0 9.79 96 <u>5</u> 9.79 98 <u>1</u>	16 15 16	9.90 940 9.90 966 9.90 992	26 26 26	0.09 060	9.89 020 9.89 009 9.88 999 9.88 989	10	57 56 55 54	.1 2.6 .2 5.2 .3 7.8 .4 10.4
7 8 9	9 79 996 9 80 012 9 80 027	15 16 15 16	9.91 018 9.91 043 9.91 069	26 25 26 26	0.08 982 0.08 957 0.08 931	9.88 978 9.88 968 9.88 958	10	53 52 51	.5 13.0 · .6 15.6 .7 18.2
10 11 12 13	9.80 043 9.80 058 9.80 074 9.80 089	15 16 15 16	9.91 095 9.91 121 9.91 147 9.91 172	26 26 25 26	0.08 90 <del>5</del> 0.08 879 0.08 853 0.08 828	9.88 948 9.88 937 9.88 927 9.88 917	10 10	50 49 48 47	.9   23 4
14 15 16 17 18	9.80 105 9.80 120 9.80 136 9.80 151 9.80 166	15 16 15	9.91 198 9.91 224 9.91 250 9.91 276 9.91 301	26 26 26 25	0.08 802 0.08 776 0.08 750 0.08 724 0.08 699	9.88 906 9.88 896 9.88 886 9.88 875 9.88 865	10	46 45 44 43 42	25 .1 2.5 .2 5.0 .3 7.5 .4 10.0
19 20 21 22	9 80 182 9 80 197 9 80 213 9 80 228	16 15 16 15	9.91 327 9.91 353 9.91 379 9.91 404	26 26 26 25 26	0.08 673 0.08 647 0.08 621 0.08 596	9.88 855 9.88 844 9.88 834 9.88 824	10	41 40 39 38	.5 12.5 .6 15.0 .7 17.5 9 20.0
23 24 25 26	9 80 244 9 80 259 9 80 274 9 80 290	15 15 16	9.91 430 9.91 456 9 91 482 9.91 507	26 26 25	0.08 570 0.08 544 0.08 518 0.08 493	9.88 813 9.88 803 9.88 793 9.88 782	10 10	37 36 35 34	9  22.5
27 28 29	9 80 305 9 80 320 9 80 336 9 80 351	15 15 16 15	9 91 533 9 91 559 9 91 585 9 91 610	26 26 26 26 25	0.08 467 0.08 441 0.08 415 0.08 390	9.88 772 9.88 761 9.88 751 9.88 741	10	33 32 31 30	.1 1.6 2 3.2 .3 4.8 .4 6.4
31 32 33 34	9 80 366 9 80 382 9 80 397 9 80 412	15 16 15	9.91 636 9.91 662 9.91 688 9.91 713	26 26 26 25	0.08 364 0.08 338 0.08 312 0.08 287	9.88 730 9.88 720 9.88 709 9.88 699	10	29 28 27 26	.5 8.0 6 9.6 .7 11.2 8 12.8
35 36 37 38	9.80 428 9.80 443 9.80 458	16 15 15	9.91 73 <u>9</u> 9.91 76 <u>5</u> 9 91 791	26 26 26 25	0.08 261 0.08 235 0.08 209 0.08 184	9.88 688 9.88 678 9.88 668	10 10	25 24 23	.9  14.4
39 40 41	9.80 473 9.80 489 9.80 504 9.80 519	16 15 15	9 91 816 9 91 842 9 91 868 9 91 893	26 26 25 26	0.08 158 0.08 132 0.08 107	9.88 657 9.88 647 9.88 636 9.88 626	10	22 21 20 19	.1 1.5 .2 3.0 3 4.5 .4 6.0
42 43 44 45	9.80 534 9.80 550 9.80 565 9.80 580	16 15 15	9.91 91 <u>9</u> 9.91 94 <u>5</u> 9.91 971 9.91 996	26 26 25	0.08 081 0.08 055 0.08 029	9 88 61 <u>5</u> 9 88 60 <u>5</u> 9 88 594 9 88 584	10 10	18 17 16 15	.5 7.5 .6 9 0 7 10.5 .8 12.0
46 47 48 49	9.80 595 9.80 610 9.80 625 9.80 641	15 15 16	9.92 022 9.92 048 9.92 073 9.92 099	26 26 25 26	0 07 978 0 07 952 0 07 927 0 07 901	9.88 573 9.88 563 9.88 552 9.88 542	10 11 10	14 13 12	.9  13.5
50 51 52 53	9.80 656 9.80 671 9.80 686 9.80 701	15 15 15	9.92 125 9.92 150 9.92 176 9.92 202	26 25 26 26	0.07 875 0.07 850 0.07 824 0.07 798	9 88 531 9 88 521 9 88 510 9 88 499	11 10 11	10 9 8 7 6	.I I.I I.O .2 2.2 2.0
54 55 56	9.80 716 9.80 731 9.80 746 9.80 762	15 15 15 16	9 92 227 9.92 253 9.92 279	25 26 26 25	0.07 773 0.07 747 0.07 721 0.07 696	9.88 489 9.88 478 9.88 468 9.88 457	10	5 4 3 2	3.3 3.9 4.4 4.0 5.5 5.5 5.0 6.6 6 0 7 7.7 7.0 8 8.8 8.0 9 9.9 9.0
57 58 59 <b>60</b>	9 80 702 9 80 777 9 80 792 9 80 807	15 15 15	9 92 304 9 92 330 9 92 356 9 92 381	26 26 25	0.07 696	9.88 447 9.88 436 9.88 425	11 11	3 1 0	.9 9.9 9.0
	J. Cos.	d.	L. Cotg.	c. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.
					50°				

					40°				
,	L. Sin,	d.		c. d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
334	9.80 822 9.80 837 9.80 852 9 80 867	15 15 15 15	9.92 381 9.92 407 9 92 433 9 92 458 9 92 484 9 92 510	26 26 25 26 26	0 07 619 0 07 593 0 07 567 0 07 542 0 07 516	9.88 425 9.88 415 9.88 404 9.88 394 9.88 383 9.88 372	10 11 10 11	59 58 57 56 55	1 26 2 52 3 78
10	9 80 897 9 80 912 9 80 927 9 80 942	15 15 15 15 15	9 92 535 9 92 561 9 92 587 9 92 612 9 92 638 9 92 663	25 26 26 25 26 25	0 07 465 0 07 439 0 07 413 0 07 388 0 07 362 0 07 337	9 83 362 9 88 351 9 88 340 9 88 330 9 88 319 9 88 308	11 10 11 11 11 11 11 11 11 11 11 11 11 1	54 53 52 51 50	.5   10   4   .5   13   0   .6   15   6   .7   18   2   .8   20   8   .9   23   4
12 13 12 15	9 80 987 9 81 002 9 81 017 9 81 032 9 81 047	15 15 15 15 15	9 92 689 9 92 715 9 92 740 9 92 766 9 92 792 9 92 817	26 26 25 26 26 26 25	0.07 311 0.07 285 0.07 260 0.07 234 0.07 208 0.07 183	9 88 298 9.88 287 9.88 276 9.88 266 9.88 255 9.88 244	10 11 10 11	49 48 47 46 45 44 43	25 .I 2.5 .2 5.0
20 20 21 22 23	9.81 076 9.81 091 9.81 106 9.81 121 9.81 136 9.81 151	15 15 15 15 15	9 92 843 9 92 868 9 92 894 9 92 920 9 92 945 9 92 971	26 25 26 26 25 26	0.07 157 0.07 132 0.07 106 0 07 080 0 07 055 0 07 029	9.88 234 9.88 223 9.88 212 9.88 201 9.88 191 9.88 180	10 11 10 11 11	42 41 40 39 38 37	.4 IO.0 .5 I2.5 .6 I5.0 .7 I7.5 .8 20.0 .9 22.5
20 20 20 20 20 20 20 20 20 20 20 20 20 2	9 81 166 9 81 180 9 81 195 9 81 210 9 81 225 9 81 240	15 15 15 15 15	9.93 022 9.93 048 9.93 073 9.93 099 9.93 124	25 26 26 25 26 25 26 25 26	0.07 004 0.06 978 0.06 952 0.06 927 0.06 901 0.06 876	9.88 169 9.88 158 9.88 148 9.88 137 9.88 126 9.88 115	11 10 11 11 10	36 33 34 33 32 31	.\$\begin{array}{c ccccccccccccccccccccccccccccccccccc
3( 32 33 34 34	9 81 269 9 81 284 9 81 299 9 81 314 9 81 328	15 15 15 15 14	9.93 150 9.93 175 9.93 201 9.93 227 9.93 252 9.93 278	25 26 26 25 25	0.06 850 0.06 825 0.06 799 0.06 773 0.06 748	9.88 105 9.88 094 9.88 083 9.88 072 9.88 061 9.88 051	11 11 11 10	30 29 28 27 26 25	.5 7.5 .6 9.0 .7 10.5 .8 12.0 .9 13.5
30 30 30 30 40 40	9 81 343 9 81 358 9 81 372 9 81 387 9 81 402	15 15 14 15 15	9 93 303 9 93 329 9 93 354 9 93 380 9 93 406 9 93 431	25 26 25 26 26 26 26	0.06 697 0.06 671 0.06 646 0.06 620 0.06 594 0.06 569	9 88 040 9 88 029 9 88 018 9 88 007 9 87 996 9 87 985	11 11 11	24 23 22 21 20 19	.I 1 4 .2 2.8 .3 4 2 .4 5.6
4. 4. 4. 4. 4.	9 81 431 9 81 446 9 81 461 9 81 475 9 81 490	14 15 15 14 15	9 93 457 9 93 482 9 93 508 9 93 533 9 93 559	26 25 26 25 26 26 25	0.06 543 0 06 518 0 06 492 0 06 467 0.06 441 0 06 416	9 87 975 9 87 964 9 87 953 9 87 942 9 87 931 9 87 920	11 11 11 11	18 17 16 15 14	.5 70 .6 8.4 .7 98 .8 11.2
4 4 4 5 5 5	9 81 519 9 81 534 9 81 549 9 81 563	14 15 15 14 15	9 93 584 9 93 610 9 93 636 9 93 661 9 93 687 9 93 712 9 93 738	26 26 25 26 25 26 25 26	0 06 390 0 06 364 0 06 339 0 06 313 0 06 288	9 87 909 9 87 898 9 87 887 9 87 877 9 87 866	11 11 11	13 12 11 10 9	.I I.I I.O 2 2.2 2.0 3 3.3 3.0
5. 5. 5. 5. 5. 5. 5.	9 81 592	15 15 14 15 14	9 93 763 9 93 789 9 93 814 9 93 840 9 93 865	25 26 25 26 25	0 06 262 0 06 237 0 06 211 0 06 186 0 06 160 0 06 135	9 87 855 9 87 844 9 87 833 9 87 822 9 87 811 9 87 800	11 11 11	7 6 5 4 3 2	3 3.3 3.0 4 4.4 4.0 5 5.5 5.0 6 6.6 6 0 7 7 7 7 0 8 8 8 8.0 9 9 9 9.0
60	9 81 686 9 81 694 L. Cos.	d.	9 93 916	26 25 <b>c. d.</b>	0 06 109 0 06 084 L. Tang.	9 87 789 9 87 778 L. Sin.	d.	0	Prop. Pts.

						41°				
ı	,	L. Sin.	d.	L. Tang.	c. d.	SANSAGE STREET, SANSAGE	L. Cos.	d.		Prop. Pts.
	0	9.81 694 9.81 709	15	9.93 916	26	0.06 084	9.87 778 9.87 767	11	60	
ı	I 2	9.81 709	14 15	9 93 942 9 93 967	25 26	0.06 033	9.87 756	11	59 58	26
	2	9 81 738	14	9.93 993	25	0.06 007	9.87 745	11	57 56	.1 2.6
ŀ	4	9 81 752	15	9.94 018	26	0.05 982	9.87 734	11	56	.2 5.2
h	5	9 81 781	14 15	9.94 069	25 26	0.05 931	9 87 712	11	55 54	.3 7.8
	7 8	9 81 796 9 81 810	14	9.94 095	25	0.05 905	9.87 701	11	53	.5 13.0
ı	9	9.81 810 9.81 82 <del>5</del>	15	9.94 120 9.94 <b>14</b> 6	26 25	0.05 854	9.87 69 <b>0</b>   9.87 679	11	52 51	.6 15.6 .7 18.2
	10	9.81 839	15	9.94 171	26	0.05 829	9.87 668	11	50	.8 20.8
	II I2	9.81 854 9.81 868	14	9.94 <b>1</b> 97 9.94 <b>222</b>	25	0.05 803	9.87 657 9.87 646	11	49 48	.9 23.4
	13	9.81 882	14	9.94 248	26 25	0.05 752	9.87 635	11	47	
ı	14	9.81 897	14	9.94 273	26	0.05 727	9.87 624	11	46	.I 2.5
I	15 16	9.81 911 9.81 926	15	9.94 299 9.94 324	25	0.05 701	9.87 613 9.87 601	12	45 44	.2 5.0
H	17 18	9.81 940	14 15	9.94 350	26 25	0.05 650	9.87 590	11	43	·3 7·5 ·4 10.0
I	18	9.81 955	14	9.94 375 9.94 401	26	0.05 625	9.87 579 9.87 568	11	42 41	.5 12.5
	20	9.81 983	14	9.94 426	25 26	0.05 574	9.87 557	11	40	
I	21	9.81 998 9.82 012	14	9.94 452	25	0.05 548	9.87 546	11	39 38	.8 20.0
I	22 23	9.82 012	14	9 · 94 477 9 · 94 503	26	0.05 497	9.87 53 <del>5</del> 9.87 524	11	37	.9 22.5
I	24	9.82 041	15	9.94 528	25 26	0.05 472	9.87513	11	36	· '
H	25 26	9.82 05 <del>5</del> 9.82 069	14	9.94 554 9.94 579	25	0.05 446 0.05 421	9.87 501 9.87 490	11	35 34	15
۱	27	9.82 084	15	9.94 604	25 26	0.05 396	9.87 479	11	33	2 1.5
ı	28 29	9.82 098 9.82 112	14	9.94 630 9.94 655	25	0.05 370	9.87 468 9.87 457	11	32 31	-3 4-5
H	30	9.82 126	14	9.94 681	26	0.05 319	9.87 446	11	30	
I	31	9.82 141	15 14	9.94 706	25 26	0.05 294	9.87 434	12	29	.6  9.0
Ì	32 33	9.82 15 <del>5</del> 9.82 169	14	9.94 732 9.94 757	25	0.05 268	9.87 423 9.87 412	11	28 27	.7 10.5 8 12.0
۱	34	9.82 184	15	9.94 783	26 25	0.05 217	9.87 401	11	26	9 13.5
i	35 36	9.82 198 9 82 212	14	9.94 808 9.94 834	26	0.05 192	9.87 390 9.87 378	12	25 24	
Į	37	9 82 226	14	9 94 859	25 25	0 05 141	9 87 367	11	23	1 14
	38	9 82 240	14 15	9.94 884 9 94 910	26	0 05 116	9.87 356 9.87 34 <del>5</del>	11	22 2I	.I I.4 .2 2.8
	39 40	9 82 255	14	9 94 935	25	0 05 065	9.87 334	11	$\frac{21}{20}$	3 4.2
1	4I	9 82 283	14 14	9.94 961	26 25	0 05 039	9.87 322	12 11	19	.4  5.6
	42 43	9 82 297	14	9.94 986	26	0 05 014	9.87 311 9.87 300	11	18 17	.5 7.0 .6 8.4
	44	9.82 326	15	9.95 037	25 25	0.04 963	9.87 288	12	16	<b>1 .7</b>   9.8
	45	9.82 340 9.82 354	14	9.95 o62 9.95 o88	26	0 04 938	9.87 277 9.87 266	11	15	.8 II.2 .9 I2.6
	46 47	9.82 368	14	9.95 113	25	0.04 887	9.87 255	11	14 13	.51 .2.0
-	47 48	9 82 382 9 82 396	14 14	9.95 139	26 25	0.04.861	9 87 243	12	12 11	12   11
	<del>49</del> <del>50</del>	9.82 410	14	9.95 164	26	0 04 810	9.87 232	11	10	.I I.2 I.I
	51	9 82 424	14 15	9.95 215	25 25	0.04 785	9.87 209	12	9	2 2 4 2 2
	52 53	9.82 439 9.82 453	14	9.95 240 9.95 266	26	0.04 760	9.87 198 9.87 187	11	8	3.6 3.3
	_54_	9.82 467	14 14	9.95 291	25 26	0.04 709	9.87 175	12	7 6	.4 4.8 4.4 .5 6 0 5.5 .6 7.2 6.6
	55 56	9.82 481 9.82 49 <del>5</del>	14	9.95 317	25	0.04 683 0.04 658	9.87 164 9.87 153	11	5 4	3 3.6 3.3 4 8 4.4 5 6 0 5.5 6 7.2 6.6 7 8.4 7.7 8 9.6 8.8 .9 10.8 9.9
	57	9.82 509	14	9 95 342 9 95 368	26	0.04 632	9.87 153 9.87 141	12	3	.7 8.4 7.7 .8 9.6 8.8
	57 58 59	9.82 523	14 14	9.95 393	25 25	0.04 607	9.87 130	II	3 2	.9 10.8 9.9
	60	9.82 537	14	9.95 418	26	0.04 582	9.87 119	12	1	
		L. Cos.	d.		c. d.	L. Tang.		d.	<del>,</del>	Prop. Pts.
		210 0000	- 41	Core	5. us	48°	Zar Dille	4.		

					42°				
,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	d.		Prop. Pts.
0	9 82 551	14	9.95 444	25	0.04 556	9.87 107 9.87 096	11	60	
I 2	9.82 565	14	9.95 46 <u>9</u> 9.95 495	26	0.04 505	9.87 085	11	59 58	1 26
3	9.82 593	14	9.95 520	25 25	0.04 480	9.87 073	11	57 56	.1 2.6
4	9.82 607	14	9.95 545 9.95 571	26	0.04 455	9.87 062	12	55	.2 5.2 7.8
5 6	9.82 635	14 14	9:95 596	25 26	0.04 404	9.87 939	11	54	.3 7.8 .4 10.4
7 8	9.82 649	14	9.95 622 9.95 647	25	0.04 378	9.87 028 9.87 016	12	53	.5 13.0
9	9.82 677	14	9.95 672	25	0.04 353	9.87 005	11	52 51	.6 15.6 .7 18.2
10	9.82 691	14	9.95 698	26 25	0.04 302	9.86 993	11	50	.8 20.8
11 12	9 82 705	14	9.95 723 9.95 748	25	0.04 277	9.86 982 9.86 970	12	49 48	.9  23.4
13	9.82 733	14	9.95 774	26 25	0.04 226	9.86 959	11	47	
14	9.82 747	14	9.95 799	26	0.04 201	9.86 947	11	46	.1 2.5
15 16	9.82 761 9.82 775	24	9.95 82 <del>5</del> 9.95 850	25	0.04 175	9.86 936 9.86 924	12	45 44	.2 5.0
17	9.82 788	13	9.95 875	25 26	0.04 125	9.86 913	11	43	-3 7·5 -4 10.0
18	9.82 802 9.82 816	14	9.95 901	25	0.04 099	9.86 902 9.86 890	12	42 41	
20	9.82 830	14	9.95 952	26	0.04 048	9.86 879	11	40	.5 12.5 .6 15.0 .7 17.5
21	9.82 844 9.82 858	14	9.95 977	25 25	0.04 023	9.86 867 9.86 855	12	39 38	.8 20 0
22 23	9.82 872	14	9.96 028	26	0.03 998	9.86 844	11	37	.9 22.5
24	9 82 885	Г3 14	9.96 053	25 25	0.03 947	9.86 832	11	37 36	
25 26	9.82 899	14	9.96 078 9.96 104	26	0.03 922	9.86 821 9.86 809	12	35 34	14
27	9.82 927	14	9.96 129	25	0.03 871	9.86 798	11	33	.I I.4 .2 2.8
28 29	9.82 941	14	9.96 155	25	0.03 845	9.86 786 9.86 775	11	32 31	.3 4.2
30	9.82 968	13	9.96 205	25	0.03 795	9.86 763	12	$\frac{30}{30}$	.4 5.6
31	9.82 982	14	9 96 231	26 25	0.03 769	9.86 752	11	29 28	.5 7.0 .6 8.4
32	9.82 996	14	9.96 256 9.96 281	25	0.03 744	9.86 740 9.86 728	12	27	.7 9.8 .8 11.2
34	9.83 023	13	9.96 307	26	0.03 693	9.86 717	11	26	.9 12.6
35	9.83 037 9.83 051	14	9.96 332 9.96 357	25	0.03 668	9.86 705	11	25 24	
36	9.83 065	14	9.96 383	26	0.03 617	9.86 682	12	23	1 23
37 38	9 83 078 9 83 092	14	9.96 408	25 25	0.03 592 c 03 567	9.86 670 9.86 659	11	22 21	.1 1.3
$\frac{39}{40}$	9.83 106	14	9.96 459	26	0.03 541	9.86 647	12	$\frac{21}{20}$	.2 2.6
41	9 83 120	14	9.96 484	25 26	0.03 516	9.86 635	12	19	.4 5.2
42	9 83 133 9 83 147	14	9.96 510 9.96 535	25	0.03 490	9.86 624	12	18	.5 6.5
44	9.83 161	14	9.96 560	25	0.03 440	9.86 600	12	16	.7 9.1
45	9.83 174 9.83 188	14	9.96 586	25	0.03 414	9 86 589 9 86 577	12	15	.8 10.4
46	9 83 202	14	9.96 636	25	0.03 364	9 86 565	12	13	.,,,
47 48	9.83 215	13	9.96 662 9.96 687	26	0.03 338	9.86 554 9 86 542	12	12 11	1 12   11
49 50		13	9.96 712	- 25	0.03 288	9.86 530	13	10	.I I.2 I.I
51	9 83 250	14	9.96 738	.26	0.03 262	9 86 518	12	0	.2 2.4 2.2
52	9 83 270 9 83 283	13	9.96 763	25	0 03 237	9 86 507	12	8 7	3 3.6 3.3 .4 4.8 4.4 .5 6.0 5.5
52 53 54	9 83 297	14	9.96 814	26	0.03 186	9:86 483	12	7 6	.5 6.0 5.5
55	9 83 310 9 83 324 9 83 338 9 83 351	14	9.96 839	25	0 03 161	9.86 472 9.86 460	12	5 4 3 2	3 3.6 3.3 4 4.8 4.4 .5 6.0 5.5 .6 7.2 6.6 .7 8.4 7.7 .8 9.6 8.8
50	9 83 324	14	9 96 864	26	0 03 136	9 86 448	13	3	.8 9.6 8.8
55 56 57 58 59	9 83 351	13	9 96 915	25 25	0 03 085	9 86 436	12 11	Ž I	.9 16.8 9.9
60	1 1 9 03 305	13	9 96 940	26	0 03 060	9 86 425	12	0	
1	L. Cos.	d.	L. Cotg.	c. d.		L. Sin.	d.	Ť	Prop. Pts.
-	11. 003.	; u.	L. Corg.	TO U	47°	1 me Dille	1 (2.0	<u> </u>	Z Z O D O Z COO
					41				

					43°						
,	L. Sin.	d.	L. Tang.	c.d.	L. Cotg.	L. Cos.	d.		Prop. Pts.		
0	9.83 378	14	9.96 966	25	0.03 034	9.86 413	12	60			
1 2	9 83 392 9.83 405	13	9.96 991	25	0.03 009	9.86 401 9.86 389	12	59 58	1 06		
3 4	9.83 419	14	9.97 042	26 25	0.02 958	9.86 377	12	57	.1 2.6		
4	9.83 432	14	9.97 067	25	0.02 933	9.86 366	12	56	.2 5.2		
5 6	9.83459	13	9.97 092 9.97 118	26	0.02 882	9.86 342	12	55 54	.3 7.8		
7 8	9.83 473	14	9.97 143 9.97 168	25	0.02 857	9 86 330	13	53	5 13.0		
9	9.83 <u>4</u> 86 9.83 <u>5</u> 00	14	9.97 108	25	0.02 832	9.86 318 9.86 306	12	52 51	.6 15.6 .7 18.2		
10	9.83 513	13	9.97 219	26 25	0.02 781	9.86 295	II	50	.7 18.2 .8 20.8		
II	9.83 527	14	9.97 244	25	0.02 756	9.86 283	12	49	.9 23.4		
12	9.83 540 9.83 554	14	9.97 269	26	0.02 731	9.86 271 9.86 259	12	48 47			
14	9.83 567	13	9.97 320	25 25	0.02 680	9.86 247	12	46	25		
15 16	9.83 581 9.83 <b>5</b> 94	13	9.97 345	26	0.02 655	9.86 235 9.86 223	12	45	.I 2.5 .2 5.0		
	9.83 608	14	9.97 371 9.97 396	25	0.02 604	9.86 211	12	44 43	-3 7-5		
17	9.83 621	13	9.97 421	25 26	0.02 579	9.86 200	11	42	.4 IO.0 .5 I2.5		
19 20	9.83 634	14	9.97 447	25	0.02 553	9.86 188	12	$\frac{4I}{40}$	.6 15.0		
21	9.83 661	13	9.97 497	25 26	0.02 503	9.86 164	12		.7 17.5 .8 20.0		
22 23	9.83 674 9.83 688	14	9.97 523 9.97 548	25	0.02 477 0.02 452	9.86 152	12	39 38	.9 22.5		
24 9.83 701 14 9.97 573 25 0.02 427 9.86 128 12 36											
25 9.83 715 3 9.97 598 26 0.02 402 9.86 116 35 35 14											
26 9.83 728 13 9.97 624 25 0.02 376 9.86 104 12 34 .1 1.4											
28	.2 2.8										
29	9.83 755 9.83 768	13	9.97 700	26 25	0.02 300	9.86 068	12	32	.4 5.6		
30	9.83 78 <u>1</u> 9.83 79 <u>5</u>	14	9.97 725	25	0.02 275	9.86 <b>05</b> 6 9.86 <b>0</b> 44	12	30	.5 7.0 .6 8.4		
32	9 83 808	13	9.97 776 9.97 801	26 25	0.02 224	9.86 032	12	28	.7 9.8		
33 34	9.83 821 9.83 834	13	9.97 801 9.9 <b>7</b> 826	25	0.02 199	9.86 o20 9.86 oo8	12	27 26	.8 11.2 .9 12.6		
35	9.83 848	14	9.97 851	25	0.02 149	9.85 996	12	25	.9  12.6		
35 36	9.83861	13	9.97877	26 25	0.02 123	9.85 984	12	24			
37 <b>3</b> 8	9.83 874	13	9.97 902 9.97 927	25	0.02 098	9.85 972 9.85 960	12	23 22	13		
39	9.83 901	14	9.97 953	26 25	0.02 047	9.85 948	12	21	.I I.3 .2 2.6		
40	9 83 914 9 83 927	13	9.97 978 9.98 003	25	0.02 022 0.01 997	9.85 936 9.85 924	13	20	.31 30		
42	9.83 940	13	9.98 029	26	0.01 997	9.85 912	12	18	.4 5.2 .5 6.5 .6 7.8		
43	9 83 954 9 83 967	14	9.98 054	25 25	0.01 946	9.85 900 9.85 888	12	17 16	.5 6.5 .6 7.8		
44 45	9.83 980	13	9.98 104	25	0.01 921	9.85 876	12	15	.7 9.1 .8 10.4		
46	9.83 993	13	9.98 130	26 25	0.01 870	9.85 864	12	14	.9 11.7		
47 48	9.84 006	14	9.98 155	25	0.01 845	9.85 851 9.85 839	12	13 12			
49	9 84 033	13	9.98 206	26 25	0.01 794	9.85 827	12	II	12 (1		
50	9.84 046	13	9.98 231	25 25	0.01 769	9.85 815	12	10	.1 1.2 (.1		
51 52	9 84 059 9 84 072	13	9 98 256 9 98 281	25	0.01 744 0.01 719	9 85 803	12	8	.2 2.4 2.2 .3 3.6 3.3		
52 53 54	9.84 085	13	9.08 307	26 25	0.01 693	9.85 791 9.85 779 9.85 766	12	8 7 6	.3 3.6 3.3 .4 4.8 4.4 .5 6.0 5.5		
52 9.84 072 13 9.98 281 26 0.01 719 9.85 791 12 8 .3 3.6 3.3   54 9.84 082 13 9.98 332 25 0.01 668 9.85 766 13 6 .5 6.0 5.5   55 9.84 112 13 9.98 383 26 0.01 643 9.85 754 12 5 6 9.84 125 13 9.98 383 26 0.01 643 9.85 754 12 7 8.4 7.7 8.4 7.7 8.4 7.7 8.4 7.7 8.4 7.7 8.4 7.7 8.8 13 0.98 408 25 0.01 502 0.85 742 12 2 8 9.6 8.8											
56	9.84 125	13	9.98 357 9.98 383 9.98 408	26	0.01 643	9.85 754 9.85 742	12	5 4 3 2	.6 7.2 6.6 .7 8.4 7.7 .8 9.6 8.8 .9 10.8 9.9		
57	56 9.84 125 13 9.98 383 26 0.01 617 9.85 742 12 4 7 8.4 7.7 8.5 9.84 138 13 9.98 408 25 0.01 592 9.85 730 12 3 .8 9.6 8.8 8 9.8 4 151 13 9.98 433 25 0.01 567 9.85 718 12 2 .9 10.8 9.9										
55 56 57 58 59	59 9.84 164 13 9 98 458 25 9 91 542 9 85 796 12 1										
60	30     9.84 177       13     9.98 484       26     0.01 516       9.85 693     13       0     0.01 516										
	L. Cos.	d.	L. Cotg.	e. d.	L. Tang.	L. Sin.	d.	,	Prop. Pts.		
					46°						

						44°				
	<u> </u>	L. Sin.	d.		<u>c. d.</u>	L. Cotg.	L. Cos.	d.		Prop. Pts.
	U I	9.84 177	13	9.98 484 9.98 509	25	0.01 516	9.85 693 9.85 681	12	60	
	2	9.84 203	13 13	9.98 534	25 26	0.01 466	9.85 669	12	59 58	1 26
II	3	9.84 216	13	9.98 560 9.98 58 <del>5</del>	25	0.01 440	9.85 657 9.85 645	12	57	.1 2.6
H	4 5	9.84 242	13	9 98 610	25	0.01 390	9.85 632	13	<u>56</u> 55	.2 5.2
Ш	5	9 84 255	13	9.98 635	25 26	0.01 365	9.85 620	12	54	.4 IC 4
II	7 8	9.84 269	13	9.98 661	25	0.01 339	9.85 608 9.85 596	12	53 52	.5 13.0 .6 15.6
II	_ 9_	9.84 295	13	9.98 711	25 26	0.01 289	9.85 583	13	51	.7 18.2
II	10	9.84 308	13	9.98 737 9.98 762	25	0.01 263 0.01 238	9.85 571	12	50	.8 20.8
II	11 12	9.84 321 9.84 334	13	9.98 787	25	0.CI 213	9.85 559 9.85 <b>5</b> 47	12	49 48	.9 23.4
Ш	13	9.84 347	13	9.98 812	25 26	0.01 188	9.85 534	13	47	25
П	14	9.84 360	13	9.98 863	25	0.01 137	9.85 522	12	46	.1 2.5
	16	9.84 385	12	9.98 888	25 25	0.01 112	9.85 497	13	45	.2 5.0
	17 18	9.84 398	13	9.98 913	25 26	0.01 087	9.85 485	12	43	.3 7.5 .4 10.0
	19	9.84 424	13	9.98 939	25	0.01 036	9.85 460	13	42 41	.5 12.5
	20	9.84 437	13	9.98 989	25 26	0.01011	9.85 448	12	40	.6 15.0 .7 17.5
	2I 22	9.84 450	13	9.99 015	25	0.00 985	9.85 436	13	39 38	.8 20.0
	23	9.84 476	13	9.99 065	25 25	0.00 935	9.85 411	12	37	.9 22.5
	24	9.84 489	13	9.99 090	26	0.00 910	9.85 399	13	36	
	25 26	9.84 502 9.84 515	13	9.99 116	25	0.00 859	9 85 386 9 85 374	12	35 34	14
3	27	9.84 528	13 12	9.99 166	25 25	0.00 834	9.85 361	13	33	.I I.4 .2 2.8
	28 29	9.84 540 9.84 553	13	9.99 191	26	0.00 809	9.85 349 9.85 337	12	32 31	.3 4.2
	30	9.84 566	13	9.99 242	25	0.00 758	9.85 324	13	30	.4 5.6
	31	9.84 579	13	9.99 267	25 26	0 00 733	9 85 312	13	29 28	.5 7.0 .6 8.4
I	32 33	9 84 592 9 84 605	13	9.99 293	25	0.00 682	9.85 299 9.85 287	12	27	.7 9.8 .8 11.2
	34	9.84 618	13	9.99 343	25	0.00 657	9.85 274	13	26	.9 12.6
1	35	9.84 630	13	9.99 368	26	0.00 632	9 85 262	12	25 24	
	36 37	9.84.656	13	9 99 394 9 99 419	25	0.00 581	9 85 237	13	23	13
1	38	9 84 669	13	9.99 444	25 - 25	0.00 556	9.85 225	- 13	22 21	.1 1.3
	<u>39</u> 40	9.84 694	12	9.99 469	26	0.00 505	9.85 200	12	$\frac{21}{20}$	.3 3.9
	41	9.84 707	13	9.99 520	25 25	0 00 480	9 85 187	13	19	.4 5.2
	42	9.84 720	13	9 99 545 9 99 570	25	0.00 455	9.85 175	13	18	.4 5.2 .5 6.5 .6 7.8
I	44	9.84 745	12	9.99 596	26	0.00 404	9.85 150	12	16	.7 9.1
	45	9.84 758	13	9.99 621	25	0.00 379	9.85 137 9.85 125	12	15	.8 10.4
	46 47	9.84 771	13	9.99 646 9.99 672	26	0.00 328	9.85 112	13	13	
	48	9.84 796	13	9.99 697	25 25	0.00 303	9.85 100 9.85 087	12	12 11	1 12
	49 50	9.84 809	13	9.99 722	25	0.00 2/3	9.85 074	13	10	.1 1.2
		9 84 835	13	9.99 773	26	0.00 227	9.85 062	12	9	.2 2.4
	52	9 84 847 9 84 860	13	9.99 798 9.99 823	25	0.00 202	9.85 049	12	8 7	.3 3.6 .4 4.8 .5 6.0
	51 52 53 54	9.84.873	13	9.99 848	25	0.00 152	-9.85 024	13	7 6	.5 6.0 .6 7.2
	55	9 84 885	13	9 99 874	26	0.00 126	9.85 012	13	5	
	55 56 57 58 59	9 84 898	13	9.99 899	25	0.00 101	9.84 999	13	3 2	.8  9.6
	58	9 84 923	12	9.99 949	25	0.00 051	9.84 974	12	2	.9 16.8
-	$\frac{59}{60}$	9.84 936	13	9 99 975	25	0.00 025	9.84 961	12	0	
	00	-			0 1	L. Tang.	L. Sin.	d.	Ť	Prop. Pts.
		L. Cos.	d.	L. Cotg.	c. u.	1 E O	II. SIII.	u.		1 IIUpi I to
						45°				

TABLE V.

NATURAL

SINES AND COSINES.

7	1		°	1	0 1	2		3	0	4	0	
			N. cos.	N. s se		N. sine		N. sine		N. sine		
H					- Angerhano							_
II	0	.00000	I.00000	.01745	.99985	03490	.99939 .9993\$	.05234	.99863 99861	.06976	·99756 ·99754	60 50
ľ	2	-00058	I.00000	.01803	99984	.03548	-99937	.05292	.99860	.07034	.99752	59 58
l,	3	.00087	I.00000	.01832	.99983	.03577	.99935	.05321	.99858	.07063	.99750 .99748	57 56
	4 5	.00145	1.00000	.01891	.99982		.99933	.05379	.99855	.07121	.99746	55
H	5	.00175	1.00000	.01920	.99982	.03664	.99933	.05408	.99854	.07150	.99744	54
I	7 8	.00204	I .00000	.01949	.99981 .99980	.03693	.99932	.05437	.99852 .99851	.07179	99742	53
H	9	.00233	00000.1	.02007	.99980	.03723	.99931	.05466	.99849	.07237	.99740	52 51
H	IC	00291	1.00000	.02036	.99979	.03781	.99929	.05524	.99847	.07266	.99736	50
H	11	.00320	.99999 .99999	.02065	.99979 .99978	.03810	.99927 .99926	.05553	.99846	.07295	·99734 ·99731	49 48
ļ	13	.00378	.99999	.02123	.99977	.03868	.99925	.05611	.99842	.07353	.99729	47
	14	.00407	.99999	.02152	.99977	.03897	.99924	.05640	.99841	.07382	.99727	46
H	15 16	00436	.99999	.02181	.99976	.03926	.99923 .99922	.05669 .05698	.99839 .99838	.07411	.99725 .99723	45
	17	.00495	·99999 ·99999	.02240	.99975	.039841	.99921	.05727	.99836	.07469	.99721	43
	18	.00524	.99999	.02269	·99974	.04013	.99919	.05756	.99834	.07498	.99719	42
1	19	.00553	.99998	.02298	.99974	.04042	.99918	.05785	.99833 .99831	.07527	.99716	41
l.	20 21	.00582	.99998 .99998	.02327	·99973 ·99972	.04071 .0410Q	.9991 <i>7</i> .99916	.05844	.99829	.07556	.99712	39
	22	.00640	.99998	.02385	-99972	.04129	.99915	.05873	.99827	.07614	.99710	38
ı	23	.00669	.99998 .99998	.02414	.99971	.04159	.99913	.05902	.99826	.07643	.99708	37 36
	25	.00727	· <b>9</b> 9997	.02472	.99969		.99911	.05960	.99822	.07701	.99703	35
ı	26	.00756	.99997	.02501	.99969	.04246	.99910	.05989	.99821	.07730	.99701	34
1	27 28	.00785 .00814	.99997	.02530	.99968	.04275	.99909	.06018 .06047	.99819	.07759	.99699	33
ı	29	.00814	·99997 ·99996	.02580	.99966	.04304	.999 <b>0</b> 7	.06076	.99815	.07817	.99694	32 31
ì	30	.00873	.99996	.02618	.99966	.04362	.99905	.06105	.99813	.07846	.99692	30
1	31	.00902	.99996	.02647	.99965	.04391	.99904	.06134	.99812	.07875	.99689	29
1	32	.00931	.99996	.02676	.99964		.99902 .99901	.06163	.99810	.07904	.99687	27
١	34	.00989	-99995	.02734	.99963	.04478	.99900	.06221	.99806	.07962	.99683	26
ì	35	.01018	·99995 ·99995	.02763	.99962 .99961		.99898 .99897		.99804	.07991	.99680 .99678	25 24
ı	36	.01076	-99994	.02821	.99960	.04565	.99896		.99801	.08049	.99676	23
١	37 38	.01105	.99994	.02850	.99959	.04594	.99894	.06337	.99799	.08078	.99673	22
ı	39	.01134	.99994	.02879	-99959		.99893 .99892		.99797	.08107 .08136	.99671	2I 20
	40 41	.01164	·99993 ·99993		.99958 .99957	.04682	.99890	.06424	·99 <b>7</b> 95 ·9 <b>979</b> 3	.08165	.99666	19
	42	.01222	-99993	.02967	.99956	.04711	.99889	.06453	.99792	.08194	.99664	18
The second	43	.01251	.99992		.99955	.04740	.998S8 .99886	.06482 .06511	.99790	.08223	.99661	17 16
-	44 45	.01280 .01309	.99992	03025	·99954 ·99953	.04769	.99885		.99786		.99659	15
	46	.01338	.99991	.03083	.99952	.04827	.99883	.06569	.99784	.08310	.99654	14
-	47	.01367 .01396	.99991	.03112	.99952 .99951	.04856 .04885	.99882 .99881	.06598 .06627	.99782 .99780		.99652	13
	49	.01390	.99990	[	-99950	.04914	.99879	1	.99778		.99647	II
	50	.01454	.99989	.03199	.99949	.04943	.99878	.06685	.99776	.08426	.99644	10
	51	.01483			.99948	.04972			99774		.99642	9
	52	.01513		.03257			.99873	.06773	.99770	.08513	.99637	9 8 7 6
1	54	.01571	.99988	.03316	·99945	.05059	.99872	.06802	.99768	.08542	.99635	
	55	.01600		A 00.0			.99870		.99 <b>7</b> 66 .99764		.99632	5 4 3 2
	57	.01629 .01658						.00889	.99762			3
-	58	.01687	97986	.03432	.99941	.05175	.99866	.06918				2 I
The Party of the P	53 54 55 57 58 59 60	.01716 .01745					.99864 .99863					0
			N. sine		-			-	-			-,-
		I		ł	<u>'</u>	1	7º		6°	<u> </u>	5°	
ì		5	19	1 8	8°	1 8	1	8	O.	8	()	

I		5	υ	G	0	7	ď	8	O	9	0	
Ì	,	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	
	0	.08716	.99619	10453	.99452	12187	.99255	.13917	.99027	.15643	.98769	60
ı	I 2	.08745 .08774	99617	. 10482 . 10511	.99449 .99446	.12216	.99251	.13946	.99023	.15672	.98764 .98760	59 58
L		.08803	99614	10540	-99443	.12274	.99244	.14004	.99015	.15730	.98755	57
ı	3	.08831	.99609	. 10569	-99440	.12302	.99240	.14033	.99011	.15758	.98751	50
ı	5	.08860	.99607	10597	.99437	.12331	.99237	.14061	.99006	.15787	.98746	55
ı	<b>5</b>	.08889	.99604	.10626	.99434	.12360	.99233	.14090	.99002	.15816	.98741	54
i	7	.08918	.99602	.10655	.99431	.12389	.99230	.14119	.98998	.15845	.98737	53
ı	7 8	.08947	-99599	10684	.99428	12418	.99226	.14148	. <b>9</b> 8994	.15873	.98732	52
l	9	08976	.99596	.10713	.99424		.99222	.14177	.98990	.15902	.98728	51
ı	10	.09005	.99594	10742	.99421	.12476	.99219	.14205	.98986	.15931	.98723	50
ł	11 12	.09034	.99591 .99588	.10771 .10800	.99418 .9 <b>941</b> 5	.12504	.99215	.14234 .14263	.98982 .98978	.15959	.98718	49 48
ı				10829	.99412	.12533				.15988	.98714	
ı	13	.09092	.99586	.10858	.99412	.12562	.99208	.14292	.98973 .98969	.16017 .16046	.98709 .98704	47
ł	14 15	.09150	.99580	.10887	.99406	.12520	.99204	.14349	.98965	.16074	.98700	46
AL PROPERTY	16	.09179	.99578	.10016	.99402	.12649	.99197	.14378	.98961	.16103	.98695	44
	17	.09208	99575	.10945	.99399	.12678	.99193	.14407	.98957	.16132	.98690	43
1	18	.09237	99572	.10973	.99396	12706	. <b>9</b> 9189	.14436	.98953	.16160	.98686	42
1	19	.09266	.99570	.11002	-99393	.12735	.99186	.14464	.98948	.16189	.98681	4I
	20	.09295	99567	.11031	-99390	.12764	.99182	.14493	.98944	.16218	.98676	40
1	21	.09324	.99564	.11060	.99386	.12793	.99178	.14522	.98940	.16246	.98671	39 38
1	22	.09353	.99562	.11089	.99383	.12822	.99175	.14551	.98936	.16275	.98667	
ł	23	.09382	-99559	.11118	.99380	.12851 .12880	.99171 .99167	.14580	.98931	16304	.98662	37
ı	24		.99556		-99377	.12008		.14637		.16333	.98657	36
l	25 26	.09440	-99553 -99551	.11176	·99374 ·99370	.12903	.99163	.14657	.98923 .98919	.16361	.98652 .98648	35
ı	27	.09498	.99548	.11234	.99367	.12966	.99156	.14695	.98919	.16419	.98643	34
ı	28	.09527	.99545	.11263	.99364	12995	.99152	.14723	.98910	.16447	.98638	32
1	29	.09556	.99542	.11291	.99360	.13024	.99148	.14752	.98906		.98633	31
ı	30	.09585	.99540	.11320	-99357	.13053	.99144	.14781	.98902	.16505	.98629	30
I	31	.09614	-99537	.11349	.99354	.13081	99141	.14810	.98897	.16533	.98624	29
1	32	.09642	.99534	.11378	.99351	.13110		. 14838	.98893	.16562	.98619	28
ı	33	.09671	-99531	.11407	.99347	.13139		.14867	.98889	16591	.98614	27
ł	34	.09700	.99528	.11436	.99344	.13168	.99129	.14896 .14925	.98884 .98880	.16620 .16648	.98609	26
1	35 36	09758	99526	.11405	-99341 -99337	.13197 .13226	.99123	.14954	1 00 1	.16677	.986004	25 24
ı	27	.09787	.99520	.11523	.99334	.13254	.99118	.14982	.98871	.16706	.98595	23
ı	37 38	09816	99517	.11552	.99331	.13283		.15011	.98867	.16734	.98590	22
ı	39	.09845	.99514	.11580	.99327	.13312				.16763	.98585	21
ı	40	.09874	.99511	.11609	.99324	.13341	.99106	.15069	.98858	.16792	.98580	20
ı	41	.09903	.99508	.11638	.99320	.13370	.99102	.15097	.98854	.16820		19
ı	42	.09932	.99506	.11667	.99317	.13399	.99098	.15126	.98849	.16849		18
1	43	.09961	.99503	.11696	.99314	.13427	.99094	.15155	.98845	.16878	.98565	17
1	44	.09990	.99500	.11725	.99310	13456		.15184	.98841	.16906		16
	45	.10019	.99497	.11754 .11783	.99307	.13485	.99087	.15212		.16935 .16964	.98556	15
	46 47	.10043	.99494 .99491	.11703	.99303	.13514	.99079	.15241		.16904		14 13
1	48	.10106		.11840	.99297	.13572	.99075	.15299		.17021	.98541	12
	49	.10135	.99485	.11869	.99293	.13500		.15327	.98818	.17050	.98536	II
	50	.10164		.11898	.99290	.13629	.99067	.15356	.98814	17078	.98531	10
	51	.10192	.99479	.11927	.99286	.13658	.99063	.15385	.98809	.17107	.98526	9
	52	.10221		.11956						.17136		8
	53	.10250	-99473	.11985		.13716		.15442		.17164		7 6
	53 54 55 56 57 58 59 60	.10279	·99470	.12014	.99276			.15471	.98796	.17193		
	55	.10308	.99467 .99464	.12043	.99272	.13773 .13802		.15500		.17222 .17250	.98506	5 4 3 2
I	57	.10337	.99461	.12071		.13831	.99039	.15557	.98782	.17279	.98496	4
	58	.10395		.12129		.13860		.15586		.17308		2
	59	.10424		.12158	.99258	.13889		.15615	.98773	.17336		1
	60	10453	-99452	.12187		13917		.15643	.98769	.17365	.98481	0
		N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	-,
ĺ			1°		3°		2°			i	<u>'</u>	
	\	8			<b>3</b>		2	8	1°	8	0°	

7		11	0°	11	0	19	20	1:	3°	1.	1°	- 7
	<u>.</u> -i	N. sine		N. sine						N. sine		
ı												
ı	0	.17365	.9848 <b>1</b> .98476	.19081	.98163 .98157	20791	.97815	.22495	·97437 ·97430	.24192	.97030	60
H	2	.17422	.98471	.19138	.98152	.20848	.97803	.22552	.97424	.24249	.97015	59 58
I	3	17451	98466 .98461	.19167	.98146 .98140	.20877	·97797 ·97791	.22580	.97417	.24277	.97008 .97001	57
į	4	.17508	.98.155	.19224	.98135	.20933	.97784	.22637	.97404	.24305	.96994	55
1	5	· 17537	.98450	.19252	.98129	.20962	·97778	.22665	<u>.97398</u>	.24362	· <b>9</b> 6987	54
( Indiana	7 8	.17565	98445 98440	.19281	.98124	.20990	97772 97766	.22693	.97391 .97384	.24390	.96980 .96973	53 52
ı	9	.17623	.9843	.19338	.98112	.21047	.97760	.22750	.97378	.24446	.96966	51
ì	10	.17651	.98430	.19366	.98107	.21076	97754	.22778	.97371	.24474	.96959	50
H	11 12	.17680 .17708	98420	.19395	.98096	.21104	.97748 .97742	.22835	.97365 .97358	.24503	.96952	49 48
ı	13	.17737	98414	19452	.98090	.21161	·97735	.22863	·97351	.24559	.96937	47
I	14	.17766 17794	.98403 .98403	19481	.98084 .98079	.21189	.97729	.22892	·97345 ·97338	.24587	.96930	46
	15 16	.17823	98339	19538	98073	.21246	.97717	.22948	.97331	.24644	.96916	45
	17 18	.17852	.98394	19566	.98067	.21275	.97711	.22977	.97325	.24672	.96909	43
	18	17909	- <u>.98389</u> - <u>.98383</u>	19595 v9623	.98056	.21303	.97705 .97698	.23005	.97318	.24700	.96894	42 41
I	20	17937	.98378	19652	.98050	.21360	.97692	.23062	.97304	.24756	.96887	40
ı	21	.17966	.98373	1 9680	.98044	.21388	.97686 .97680	.23090	.97298	.24784 .24813	.96880	39
ı	22 23	.17995 .18023	.98368 .98362	17709	.98039	.21417	.97673	.23118	.97291 .97284	.24841	.96873 .96866	38 37
	24	.18052	.98357	1.766	.98027	.21474	.97667	.23175	.97278	.24869	.96858	36
١	25 26	18081	.98352	.15794	.98021 98016	.21502	.97661 .97655	.23203	.97271 .97264	.24897	.96851 .96844	35
ı	27	.18138	.98347 .98341	.15323	.98010	.21530	.97648	.23260	-97257	.24925	.96837	34
1	28	18166	98336	.19380	.98004	.21587	.97642	.23288	.97251	.24982	.96829	32
ı	29 30	18195 18224	98331 .98325	19508	.97998 .97992	.21616 .21644	.97636 .97630	.23316	.97244	.25010 .25038	.96822 .96815	30
۱	31	.18252	.98320	.19665	.97987	.21672	.97623	.23373	.97230	.25066	.96807	29
	32	18281	98315	.19994	.97981	.21701	.97617 .97611	.23401	.97223	.25094	.96800 .96793	28
Ì	33	. 18309 . 18338	.98310 .98304		·97975 9 <b>7</b> 969	.21729 .21758	.97604	.23458	.97217 .97210	.25122 .25151	.96786	27 26
ı	35 36	.18367	.98299	.20079	.97963	.21786	.97598	.23486	.97203	.25179	.96778	25
h		.18395	.98294	.20108	-97958	.21814	$\frac{.97592}{.97585}$	$\frac{.23514}{.23542}$	.97196	.25207	.96771	24
Ì	37 38	. 18424 . 18452	98288	.20136 .20165	.97952 .97946	.21871	-97579	.23571	.97182		.967.56	22
١	39	.18481	.98277	.20193	.97940	.21899	.97573	.23599	.97176		.96749	21
١	40 4I	.18509 .18538	98272	.20222	·97934 ·97928	.21928 .21956	.97566 .97560	.23627 .23656	.97169 .97162		.96742 .96734	20 19
١	42	. 18567		.20279	.97922	.21985	·97553	.23684	.97155	.25376	.96727	18
İ	43	18595	.98256	.20307	.97916		-97547	.23712	.97148	.25404	.95719	17 16
	14	.18624			.97910		·97541 ·97534	.23740				15
	46	.18681	.98240	.20393	.97899	.22098	.97528	.23797	-97127	.25488	.96697	14
	47 48	.18710			.97893 .97887	.22126	97521					13
	49	18767	08222	-20478	.97881	.22183		.23882	.97106	.25573	.96675	II
	50	18795	.98218	.20507	97875	.22212	.97502	.23910	.97100	.25601	.96667	10
	51 52	.18824			.97863	.22240	.97489	.23966				8
	53 54	.18881	.98201	.20592	.97857	.22297	97483 -	23995	.97079	.25685	.90645	9 7 6
	54	.18910		1	I			1				
	55 56 57 58 59 60	.18938			.97839	.22382					.96623	5 4 3 2
	57	.18995	.98179	.20706	1.97833	.22410	.97457	.24108	.97051	.25798	.96615	3
	58	.19024		.20734		.22438						I
ı	60	.19081										0
		N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	ن.
			'9°		'S°		70	·	6°	. 7	5°	
		<u> </u>		·								

	1	5°	1	6° –	1	7°	1	8°	1:	9°	
,	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	Ņ. sine	N. cos.	N. sine	N. cos.	
0	.25882	.96593	.27564	.96126	29237	.95630	.30902	.95106	.32557	.94552	60
1	.25910	.96585	.27592	.96118	.29265	.95022	.30929	.95097 .95088	.32584	.94542	59 58
3	.25938	.96578 .96570	.27648	.96102	.29293	.95605	.30985	.95079	.32612	·94533 ·94523	57
4	.25994		.27676	.96094	.29348	.95596	.31012	.95070	.32667	.94514	56
5	.26022	.96555	.27704	.96086	.29376	.95588	.31040	.95061	.32694	.94504	55
5 6	.26050	.96547	.27731	.96078	.29404	·95579	.31068	.95052	.32722	.94495	54
7 8	.26079	.96540	.27759	.96070	.29432	.95571	.31095	.95043	.32749	.94485	53
<b>9</b> 1	.26107	.96532	.27787	.96062	.29460	.95562	.31123	.95033	.32777	.94476	52
9	.26135	.96524	.27815	.96054 .96046	.29487	-95554	.31151	.95024	.32804	.94466	51
10	.26191	.96517	.27871	.96037	.29513	·95545 ·95536	.31206	.95015	.32832 .32859	·94457 ·94447	50 49
12	.26219	.96502	.27899	.96029	.29571	.95528	.31233	.94997	.32887	.94438	48
13	.26247	.96494	.27927	.96021	.29599	.95519	.31261	.94988	.32914	.94428	47
14	.26275	.96486	.27955	.96013	.29626	.95511	.31289	94979	.32942	.94418	46
15	.26303	.96479	.27983	.96005	.29654	.95502	.31316	.94970	.32969	.94409	45
16	.26331	.96471	.28011	.95997	.29682	.95493	.31344	.94961	.32997	.94399	44
17	.20359	.96463	.28039	.95989	.29710	.95485	.31372	.94952	.33024	.94390	43
	.26387	.96456	.28067	.95981	.29737	·95476	.31399	·94943	.33051	-94380	42
19	.26415	.96448 .96440	.28095	·95972 ·95964	.29765	. <b>9</b> 5467 . <b>9</b> 5459	.31427 .31454	·94933 ·94924	.33079 .33106	.94370 .94361	4I 40
21	.26471	.96433	.28123	.95956	.29821	.95450	.31482	.94915	.33134	.94351	39
22	.26500	.96425	.28178	.95948	.29849	.95441	.31510	.94906	.33161	.94342	38
23	.26528	.96417	.28206	.95940	.29876	.95433	.31537	.94897	.33189	.94332	37
2.1	.26556	.96410	.28234	.95931	.29904	·95 <u>4</u> 24	.31565	.94888	.33216	.94322	36
25	26584	.96402	.28262	.95923	.29932	.95415	.31593	.94878	.33244	.94313	35
26	.26612	.96394	.28290	.95915	.29960	.95407	.31620	.94869	.33271	.94303	34
27	.26640	.96386	.28318	.95907	.29987		.31648	.94860	.33298	.94293	33
28	.26696	.96379 .96371	.28346 .28374	.95898 .95890	.30015	.95389 .95380	.31675 .31 <i>7</i> 03	.94851 .94842	.33326	.94284	32
30	.26724	.96363	.28402	.95882	.30043	.95372	.31730	.94832	·33353 ·33381	.94274 .94264	30
31	.26752	96355	.28429	.95874	.30098	-95363	.31758	.94823	.33408	.94254	29
32	.26780	.96347	.28457	.95865	.30126	.95354	.31786	.94814	.33436		28
33	.26808	.96340	.28485	.95857	.30154	-95345	.31813	.94805	.33463		27
34	.26836	.96332	.28513	.95849	.30182	.95337	.31841	.94795	.33490	.94225	26
35 36	.26864	1 2 2	.28541	.95841	.30209		.31868	.94786	.33518	.94215	25
30	_	.96316	.28569	.95832	.30237	.95319	.31896	·94777	<u>·33545</u>	.94206	24
37 38	.26920	.96308 .96301	.28597 .28625	.95824			.31923	.94768 .94758	·33573 ·33600	.94196	23
39	.26976			.95807	.30320		.31951	94730		.94176	21
40	.27004		.28680	.95799			.32006	.94740	1.33655	.94167	20
41	.27032		.28708	.95791	.30376	-95275	32034			.94157	19
42	.27000	.96269	.28736	.95782	.30403	.95266	.32061	-94721	-33710	.94147	18
43	.27088	i	28764	95774	.30431	.95257	.32089	.94712	·33737	.94137	17
44	.27116		.28792				.32116		.33764	.94127	16
45 46	.27144				.30486 .30514		.32144 .32171	.94693 .94684		.94118	15 14
47	.27200						.32199			.94098	13
47 48	.27228						.32227	94665	.33874	.94088	12
49	.27256	.96214	.28931		-30597	.95204	.32254	.94656	.33901	.94078	II
50	27284	.96206	.28959	.95715	-30625	.95195	.32282	.94646	.33929	.94068	10
51	.27312				30653	95186	.32309	.94537	-33956	.94058	
52	.27340					95177	.32337		.33983	.94049	.8
53	.27368							.94618	.34011		7 6
52 53 54 55 56 57 58 59	.27424						.32419		.34065		
56	.27452							1			5 4 3 2
57	.27480	.96150				.95133	.32474		.34120		3
58	.27508	.96142	.29182	.95647	.30846	95124	.32502	.94571	.34147	.93989	1 - 1
59	27536						.32529				
00	27564	.96126	.29237	.95630	.30902	.95106	.32557	.94552	.34202	.93969	0
	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	,
	7	40	2	'3°	7	2°	7	1°	2	′ <b>0</b> °	0
	<u>'</u>						<u> </u>		•		-

		2	o°	2	1°	2	2°	2	3°	2	4°	
	,	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	
2.	0	.34202	.93969	·35837	.93358	.37461	.92718	.39073	.92050	.40674	.91355	60
1	2	·34229 ·34257	·93959 ·93949	.35864	·93348 ·93337	.37488 37515	92707	.39100 39127	.92039 .92028	40700	.91343 .91331	59 58
ł	3	.34284	.93939	.35918	-93327	-37542	.92686	-39153	.92016	.40753	.91319	57
ı	4	.34311	.93929	.35945	.93316	.37569	.92675	.39180	.92005	.40780	.91307	56
1	5 6	·34339 ·34366	.93919	·35973 ·36000	.93306	·37595 ·37622	.92664	.39207 .39 <b>2</b> 34	.91994. .91982	.40806 .40833	.91295	55 54
1		•34393	93899	.36027	.93285	.37649	.92642	39260	.91971	.40860	.91272	53
ı	8	.34421	.93889	.36054	.93274	.37676	.92631	.39287	.91959	.40886	.91260	52
ı	9	.34448 .34475	.93879 .93869	36108	.93264	.37703	.92620 .92609	.39314	.91948	.40913	.91248	51
,	11	.34503	.93859	.36135	.93243	·37730 ·37757	92598	.39341 .39367	.91936 .91925	.40939 .40966	.91236	50
277	12	.34530	.93849	.36162	.93232	.37784	.92587	39394	.91914	.40992	91212	48
Ì	13	.34557	.93839	.36190	.93222	.37811	.92576	.39421	.91902	.41019	.91200	47
ı	14	.34584 .34612	.93829	.36217 .36244	.93211	.37838 .37865	.92565	39448	.91891 .91879	.41045	.91188	46
1	15 16	.34639	.93809	.36271	.93190	.37892	.92543	·39474 ·39501	.91868	.41072 .41098	.91176 .91164	45
ì	17 18	.34666	.93799	.36298	.93180	.37919	.92532	.39528	.91856	.41125	.91152	43
ı		34694	.93789	36325	.93169	.37946	.92521	·39555	.91845	.41151	.91140	42
ı	19 20	·34721 ·34748	.93779	.36352	.93159	•37973	.92510	.39581	.91833	.41178	.91128	41
1	21	.34775	.93769 .93759	.36379 .36406	.93148	·37999 ·38026	.92499 .92488	.39635	.91810	.41204 .41231	.91116 .91104	40
ı	22	.34803	.93748	.36434	.93127	.38053	.92477	.39661	.91799	.41257	.91092	39 38
ı	23	.34830	.93738	.36461	.93116	.38080	.92466	.39688	.91787	.41284	.91080	37
ı	24	·34857 ·34884	.93728	.36488	.93106	.38107	$\frac{92455}{.92444}$	39715	.91775	.41310	.91068	36
ı	-25 26	.34912	.93718 .93708	.36542	.93095 .93084	.38161	.92432	·39741 39768	.91752	.41337 .41363	.91056 .91044	35 34
ı	27	.34939	.93698	.36569	93074	.38188	.92421	39795	.91741	.41390	.91032	33
ŀ	28	.34966	.93688	.36596	.93063	.38215	.92410	39822	.91729	.41416	.91020	32
ı	29 30	·34993 ·35021	.93677 .93667	.36623 .36650	.93052	.38241 .38268	.92399 .92388	.39848 .39875	.91718 .91706	.41443 .41469	.91008 .90996	30
	31	.35048	.93657	.36677	.93031	.38295	92377	.39902	.91694	.41496	.90984	29
ł	32	.35075	.93647	.36704	.93020	.38322	.92366	.39928	.91683	.41522	.90972	2 <b>8</b>
ı	<b>3</b> 3	.35102	.93637	.36731	.93010	.38349	.92355	.39955	.91671	.41549	.90960	27
ł	34 35	.35130	.93626 .93616	.36758 .36785	.92999	.38376 .38403	.92343 92332	.39982	.91660 .91648	.41575 .41602	.90948 .90936	26 25
ı	36	.35184	.93606	.36812	.92978	.38430	.92321	.40035	91636	.41628	.90924	24
ı	37 38	.35211	.93596	.36839	.92967	.38456	.92310	.40062	.91625	.41655	.90911	23
ı	38	.35239 .35266	.93585	.36867	.92956	.38483	.92299 .92287	.40088	.91613 .91601	.41681	.90899 .90887	22 2I
ı	39 40	.35293	·93575 ·93565	.36894 .36921	·92945 ·92935	.38537	.92276	.40141	.91590	.41707 .41734		20
١	41	.35320	.93555	.36948	.92924	.38564	.92265	.40168	.91578	.41760.	90803	19
I	42	<u>·35347</u>	·93544	.36975	.92913	.38591	.92254	.40195	.91566	.41787	.90851	18
	43	35375	.93534	.37002	.92902	.38617 .38644	.92243	.4022 I .40248	.91555 .91543	.41813 .41840	.90839 .90826	17
	44 45	.35402	.93524	.37029 37056	.92881	.38671	.92220	.40245	.91531	.41866	.90814	15
	46	.35456	.93503	.37083	.92870	.38698	.92209	.40301	.91519	.41892	.90802	14
	47 48	.35484	·93493	.37110	.92859 .92849	.38725 .38752	.92198 .92186	.40328 .40355	.91508 .91496	41919	.90790 .90778	13
		·35511 ·35538	·93483 ·93472	·37137 ·37164	.92838	38778	.92175	.40381	.91490	.41945	.907/8	11
	49 50	.35565	.93472		.92827		.92164	.40408		.41998		10
	51	.35592	.93452	.37218	.92816	.38832	.92152	.40434	.91461	.42024	.90741	9
	52	.35619	93441	·37245 ·37272	.92805 .92794	.38859 .38886	.92141	.40461	.91449 .91437	.42051	.90729 .90717	9 8 7 6
I	53 54	.35647	.93431	.37299	.92784	.38912	.92119	.40514	.91425	.42104	.90704	6
	55	.35701	.93410	.37326	.92773	.38939	.92107	.40541	.91414	.42130	.90692	5
I	56	.35728	.93400	.37353	.92762	.38966		.40567	.91402	.42156	.90680	5 4 3 2
ı	57	·35755 ·35782	.93389 .93379	.37380 .37407	.92751	.38993 .39020		.40594 .40621			.90668 .90655	3 2
	55 56 57 58 59 60	.35810	.93368	.37434		.39046	.92062	.40647	.91366	.42235	.90643	
	60	.35837	.93358	.37461	.92718	.39073	.92050	.40674	.91355	.42262	.90631	0
1		N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	,
		6	9°	6	8°	6	7° :	6	6°	6	5°	
1		·						·				

	0 1 2	N. sine	5°	2	6°	. 2	70					
	1	N. sine		\T -:	IX and				8°		9°	
I	1				N. cos.		N. cos.		N. cos.	N. sine		
		.42262 .42288	.90631	.43837 .43863	.89879 .89867	45399 ·45425	.89101 .89087	.46947 .46973	.88295 .88281	.48481 .48506	.87462 .87448	59
		.42315	.90606	.43889	.89854	.45451	.89074	.46999	.88267	.48532	.87434	58
1	3 4	.42341 .42367	.90594	.43916 .43942	.89841 .89828	·45477 ·45503	.89061 .89048	.47024 .47050	.88254 .88240	.48557 .48583	.87420	57
	4 5	.42394	.90569		.89816	.45529	.89035	.47076	.88226	.48608	.87406 .87391	55
7	5	.42420	.90557	·43994	.89803	·45554	.89021	.47101	.88213	.48634	.87377	_54_
	<b>7</b>	.42446	.90545	.44020 .44046	.89790 .89777	.45580 .45606	.89008 .88995	.47127	.88199 .88185	.48659 .48684	.87363	53
	9	·42473 ·42499	.90532	.44072	.89764	.45632	.88981	·47153 ·47178	.88172	.48710	.87349 .87335	52 51
	10	.42525	.90507	.44098	.89752	.45658	.88968	.47204	.88158	.48735	.87321	50
	11 12	.42552 .42578	.90495 .90483	.44124 .44151	.89739 .89726	.45684	.88955 .88942	.47229 .47255	.88144 .88130	.48761 .48786	.87306 .87292	49 48
	13	.42604	.90470	-44177	.89713	.45736	.88928	.47281	.88117	.48811	.87278	47
П	14	.42631	.90458	.44203	.89700	.45762	.88915	.47306	.88103	.48837	.87264	46
Ш	15 16	.42657	.90446	.44229 .44255	.89687 .89674	.45787 .45813	.88902 .88888	·47332 ·47358	.88089 .88075	.48862 .48888	.87250 .87235	45
	17	.42709	.90421	.44281	.89662	.45839	.88875	.47383	.88062	.48913	.87221	44 43
1		.42736	.90408	-44307	.89649	.45865	.88862	-47409	.88048	.48938	.87207	42
	19 20	.42762	.90396	·44333 ·44359	.89636 .89623	.45891	.888 <sub>4</sub> 8 .888 <sub>35</sub>	·47434 ·47460	.88034 .88020	.48964 .48989	.87193 .87178	41
	21	.42815	.90371	.44385	.89610	.45942	.88822	.47486		.49014	.87164	39
	22	.42841	.90358	.44411	.89597	.45968	.88808 .88795	.47511	.87993	.49040	.87150	39 38
	23	.42894	.90346	·44437 ·44464	.89584 .89571	·45994 .46020	.88782	·47537 ·47562	.87979 .87965	.49065	.87136 .87121	37 36
	25	.42920	.90321	.44490	.89558	.46046	.88768	.47588	.87951	-49116	.87107	35
ı	26	.42946	.90309	.44516	.89545	.46072	.88755 .88741	.47614	.87937	.49141	.87093	34
П	27 28	.42972 .42999	.90296	.44542 .44568	.89532 .89519	.46097 .46123	.88728	.47639 .47665	.87923 .87909	.49166 .49192	.87079 .87064	33
Ш	29	.43025	.90271	.44594	.89506	.46149	.88715	.47690	.87896	.49217	.87050	31
-	30	.43051	.90259	.44620	.89493	.46175 .46201	.88701	.47716	.87882	.49242	.87036	30
Ш	31 32	.43077 .43104	.90246	.44646 .44672	.89480 .89467	.46226	.88674	·47741 ·47767	.87868 .87854	.49268 .49293	.87021	29
Ш	33	.43130	.90221	.44698	89454	.46252	.88661	·47793	.87840	.49318	.86993	27
	34 35	.43156 .43182	.90208 .90196	44724	.89441 .89428	.46278 .46304	.88647 .88634	.47818 .47844	.87826 .87812	·49344 ·49369	.86978 .86964	26 25
	36	.43209	.90183	.44776	.89415	.46330	.88620	.47869	.87798	.49309	.86949	24
	37 38	·43235	.90171	44802	.89402	.46355	.88607	.47895	.87784	.49419	.86935	23
ı		.43261 .43287	.9015 <sup>2</sup>	.44828 44854	89389 89376	.46381 46407	.88593 .8858 <b>0</b>	.47920 .47946	.87770 .87756	·49445	.86921 .86906	22 2I
	39 40	-43313	.90133	44880	89363	.46433	.88566	.47971	.87743	·49470 ·49495	.86892	20
	4I	.43340	.90120	4.1906	.89350	46458	.88553 .88539	·47997	.87729	.49521	.86878	19
1-	43	·43366 ·43392	.90108	44932 -44958	89337 S9324	·40484 ·40510	88526	48022 48048	.87715	49546	.86863	18
	44	.43418	.90082	.44984	.89311	-46536	.88512	.48073	.87687	.49596	.86834	16
	45 46	·43445	.90070	45010	.89298	46561	.88499	.48099	.87673	.49622	.86820	15
	47	-43471 -43497	.90057	.45036	.89285 .89272	.46587 .46613	.88485	.48124 .48150	.87659 .87645	.49647 .49672	.86805	14
	47 48	·43523	.90032	.45088	.89259	.46639	.88458	.48175	.87631	.49697	.86777	12
	49	·43549	.90019	.45114	.89245	.46664	.88445	.48201	.87617	-49723	.86762	II
	50 51	43575	.90007 .89994	.45140 .45166	.89232	.46690 .46716	.88431 .88417	.48226 .48252	0, 0,	·49748 ·49773	.86748 .86733	10
	52	.43628	.89981	.45192	.89206	.46742	.88404	.48277	.87575	-49798	.86719	8
	51 52 53 54	43654 .43680	.89968 .899 <b>5</b> 6	.45218 .45243	.89193 .89180	.46767 .46793	.88390 .88377	.48303 .48328	.87561 .87546	.49824	.86704 .86690	9 8 7 6
-	55	.43706	.89943	45269	.89167	.46819	.88363	.48354	.87532	49874	.86675	
	56	.43733	89930	45295	.89153	.46844	.88349	.48379	.87518	.49899	.86661	5 4 3 2
	57	·43759 ·43785	.89918 .89905	45321 45347	.89140 .89127	.46870 .46896		.48405 .48430		·49924 ·49950	.86646 .8663 <b>2</b>	3
	55 56 57 58 59	.43811	.89892	·45373	.89114	.46921	.88308	.48456	.87476		.86617	I
	60	.43837	.89879	45399	.89101	.46947	.88295	.48481		. 50000	.86603	0
		N. cos.	N. sine	N. cos.		N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	,
		6	4°	6	3° (	6	2°	6	1°	6	0°	

1		30	0°	3:	l°	39	2°	3	3°	3	<b>1</b> °	
2	,	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	
2	0								.83867		.82904	60
3   50076   86559   51579   85672   53666   84759   54537   83819   55902   85666   55015   86545   51604   85675   53915   86545   51653   8567   53916   84743   54566   83782   55064   82   50176   86550   51658   85642   53115   84712   54610   83772   55064   82   50176   86550   51658   85612   53164   84697   54635   83766   56088   82   50201   86486   51703   85597   53169   84681   54659   83747   56112   82   50202   86471   51788   85582   53214   8466   54683   83724   56156   82   50202   86471   51788   85582   53218   84655   54678   83704   56160   82   50202   86471   51803   85536   53888   84653   54732   85067   56208   82   11   50277   86442   51788   85551   53203   84635   54732   85062   56160   82   50202   86471   51803   85536   53888   84619   54756   83666   5622   62   50312   80202   86427   51803   85536   53337   84588   54805   83645   56226   82   50312   84604   5478   83666   5622   62   50313   80202   86427   51803   85366   53337   84588   54805   83645   56226   82   50202   85466   53337   84588   54805   83645   56226   82   50202   85466   53337   84588   54805   83645   56226   82   50202   85466   53405   53361   84573   54829   83629   50280   82   50280   82   50202   85466   53405   53505   53488   84404   55495   83537   53642   83605   53647   53505   53638   53405   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605   53604   53605									.83351	-55943	.82887	59 58
4   50101   86544   51624   51626   85657   53901   84743   54561   83844   56060   8   5   5   5   5   5   5   5   5   5	B 1										.82871	
\$\frac{5}{6}  \text{.5015}  \text{.865}  \text{.515}  \text{.565}  \text{.566}  \text{.566}  \text{.566}  \text{.567}  \text{.566}  \text{.567}  \text{.566}  \text{.567}  \text{.5668}  \text{.567}  \text{.567}  \text{.5668}  \text{.5676}  \text{.5668}  \text{.5676}  \text{.5676}  \text{.5668}  \text{.5676}   \text{.5677}  \text{.5676}   \text{.5677}  \text{.5676}   \text{.5677}   \text{.5677}   \text{.5677}   \text{.5677}   \text{.5677}   \text{.5677}   \text{.5677}   \qu											.82839	57 56
7								.54586			.82822	55
8	6	.50151	.86515			.53140					.82806	54
9	7							-54635	.83756		.82790	53
10									.83740		.82773	52
11											.82757 .82741	5 <b>I</b> 50
12   .50302   .86427   .51803   .85536   .53288   .84619   .54756   .83676   .56208   .82     13   .50327   .86413   .51828   .85526   .53317   .84604   .54781   .83660   .56232   .82     14   .50352   .86398   .51877   .85491   .53361   .84573   .54829   .83629   .56280   .82     15   .50377   .86384   .51877   .85491   .53361   .84573   .54859   .83629   .56280   .82     16   .50403   .86360   .51902   .85476   .53386   .84557   .54854   .83613   .56356     17   .50428   .86340   .51952   .85446   .53411   .84524   .54878   .83597   .56329   .82     18   .50453   .86340   .51952   .85446   .53431   .84524   .54878   .83597   .56329   .82     19   .50478   .86325   .51977   .85431   .53460   .84511   .54927   .83565   .56377   .82     20   .50503   .86210   .52002   .85416   .53484   .84495   .54951   .83349   .56401   .82     21   .50528   .86205   .52056   .85385   .53534   .84464   .54999   .83517   .56449   .82     22   .50553   .86266   .52076   .85385   .53538   .84435   .55948   .83848   .56497   .82     23   .50578   .86266   .52076   .85350   .53538   .84435   .55948   .83485   .56497   .82     24   .50603   .86221   .52101   .85355   .53538   .84435   .55948   .83485   .56497   .82     25   .50628   .86237   .52126   .85340   .53607   .84417   .55072   .83469   .56473   .82     26   .50654   .86022   .52151   .85325   .53632   .84402   .55097   .83437   .56545   .82     27   .50679   .86027   .52175   .85325   .53636   .84385   .55149   .83437   .56545   .82     29   .50729   .86178   .52225   .85249   .53708   .84339   .55145   .83421   .56693   .82     29   .50729   .86178   .52225   .85249   .53708   .84339   .55145   .83341   .56653   .8366   .8330   .55145   .83341   .56665   .8330   .5004   .86633   .52290   .85244   .53779   .83685   .55140   .83385   .56647   .83     31   .50779   .86108   .52220   .85244   .53779   .84308   .55242   .83356   .56641   .83     32   .50844   .86133   .52290   .85244   .53779   .84308   .55242   .83336   .56665   .83     33   .50954   .86065   .52478   .85112						.53263					.82724	49
14						.53288		.54756			.82708	48
14	13	.50327			.85521	.53312		.54781			.82692	47
16	14				.85506			.54805			.82675	46
17											.82659	45
18			.86254	.51902						.50305	.82643 .82626	44 43
19	18		.86340								.82610	43
20   5.0593   .86310   5.2002   .85416   .53484   .84495   .54951   .83349   .56401   .82   .22   .50528   .86295   .52051   .85385   .53509   .84486   .54975   .83533   .56425   .82   .22   .50578   .86266   .52051   .85385   .53534   .84448   .54999   .83317   .56449   .82   .22   .50603   .86251   .52101   .85355   .53583   .84448   .55024   .83501   .56473   .82   .25   .50628   .86237   .52126   .85355   .53583   .84447   .55072   .83469   .56521   .82   .25   .25   .25   .85   .2											.82593	41
21   5.0528   86295   5.2026   88401   5.3509   8.4486   5.4975   8.3533   5.6425   8.2   22   5.0503   86281   5.2051   8.5385   5.3534   8.4448   5.5024   8.3501   5.6473   8.2   24   5.0003   86251   5.2101   8.5355   5.3583   8.4443   5.5024   8.3501   5.6473   8.2   25   5.0628   86237   5.2126   8.5349   5.3607   8.4417   5.5072   8.3469   5.5621   8.2   25   5.0628   86237   5.2126   8.5349   5.3628   8.4440   5.5097   8.3485   5.56497   8.2   27   5.0679   8.6027   5.2175   8.5310   5.3656   8.4370   5.5145   8.3421   5.0593   8.2   29   5.0704   8.6192   5.2200   8.5294   5.3651   8.4370   5.5145   8.3421   5.0593   8.2   29   5.0729   8.6178   5.2225   8.5279   8.3758   8.4355   5.5169   8.3405   5.6617   8.2   29   5.0779   8.6148   5.2225   8.5249   5.3758   8.4355   5.5169   8.3405   5.6617   8.2   30   5.0754   8.6163   5.2229   8.5244   5.3754   8.4324   5.5218   8.3373   5.6661   8.2   33   5.0829   8.6113   5.2239   8.5234   5.3779   8.4388   5.5242   8.3356   5.6665   8.2   33   5.0829   8.6113   5.2324   8.5233   5.3828   8.4277   5.5291   8.3334   5.67913   8.2   3.3   5.0004   8.6074   5.2349   8.5123   5.3828   8.4247   5.5215   8.3338   5.67913   8.2   3.50004   8.6074   5.2349   8.5173   5.3952   8.4245   5.5339   8.3292   5.6784   8.2   3.3   5.0004   8.6015   5.2428   8.5112   5.3975   8.4182   5.5339   8.3220   5.6683   8.2   3.3   5.0004   8.6015   5.2498   8.5112   5.3975   8.4182   5.5339   8.3222   5.6784   8.2   4.5104   8.5905   5.2527   8.5066   5.4049   8.4135   5.5530   8.3179   5.6692   8.2   4.51104   8.5956   5.2527   8.5066   5.4049   8.4135   5.5530   8.3179   5.6952   8.2   4.51104   8.5956   5.2547   8.5051   5.4073   8.4142   5.5533   8.3163   5.6076   8.2   5.5054   8.5966   5.2498   8.5112   5.3975   8.4182   5.5530   8.3179   5.6000   5.252   8.5066   5.4049   8.4135   5.5550   8.3179   5.6000   5.6000   5.252   8.5006   5.4049   8.4152   5.5533   8.3163   5.6076   8.2   5.5054   8.5056   5.5077   8.2   5.5054   8.3906   5.5702   8.5051   5.5129   8.5861   5.2770		.50503			.85416		.84495		.83549		.82577	40
23	8 1	.50528	.86295	.52026	.85401	.53509	.84480	.54975	.83533	.56425	.82561	39 38
24   .50603   .86251   .52101   .85355   .53583   .84433   .55048   .83485   .56497   .82     25   .50658   .86222   .52151   .85325   .53652   .84417   .55072   .83469   .56545   .82     27   .50679   .86227   .52175   .85310   .53656   .84386   .55121   .83437   .56596   .82     28   .50704   .86192   .52205   .85294   .53681   .84370   .55145   .83421   .56593   .82     29   .50729   .86148   .52225   .85279   .53754   .84355   .55109   .83465   .56617   .82     30   .50754   .86163   .52250   .85264   .53730   .84339   .55144   .83389   .56641   .82     31   .50779   .86148   .52275   .85249   .53754   .84324   .55218   .83373   .56665   .83     32   .50804   .86193   .52294   .85234   .53874   .84292   .55266   .83340   .56713   .82     33   .50829   .86119   .52324   .85233   .53828   .84277   .55291   .83324   .56736   .83     34   .50854   .86104   .52349   .85203   .53853   .84261   .55315   .83308   .56760   .82     35   .50804   .86045   .52448   .85142   .53864   .84245   .55339   .83292   .56784   .82     37   .50929   .86659   .52423   .85157   .53926   .84230   .55363   .83276   .56808   .82     38   .50954   .86045   .52448   .85142   .53926   .84214   .55388   .83260   .56832   .82     39   .50979   .86030   .52473   .85127   .53951   .84182   .55388   .83260   .56832   .82     40   .51004   .86015   .52498   .85112   .53975   .84182   .55466   .83244   .56856   .82     41   .51029   .86030   .52522   .85066   .54000   .84167   .55537   .83147   .57000   .84     42   .51154   .85956   .52547   .85081   .54073   .84120   .55557   .83163   .56976   .82     43   .51104   .85956   .52547   .85081   .54024   .84151   .55557   .83163   .56976   .82     45   .51129   .85861   .52770   .84943   .54424   .8409   .55557   .83163   .56976   .82     48   .51204   .85866   .52646   .85020   .54140   .84097   .55653   .83115   .57004   .82     49   .51229   .85881   .52770   .84943   .54424   .8409   .55726   .83068   .57011   .82     55   .51379   .85861   .52770   .84943   .54242   .84085   .55530   .830					.85385	-53534		.54999			.82544	
25					.85370	.53558					.82528	37
26					95333						.82511	36
27    56679	25		86222		85225	53622			.83409		.82495 .82478	35 34
28					.85310	.53656	.84386		.83433		.82462	33
29					.85294						.82446	32
31   50779   86148   52275   85249   53754   84324   55218   83373   56665   82   82   550829   86113   52229   85234   53779   84308   55242   83356   56689   82   833   50829   86113   52324   85218   53804   84292   55266   83340   56713   82   8356   50829   86044   52349   85203   53828   84277   55291   83324   56736   82   8356   50904   86074   52399   85173   53877   84245   55339   83292   56784   82   82   82   82   82   82   82	29	.50729								.56617	.82429	31
32   5.5084   .86133   .52299   .85234   .53779   .84308   .55242   .83356   .56689   .82   .50854   .86104   .52349   .85203   .53828   .84247   .55291   .83324   .56736   .82   .55859   .86089   .52374   .85188   .53853   .84261   .55315   .83308   .56760   .82   .50904   .86074   .52399   .85173   .53877   .84245   .55339   .83292   .56784   .82   .50954   .86045   .52498   .85117   .53902   .84230   .55363   .83260   .56832   .82   .550954   .86045   .52448   .85147   .53926   .84214   .55388   .83260   .56832   .82   .25	30	-50754		.52250		·5373°					.82413	30
33   50829   86119   52224   85218   53804   84292   55266   83340   56773   82834   50854   86104   52349   85203   355859   86089   52374   85188   53858   84277   555315   83308   56760   82836   50904   86074   52399   85173   53877   84245   553315   83308   56760   82836   50904   86074   52399   85173   53877   84245   55333   83292   56784   82836   50954   86045   52448   85142   53906   84210   55388   83260   56808   82836   56979   86030   52473   85117   53975   84182   55388   83260   56856   82841   51029   86000   52522   85006   54000   84167   55460   83212   56904   8241   51029   86000   52522   85006   54000   84167   55460   83212   56904   8241   51029   85000   52522   85006   54000   84167   55460   83212   56904   8241   51029   85985   52547   85081   54024   84151   55557   83147   56928   8244   56856   8241   51104   85956   52597   85051   54073   84120   555533   83163   56976   8241   51129   85941   52621   85035   54097   84104   55557   83147   57000   8248   85120   85985   52646   85020   54122   84088   55581   83117   57024   8258   8258   8258   52676   84989   54171   84957   55605   83082   57097   8258   8258   52790   84984   54495   55605   83082   57097   8258   52579   84983   55471   84957   55630   83082   57097   8258   52579   84983   54471   84957   55630   83082   57097   8258   52570   84984   54495   55702   83066   57119   8258   51329   85851   52770   84943   54495   55702   83066   57119   8258   51329   85851   52790   84988   54269   83994   55706   83034   57167   8258   51354   85866   52844   84897   54317   83962   55775   83001   57215   8258   51454   85747   52993   84866   54366   83930   55847   82953   57225   8158   51454   85747   52993   84866   54404   83867   55919   82904   57358   818   818   818   818   818   84866   54464   83867   55919   82904   57358   818			.86148						.83373	.56665	.82396	29
34			.86133			53779			82240		.82380	28 27
35	33					.53828			.83324		.82363 .82347	26
36   5.0904   .86074   .52399   .85173   .53877   .84245   .55339   .83292   .56784   .82     37   .50929   .86059   .52423   .85157   .53902   .84230   .55363   .83260   .56832   .82     38   .50954   .86045   .52448   .85142   .53926   .84214   .55388   .83260   .56832   .82     39   .50979   .86030   .52473   .85127   .53951   .84198   .55412   .83244   .56856   .82     40   .51004   .86015   .52498   .85112   .53975   .84182   .55460   .83228   .56880   .82     41   .51029   .86000   .52522   .85066   .54000   .84167   .55460   .83212   .56904   .82     42   .51054   .85985   .52547   .85081   .54024   .84151   .55484   .83195   .56928   .82     43   .51104   .85956   .52527   .85066   .54049   .84135   .55559   .83117   .56952   .82     45   .51129   .85941   .52621   .85035   .54097   .84104   .55557   .83147   .57000   .82     47   .51179   .85911   .52621   .85005   .54146   .84072   .55655   .83115   .57024   .82     47   .51204   .85866   .52696   .84989   .54171   .84057   .55654   .83082   .57017   .82     49   .51229   .85881   .52720   .84974   .54195   .84041   .55654   .83082   .57017   .82     50   .51254   .85866   .52745   .84959   .54220   .84025   .55678   .83066   .57119   .52     51   .51279   .85851   .52770   .84943   .54249   .84090   .55702   .83066   .57119   .52     52   .51304   .85836   .52744   .84928   .54269   .83994   .55726   .83066   .57119   .82     53   .51329   .85821   .52819   .84913   .54293   .83978   .55700   .83017   .57191   .82     55   .51379   .85792   .52869   .84882   .54342   .83940   .55796   .83061   .57215   .57215   .51279   .85762   .52918   .84851   .54391   .83995   .55847   .82965   .57228   .81     58   .51454   .85747   .52943   .84866   .54366   .83991   .55847   .82965   .57228   .81     59   .51479   .85732   .52967   .84866   .54366   .83991   .55847   .82965   .57334   .81     59   .51479   .85732   .52967   .84865   .54464   .83867   .55919   .82904   .57358   .81     N. cos.   N. sine   N. cos.   N. sine   N. cos.   N. sine   N. cos.   N. s	35					.53853					.8233C	25
37   50929   86059   52423   85157   53902   84230   .55363   .83276   .56808   .82     38   .50954   .86045   .52448   .85142   .53926   .84214   .55388   .83260   .56832   .82     39   .50979   .86030   .52473   .85127   .53926   .84214   .55388   .83260   .56868   .82     40   .51004   .86015   .52498   .85127   .53975   .84182   .55436   .83228   .56880   .82     41   .51029   .86000   .52522   .85066   .54000   .84167   .55460   .83212   .56904   .82     42   .51054   .85985   .52547   .85081   .54049   .84135   .55548   .83125   .569028   .82     43   .511079   .85970   .52572   .85066   .54004   .84135   .55550   .83117   .56952   .82     44   .51129   .85941   .52621   .85035   .54097   .84120   .55533   .83147   .57000   .82     45   .51129   .85941   .52621   .85035   .54097   .84104   .55557   .83147   .57000   .82     47   .51179   .85911   .52671   .85005   .54146   .84072   .55605   .83115   .57047   .82     47   .51179   .85981   .52676   .85005   .54146   .84072   .55605   .83115   .57047   .82     49   .51229   .85881   .52720   .84989   .54171   .84057   .55653   .83082   .57097   .82     50   .51279   .85866   .52794   .84959   .54220   .84025   .55678   .83066   .57119   .82     51   .51279   .85861   .52770   .84928   .54269   .83994   .55706   .83034   .57167   .82     52   .51304   .85866   .52844   .84897   .54317   .83962   .55775   .83017   .57191   .82     55   .51379   .85792   .52869   .84882   .54366   .83930   .55775   .83017   .57191   .82     55   .51379   .85792   .52869   .84885   .54366   .83930   .55875   .83017   .57191   .82     58   .51454   .85747   .52943   .84866   .54366   .83930   .55847   .82953   .57225   .57258   .51454   .85747   .52992   .84885   .54464   .83867   .55919   .82904   .57358   .81     N. cos.   N. sine   N. cos	36	.50904	.86074		.85173	.53877	.84245		.83292		.82314	24
39   50979   50030   52473   85112   53975   84182   55446   83228   56880   824   56880   825   51029   86000   52522   85096   54000   84167   55460   83212   56904   825   51054   85985   52547   85081   54024   84151   555484   83195   56928   826   82	37	.50929	.86059	.52423				·55363		.56808	.82297	23
39   50979   50030   52473   85112   53975   84182   55446   83228   56880   824   51029   86000   52522   85006   54000   84167   55460   83212   56904   82   51054   85985   52547   85081   54024   84151   555484   83195   56928   82   43   51079   85970   52572   85066   54049   84135   55533   83163   56978   82   56880   82   54024   84151   55533   83163   56928   82   56880   82   56	38							.55388		.56832	.82281	22
41	39											2I 20
42   -51054   -85985   -52547   -85081   -54024   -84151   -55484   -83195   -56928   -82024   -84151   -55484   -83195   -56928   -82024   -84151   -55484   -51564   -83195   -56952   -82514   -851104   -85956   -52597   -85051   -54049   -84135   -55533   -83147   -56952   -8251129   -85941   -52621   -85035   -54049   -84104   -55557   -83147   -57000   -8244   -55157   -851179   -85911   -52671   -85005   -54122   -84088   -55583   -83131   -57024   -8244   -515204   -85866   -52696   -84989   -54171   -84057   -55630   -83098   -57071   -8248   -51204   -85866   -52745   -84943   -54244   -84099   -55752   -83066   -57119   -51279   -85866   -52745   -84943   -54244   -84099   -55702   -83034   -57119   -51239   -85866   -52745   -84943   -54244   -84099   -55702   -83034   -57119   -51304   -85866   -52749   -84943   -54244   -84009   -55702   -83034   -57119   -51329   -85866   -52844   -84987   -54317   -83962   -55702   -571215   -51379   -85702   -52849   -84913   -54249   -83940   -55702   -57021   -57215   -51379   -85702   -52849   -84882   -54340   -55799   -58293   -57215   -51429   -85762   -52918   -84851   -54391   -5393   -5823   -52967   -57324   -58293   -58466   -54366   -53394   -55799   -57225   -57314   -57225   -51429   -85762   -52918   -84851   -54391   -58391   -55847   -52963   -57225   -51444   -858777   -52943   -84852   -54446   -83867   -55919   -57233   -57334   -57								33.9			.82231	19
43         .51079         .85970         .52572         .85066         .54049         .84135         .55509         .83179         .56952         .8244         .51104         .85956         .52597         .85051         .54073         .84120         .55533         .83163         .56976         .824         .85051         .54073         .84120         .55553         .83163         .56976         .824         .85051         .54073         .84120         .555573         .83163         .56976         .824         .85861         .52621         .85085         .54122         .84088         .555571         .83117         .57024         .824         .84972         .56654         .83098         .57071         .824         .84972         .55653         .83098         .57071         .824         .84989         .54171         .84057         .55654         .83082         .57091         .826         .84989         .54171         .84057         .55654         .83082         .57091         .826         .84989         .54171         .84057         .55654         .83082         .57095         .826         .51279         .848861         .52720         .84943         .54244         .84009         .55702         .83050         .57143         .82         .55720								00.0				18
44	1										1	17
45		.51104	85956. ا	.52597	.85051	.54073	.84120	.55533	.83163	.56976	.82181	16
47		.51129	.85941	52621	.85035			-55557	.83147			15
48   .51204   .55866   .52696   .84989   .54171   .84057   .55630   .83098   .57071   .82     49	46						0	223	0			14
49         -51229         .85881         .52720         .84974         .54195         .84041         .55654         .83082         .57095         .82           50         .51254         .85866         .52745         .84959         .54220         .84025         .55678         .83066         .57119         .82           51         .51279         .85836         .52770         .84943         .54249         .84909         .55702         .83050         .57113         .82           53         .51329         .85821         .52819         .84913         .54269         .83994         .55750         .83017         .57101         .82           54         .51354         .85806         .52844         .84897         .54317         .83960         .55705         .83017         .57119         .82           55         .51379         .85792         .52869         .84882         .54366         .83940         .55709         .82985         .57215         .82           56         .51404         .85777         .52863         .84886         .54366         .83930         .55847         .82965         .57225         .81           57         .51429         .85762         .52918 <td< th=""><td>47</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>.82132</td><td>13</td></td<>	47										.82132	13
Social Section   Section												II
51         .51279         .85851         .52770         .84943         .54244         .84009         .55702         .83050         .57143         .82           52         .51304         .85836         .52794         .84928         .54269         .83994         .55726         .83034         .57167         .82           53         .51329         .85806         .52844         .84897         .54317         .83962         .55755         .83001         .57215         .82           55         .51379         .85792         .52869         .84882         .54342         .83946         .55799         .82985         .57228         .81           57         .51429         .85762         .52918         .84851         .54342         .83946         .55823         .82969         .57262         .81           58         .51429         .85762         .52918         .84851         .54491         .83915         .55847         .82953         .57286         .81           59         .51479         .85732         .52967         .84820         .54440         .83883         .55895         .82920         .57334         .81           60         .51504         .85717         .52992 <td< th=""><th>1 50</th><th></th><th>.85866</th><th>.52745</th><th>.84959</th><th>.54220</th><th></th><th></th><th>.83066</th><th>.57119</th><th></th><th></th></td<>	1 50		.85866	.52745	.84959	.54220			.83066	.57119		
52         .51304         .85836         .52794         .84928         .54269         .83994         .55726         83034         .57167         .82           53         .51329         .85821         .52819         .84913         .54293         .83998         .55750         .83017         .57191         .82           54         .51354         .85806         .52844         .84897         .54317         .83962         .55775         .83001         .57215         .82           55         .51379         .85792         .52869         .84882         .54342         .83946         .55799         .82985         .57228         .81           57         .51429         .85762         .52918         .84851         .54391         .83915         .55847         .82953         .57262         .81           58         .51454         .85747         .52943         .84836         .54415         .83899         .55871         .82936         .57310         .81           59         .51479         .85732         .52967         .84820         .54440         .83883         .55895         .82904         .57334         .81           60         .51504         .85717         .52992	51	.51279	1.8585.	.52770	1.84943	.54244	.84009	.55702	.83050	.57143	.82065	9
Second Second	52		.85836	.52794	.84928	.54269		.55726	83034			8
N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N.	53							-55750	83017	.57215		9 8 7 6
N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N.	- 54	_	l	52044				55700		572.28		
N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N.	55			.52803	.84866			.55823	.82969	.57262	.81982	5 4 3 2 1
N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N.	57				.84851	.54391	.83915	.55847	82953	.57286	.81965	3
N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N.	58	.51454	.85747	.52943	.84836	.54415		.55871	.82936	0.0		2
N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N. sine N. cos. N.	59	.51479	.85732						10	0.00		I O
	60	-										<b> </b>
	-				<u> </u>		<u>'                                    </u>	·			<u>'</u>	<u>'</u>
99 08 07 00 55	L	[ 5	59° 58°					1 9	U	1 0	<u> </u>	

	3	5°	3	6°	3	70	3	8°	1 3	9°	,
<b> </b>	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. ces.	N. sine	N. cos.	
0	-57358	.81915	.58779	.80902	60182	.79864	.61566	.78801	.62932	-77715	60
I 2	.57381 .57405	.81899		.80885 .80867	.60205				.62955	.77696	59 58
3	.57429	.81865	.58849	.80850	.60251	.79811		.78747	.62977 .63000		57
4 5 6	-57453 -57477	.81848 .81832	.58873 .58896		.60274 .60298		.61658 .61681	.78729	.63022		56
6	.57501	.81815	.58920					.78694	.63045 .63068	.77623	55
7 8	·57524	.81798	-58943	.80782	.60344	-79741	.61726	.78676	.63090	-77586	53
8 9	·57548 ·57572	.81782 .81765	.58967 .58990		.60367 .60390			.78658 .78640	.63113	.77568	52 51
IC	.57596	.81748	.59014	.80730	.60414	. 79688	.61795	.78622	.63135 .63158	.77531	50
11	.57619 .57643	.81731 .81714	.59037 .59061	.80713	.60437 .60460			.78604 .78586	.63180 .63203		49 48
13	.57667	.81698	.59084	.80679	.60483	.79635	.61864	.78568	.63225	·77494 ·77476	47
14	.57691	.81681 .81664	.59108	.80662 .80644	.60506	.79618		.78550 .78532	.63248	-77458	46
15 16	·57715 ·57738	.81647	.59131 .59154		.60529 .60553			.78514	.63271 .63293	·77439	45 44
17	.57762	.81631	.59178	.80610	.60576	.79565	.61955	.78496	.63316	.77402	43
18	.57786 .57810	.81614	.59201	.80593 .80576	.60599	·79547 ·79530	.61978	·78478	.63338	·77384	42
20	.57833	.81580	.59248	.80558	.60645	.79512	.62024	.78442	.63383	.77366 .77347	41 40
2 I 2 2	·57857 ·57881	.81563 .81546	.59272 .59295	.80541 .80524	.60668 .60691	·79494 ·79477	.62046	.78424 .78405	63406	.77329	39 38
23	.57904	.81530	.59318	.80507	.60714	.79477	.62009	.78387	.63428 .63451	.77310 .77292	37
24	.57928	.81513	·59342	.80489	.60738	·79441	.62115	.78369	.63473	.77273	36
25 26	·57952 ·57976	.81/96 .81479	.59365 .59389	.80472 .80455	.60761 .60784	·79424 ·79406	.62138 .62160	.78351 .78333	.63496 .63518	-77255 -77236	35 34
27 28	.57999	81462	.59412	.80438	.60807	.79388	.62183	.78315	.63540	.77218	33
28 29	.58023	.81445 .81428	·59436 ·59459	.80420	.60830 .60853	·79371 ·79353	.62206	.78297 .78279	.63563 .63585	.77199	32
30	.58070	.81412	.59482	.So386	.60876	·79335	.62251	.78261	.63608	.77181	31
31	.58094 .58118	.81395	.59506	.80368	.60899	.79318	.62274	.78243	.63630	.77144	29
32 33	.58141	.81378 .81361	·59529 ·59552	.80351 .80334	.60922 .60945	.79300 .79282	.62297	.78225 .78206	.63653 .63675	.77125	28 27
34	.58165	.81344	-59576	.80316	.60968	.79264	.62342	.78188	.63698	.77088	26
35 36	.58189 .58212	.81327 .81310	·59599 ·59622	.80299 .80282	.60991	·79247 ·79229	.62365 .62388	.78170 .78152	.6372 <b>0</b> .63742	.77070	25 24
	.58236	.81293	-59646	.80264	.61038	.79211	.62411	.78134	.63765	77933	23
37 38	.58260 .58283	.81276 .81259	.59669 .59693	.80247	.61061 .61084	.79193 .79176	62433	.78116 .78098	.63787	.77014	22
39 40	.58307	.81242	.59716	.80212	.61107	.79178	.62456 .62479	.78093	.63810 .63832	.76996 .76977	21
41	.58330 .58354	.81225	-59739	.80195	.61130	.79140	.62502	.78061	.63854	.76959	19
42	.58378	.81208	·59763 ·59786	.80178 .80160	.61153	·79122 ·79105	.62524	·78043	.63877	.76940	18
44	.58401	.81174	.59809	.80143	.61199	.79087	.62570	.78007	.63922	.76903	16
45 46	.58425	.81157 .81140	59832 .59856	.80125 .80108	.61222 .61245	.79069	.62592 .62615	.77988 .77970	.63944 .63966	.76884 .76866	15 14
47 48	.58472	.81123	.59879	.80091	.61268	.79033	.62638	.77952	.63989	.76847	13
	-58496	.81106	.59902	.80073 .80056	.61291	.78998	.62660	·77934	.64011	.76828	12
49 <b>5</b> 0	.58519 .58543	.81089 .81072	.59926 .59949	.80038	.61337	.78980	.62683 .62706	.77916 .77897	.64033	.76810 .76791	10
51	.58567	.81055	.59972	80021	.61360	.78962	.62728	.77879	.64078	.76772	
52 53	58590 .58614	.81038 .81021	.59995	.80003 .79986	.61383 .614 <b>0</b> 6		.62751 .62774	.77861 .77843	.64100	.76754 .76735	98 1.6
_54_	.58637	.81004	.60042	.79968	.61429	.78908	.62796	77824	.64145	.76717	_
55 56 57 58	.58661 .58684	.80987 .80970	.60065 .60089	·79951 ·79934	.61451 .61474	.78891 .78873	.62819 .62842	.77806 .77788	.64167 .64190	.76698 .76679	5
57	.58708	.80953	.60112	.79916	.61497	1.78855	.62864	.77769	64212	.76661	3
58	.58731 .58755	.80936 .80919	.60135	.79899 .79881	.61520 .61543	.78837 .78819	.62887 .62909	·77751	.64234 .64256	.76642 76623	2 I
59 60	.58779.	.80902			.61566		.62932		64279		0
	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	N. cos.	N. sine	,
	54°			3°	5	2°	5	1°	5		

	. 4	0°	1	1°	1	2°	4	3°	1	4°	,
							N. sine		l		
1	N. sine	N. cos.		N. cos.		N. cos.		N. cos.	N. sine	N. cos.	
0	.64279	.76604	.65606 .65628		66913	.74314 .74295	.68200 .68221	.73135	.69466	.71934 .71914	60
1 2	.64301	. 76586 . 76567	.65650		.66935 .66956	.74295	.68242	.73116 .73096	.69487 .69508	.71814	59 58
3	.64346	.76548	.65672	.75414	.66978	.74256	.68264	.73076	.69529	.71873	57
4	.64368	.76530	.65694	·75395	.66999	.74237	68285	.73056		.71853	56
5 6	.64390	.76511 .76492	.65716	·75375	.67021	.74217 .74198	.68306 .68327	.73036 .73016	.69570 .69591	71833 .71813	55 54
	.64435	76473		·75337	.67064	.74178	.68349	.72996	.69612	.71792	53
8	.64457	.76455	.65759 .65781	.75318	.67086	.74159	.68370	.72976	.69633	.71772	52
10	.64479 .64501	.76436 .76417	.65803 .65825	.75299 .75280	.67107 .67129	·74139 ·74120	.68391 .68412	·72957 ·72937	.69654 .69675	.71752 .71732	5 <b>1</b> 50
11	.64524	.76398	.65847	.75261	.67151	.74100	.68434	.72917	.69696	.71711	49
12	.64546	.76380	.65869	.75241	.67172	.74080	.68455	.72897	.69717	71691	48
13	.64568	.76361	.65891	.75222	.67194 .67215	.74061	.68476 .68497	.72877 .72857	69737	.71671	47
14	.64590 .64612	.76342 .76323	65913	.75203	.67237	.74041 .74022	.68518	.72837	.69758 .6977 <b>9</b>	.71650 .71630	46 45
16	.64635	. 76304	.65956	.75165	.67258	.74002	.68539	.72817	.69800	.71610	44
17	.64657	.76286	.65978	.75146	.67280	.73983	.68561 .68582	.72797	.69821	.71590	43
-	.64679	.76267	66022	·75126 ·75107	67301	·73963 ·73944	.68603	$\frac{.72777}{.72757}$	.69842	·71569	42
19	.64723	.76229	.66044	.75088	.67344	.73924	.68624	.72737	.69883	.71529	40
21	.64746	.76210	.66066	. 75069	67366	.73904 .73885	.68645	.72717	.69904	.71508	39 38
22	.64768 .64790	.76192 .76173	.66088	.75050 .75030	67387	.73865	.68666	.72697 .72677	.69925 .69946	.71488 .71468	38
23	.64812	.76154	.66131	.75011	.67430	.73846	.68709	.72657	.69966	.71447	36
9	.64834	.76135	.66153	-74992	67452	.73826	.68730	.72637	.69987	.71427	35
25 26	.64856	.76116	.66175	•74973	.67473	.73806	.68751	72617	.70008	.71407	34
27	.64878 .64901	. 76097 . 76078	.66197 .66218	·74953 ·74934	.67495 .67516	.737 <sup>8</sup> 7 .737 <sup>6</sup> 7	.68772 .68793	.72597 .72577	.70029 .70049	.71386 .71366	33
29	.64923	.76059	.66240	.74915	.67538	·73747	.68814	.72557	.70070	.71345	3 <b>1</b>
30	.64945	.76041	.66262	.74896	.67559	.73728	.68835	$\frac{.72537}{}$	.70091	.71325	30
31	.64967 .64989	.76022 .76003	.66284 .66306	.74876 .74857	.67580 .67602	.73708 .73688	.68857 .68878	.72517 .72497	.70112	.71305 .71284	29 28
32	65011	.75984		.74838	.67623	.73669	.68899	.72477	.70153	.71264	27
34	.65033	.75965	.66349	.74818	.67645	.73649	.68920		70174	-71243	26
35 36	65055	·75946 ·75927	.66371 .66393	· 74799 · 74780	.67666 .67688	.73629 .73610	.68941 .68962	.72437	.70195	.71223	25
	65100	.75908	.66414	.74760	.67709	.73590	.68983	.72397	.70236	.71182	23
37 38	.65122	.75889	.66436	.74741	.67730	.73570	.69004	.72377	.70257	.71162	22
39	.65144	.75870	.66458	.74722	.67752 .67773	·73551 ·73531	.69025 .69046	·72357 ·72337	.70277 .70298	.71141	21 20
40 41	65166 .65188	.75851 .75832	.66480 .66501	· 74703 · 74683	.67795	.73511	.69067	.72317	.70319	.71100	19
42	.65210	.75813	.66523	.74664	.67816	.73491	.69088		.70339	.71080	18_
43	.65232	·75794	.66545	.74644	.67837	.73472	.69109	.72277	.70360	.71059	17 16
44	.65254 .65276	·75775	.66566 66588	.74625 .74606	.67859 .67880	·73452 ·73432	.69130 .69151	.72257 .72236	.70381 .70401	.71039	15
45 46	.65298	.75738	.66610	.74586	.67901	.73413	.69172	.72216	.70422	.70998	14
47 48	.65320	.75719	.66632	.74567	.67923	.73393	.69193 .69214	.72196 .72176	.70443 .70463	.70978 .70957	13
	.65342	·75700 ·75680	.66653	·74548 ·74528	.67944	$\frac{.73373}{.73353}$	.69235	.72156	70484	.70937	II
49 50	.65386	.75661	.66697	.74500	.67987	73333	.69256	.72136	.70505	.70916	10
51	.65408	.75642	.66718	-74489	.68008	.73314	.69277			.70896	9 8 7 6
52	.65430		.66740 .66762	·74470 ·74451	.68029 .68051	·73294 ·73274	.69298 .69319		. 70546 . 70567	.70875 .70855	7
54	.65474	-75585	.66783	.74431	.68072		.69340		.70587	70834	6
550	.65496	-75566	.66805	.74412	.68093	-73234	.69361	.72035	.70608	.70813	5 4 3 2 1
56	.65518	•75547	.66827 .66848	.74392	.68115 .68136	.73215	.69382 .69403		.70628 .70649	.70793	4
57	.65540 .65562	.75528 .75509	.66870	·74373 ·74353	.68157		.69424	.71974	.70670	.70752	2
53 54 55° 56 57 58 59	.65584	.75490	.66891	·74334	.68179	.73155	.69445	.71954	.70690	.70731	1 0
60	.65606		.66913		.68200		.69466		.70711	.70711	
			N. cos.							N. sine	
	49°		4	8°	4	7°	4	6°	4		

## TABLE VI.

## ADDITION AND SUBTRACTION LOGARITHMS.

## PRECEPTS.

I. When difference of given logarithms is less than 2.00.

ADDITION.—Enter table with difference between logarithms as Arg. A, and take out B.

Add B to subtracted logarithm.

SUBTRACTION.—Subtract lesser from greater logarithm; enter with the difference as B, and take out A.

Add A to the subtracted logarithm.

II. When difference of given logarithms exceeds 2.00.

Subtract lesser from greater.

ADDITION.—Enter table with difference as Arg. A, take out B-A and add it to the greater logarithm.

SUBTRACTION.—Enter column B with difference of logarithms; take out B-A, and subtract it from greater logarithm.

A.	В.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
5.	0.00	000	100	100	100	100	100	002	002	003	003	
6.0		004	004	005	005	003	005	005	005	005	005	
6.1		005	006	006	006	006	006	006	006	007	007	3   4   5   6
6.2		007	007	007	007	008	008	008	008	008	008	1 0.3 0.4 0.5 0.6
6.3		009	009	009	009	010	010	010	010	010	110	2 0.6 0.8 1.0 1.2
6.4		011	011	011	012	012	012	013	013	013	013	3 0.9 1.2 1.5 1.8
6.5		014	014	014	015	015	015	016	016	017	017	5 1.5 2.0 2.5 3.0
6.6		017	018	018	019	019	019	020	020	021	021	6 1.8 2.4 3.0 3.6
6.7		022	022	023	023	024	024	025	026	026	027	7 2.1 2.8 3.5 4.2
6.8		027	028	029	029	030	031	031	032	033	034	8 2.4 3.2 4.0 4.8 9 2.7 3.6 4.5 5.4
6.9		034	035	036	037	038	039	040	041	041	042	21 11 2 1 4-0 2-4
7.0		043	044	045	047	548	049	050	051	052	053	
7.1		055	056	057	059	060	061	063	064		067	7 8 9 10
7.2		069	070	072	074	075	077	079	081	083	085	2 1.4 1.6 1.8 2.0
7.3		087	089	091	093	095	097	099	102	104	106	3 2.1 2.4 2.7 3.0
7.4	ì	109	III	114	117	119	122	125	128	131	134	4 2.8 3.2 3.6 4.0
7.5		137	140	144	147	150	154	157	161	165	169	5 3.5 4.0 4.5 5.0 6 4.2 4.8 5.4 6.0
7.6		173	177	181	185	189	194	198	203	207	212	7 4.9 5.6 6.3 7.0
7.7		217	222	227	233	238	244	249	255	261	267	8 5.6 6.4 7.2 8.0
7.8		273	280	286	293	299	306		321	328	336	9 6.3 7.2 8.1 9.0
7.9		344	352	360	368	377	385	394	403	413	422	
5.0		432	442	452	463	474	485	496	507	519	531	
A.	В.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

AD	ADD. $\begin{cases} \log b - \log a = A. \\ \log (a + b) = \log a + B. \end{cases}$ SUB. $\begin{cases} \log a - \log b = B. \\ \log (a - b) = \log b + A. \end{cases}$													
A.	В.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.		
8.00	0.00	432	433	434	435	436	437	438	439	440	441			
8.01		442	443	444	445	446	447	448	449	450	451	,		
8.03		452 463	453 464	454 465	456 466	457 467	458 468	459 469	460 470	461	462 473			
8.04		474	475	476	477	478	479	480	481	482	483			
8.05		48 <u>5</u> 496	486 497	487 498	488 499	489 500	490 502	491 503	492 504	494 505	49 <del>5</del> 506			
8.07		507	508	510	511	512	513	514	515	517	518			
8.08		519	520	521	523	524	525	526	527	529	530	1 0.2		
8.10		543	53 <sup>2</sup> 54 <sup>5</sup>	533 546	535 547	536 548	537 550	538 551	552	553	542 55 <del>5</del>	2 0.4		
8.11	-	556	557	558	560	561	562	564	565	566	567	3 0.6 4 0.8		
8.12		569 582	570	571 585	573 586	574	575	577	578	579	581	4 0.8 5 1.0 6 1.2		
8.14		595	583 597	598	599	587 601	589 602	590 604	605	593	594 608	7 1.4 8 1.6		
8.15		609	611	612	613	615	616	618	619	620	622	9 1.8		
8.16		623 638	625	626 641	628 642	629	630	632	633 648	635	636			
81.8		652	639 654	655	657	644 658	64 <del>5</del> 660	646 661	663	649 664	651 666			
8.19		667	669	671	672	674	675	677	678	680	681			
8.20		683	684	686	688	689	691	692	694	696	697			
8.21		699 715	700 716	702 718	703 720	705 721	707 723	708 725	710	712	713 730	3		
8.23		731	733	735	736	738	740	741	743	745	747	I 0.3 2 0.6		
8.24		748 766	7 <u>5</u> 0 767	752 769	753 771	755 773	757 774	759 776	760 778	762 780	764 781	3 0.9 4 1.2		
8.26		783	785	787	789	790	792	794	796	798	799	5 1.5		
8.27		801 820	803	80 <u>5</u> 823	807 825	809	810 829	812	814	816	818	7 2.1		
8.29		839	822	842	844	827 846	848	831	833 852	83 <del>5</del> 854	837 856	8 2.4 9 2.7		
8.30		858	860	862	864	866	868	870	872	874	876			
8.31		878 898	880	882	884	886	888	890	892	894	896			
8.32 8.33		919	900 921	902 923	904 925	906	908	931	912	915 936	917			
8.34		940	942	944	946	948	951	95 <u>3</u>	955	957	959			
8.35 8.36		962 984	964 986	966 988	968 990	970	973 995	975 997	977 999	979 *002	981 *004	4		
8.37	0.01	006	009	110	013	016	018	020	022	025	027	I 0.4 2 0.8		
8.38 8.39		030 053	032 056	034 058	037 060	039	041	044 068	046 070	048 073	051	3 1.2		
	1	077	080	082	085	087	090	092	095	097	100	5 2.0		
8.40		102		107			115		120	122	125	7 2.8		
8.42 8.43		128					140 167	143				7 2.8 8 3.2 9 3.6		
8.44		180	-	185			193	1 .	1	l .		3,3.5		
8.45	ł	207	210	213	215	218	221	224	226	229	232			
8.46 8.47		23 <sup>5</sup> 263	238 266	240 269		1 _	249 278	1 -	1					
8.48		292	295	29Ś	301	304	307	310	313	316	319			
8.49		322		328			337			1	I			
8.50 A.	В.	352		358 2		364	368 <b>5</b>	371 6	374	377	380	Prop. Pts.		
A.	. Б.	V	1	- 4	. 0	X	. 0			. 0	0	· IIUp. I to		

ADI	p. { lo	g b - g (a	- log + θ)	a = 10	A. og $a$	+ <i>B</i> .		Su	в. { 1	og a og (a	$-\log(-b)$	$gb = B.$ $0 = \log b + A.$
A.	В.	U	1	2	3	4	5	6	7	8	9	Prop. Pts.
9.00	0.04	139	148	1 57	167	176	185	194	203	213	222	9   10   11
9.01		231	240	250	259	268 363	278	287 382	297	306	315	1 0.9 1.0 1.1
9.02		3 <sup>2</sup> 5 4 <sup>2</sup> 1	334 430	344 440	3 <u>5</u> 3 4 <u>5</u> 0	460	373 469	479	392 489	401 499	411 509	2 1.8 2.0 2.2 3 2.7 3.C 3.3
9.04		519	528	538	548	558	568	578	588	598	608	4 3.6 4.0 4 4
9.05		618	628	639	649	659	669	679	689	700 803	710	5 4.5 5.0 5.5 6 5.4 6.0 6.6
9.06		720 824	731 83 <del>5</del>	741 845	751 856	762 867	772 877	782 888	793 898	909	920	7 6.3 7.0 7.7
9.08		931	941	952	963	974	985	995	*006	*Ó17	*028	8 7.2 8.0 8.8 9 8.1 9.0 9.9
9.09	0.05	039	050	061	072	083	094	105	116	127	139	12 13 14
9.10	-	150	161	172	183	195	206	217	229	240	251	1 1.2 1.3 1.4
9.11		263 378	274 390	286 401	297 413	308 425	320 435	332 448	343 460	355 472	366 484	3 3.6 3.9 4.2
9.13		496	508	519	53Î	543	555	567	579	591	604	4 4.8 5.2 5.6 5 6.0 6.5 7.0
9.14		616	628	640	652	664	677	689	701	714	726	6 7.2 7.8 8.4 7 8.4 9.1 9.8
9.15 <b>9.</b> 16		738 863	751 876	763 889	775	788 914	800 927	939	825 952	838 965	851 978	8 9.6 10.4 11.2
9.17		991		- 1	. 1	*043	- 1	*069			*108	9 110 8 17 . 7 12 . 6
9.18	0.06	121	134	147	161	174	187	200	214	227	240	1 1.5 1.6 1.7
9.19	-	254	267	281	294	308	321	335	486	362	376	2 3.0 3.2 3.4 3 4.5 4.8 5.1
	-	389	403	417	430 569	583	458	$\frac{47^2}{612}$	626	500 640	513	4 6.0 6.4 6.8
9.21		527 668	541 683	555 697	711	725	597 740	754	769	783	654 798	5 7.5 8.0 8.5 6 9.0 9.6 10.2
9.23		812	827	841	856	870	885	900	914	929	944	7 10.5 11.2 11.9 8 12.0 12.8 13.6
9.24		959	973	988	*003	*018	*033 184	*048	*063	*078	*093	9 13.5 14.4 15.3
9.25 9.26	a 37	261	123 276	138	I 54 307	322	338	199 354	369	230 38 <u>5</u>	245 400	18 19 20
9.27		416	432	448	463	479	495	511	527	543	559	1 1.8 1.9 2.0 2 3.6 3.8 4.0
9.28		575	591	607 769	623 785	639	655 818	671 83 <del>5</del>	687   851	704 868	720 884	3 5.4 5.7 6.0 4 7.2 7.6 8.0
9.29		736 901	753	934	951	968	985	*001		*035	*052	5 9.0 9.5 10.0
9.31	0.08	069	086	103	120	137	154	171	188	206	223	6 10.8 11.4 12.0
9.32		240	257	275	292	309	327	344	362	379	397	8 14.4 15.2 16.0 9 16.2 17.1 18.0
9.33	1	415	432 610	450 628	468 646	485	503 683	521 701	539	557	574	21   22   23
9·34 9·35		59 <sup>2</sup> 774	792	810	829	847	865	884	902	737 921	755	1 2.1 2.2 2.3
9.36		958	977	996	*014	*033	*052	*071	*090	*108		2 4.2 4.4 4.6 3 6.3 6.6 6.9
9.37	0.09	146 338	165	184	204 396	223 416	242	261 45 <u>5</u>	280 474	299 494	319 514	4 8.4 8.8 9.2 5 10.5 11.0 11.5
9.38 9. <b>39</b>		533	357 553	377 573	593	612	435 632		672	692	712	6 12.6 13.2 13.8
9.40	3	732	752	773	793	813	833	853	874		914	7 14.7 15.4 16.1 8 16.8 17.6 18.4
9.41		935					*038	*058	*079	*100	1	9 18.9 19.8 20.7
9.42		141 351					246 458			1 ~ /		I 2.4 2.5 2.6
9.44		565	ł.				674		1	1 -		2 4.8 5.0 5.2
9.45		783	805	827	849	872	894	916	938	960	983	3 7.2 7.5 7.8 4 9.6 10.0 10.4
9.46	1	-	1	1	-		118	1 40	1.	1		5 12.0 12.5 13.0 6 14.4 15.0 15.6
9.47		231 461			_		345 577	601		. 648	671	7 16.8 17 5 18.2
9.49		695		742	766	790	814	837	861	885	909	8 19.2 20.0 20.8 9 21.6 22.5 23.4
9.50	-	933	and the second		1		*054			*127	-	
A.	B.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

ADD. $\begin{cases} \log b - \log a = A. \\ \log (a + b) = \log a + B. \end{cases}$ Sub. $\begin{cases} \log a - \log b = B. \\ \log (a - b) = \log b + A. \end{cases}$												
A.	В.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
9.50	0.11	933	957	981	*005	*030	*054	*078	*102	*127	*151	27   28   29   30
9.51	0.12	175 422	200 447	224 472	249 497	274 522	298 547	323 572	348 597	372 622	397 648	1 2.7 2.8 2.9 3.0
9.53		673	698	724	749	775	800	826	851	877	903	2 5.4 5.6 5.8 6 o 3 8.1 8.4 8.7 9 3
9.54		928	954	980	*006	*032	*058	*084	*110	*136		4 10.8 11.2 11.6 12 3
9.55	0.13	188 452	214 479	240 505	267 532	293 559	319 586	346 613	372 640	399 667	425 694	5 13.5 14.0 14.5 15 0 6 16.2 16.8 17.4 18.0
9.57		721	748	775	802	829	857	884	911	939	966	7 18.9 19.6 20.3 21.0 8 21.6 22.4 23.2 24.0
9.58		994	*02 I	*049	*077	*104	*132	*160	*188	*216	*244	9 24.3 25.2 26.1 27.0
9.59	0.14	272	300 583	328	356 640	384 668	412	441	469	497	<u>526</u> <u>812</u>	31 32 33 34 1 3.1 3.2 3.3 3.4
9.61	-	554 841	870	899	928	957	697 986	726 *016	755 *045	783 *074	*104	2 6.2 6.4 6.6 6.8
9.62	0.15	133	162	192	221	251	182	310	340	370	400	3 9.3 9.6 9.9 to.2 4 12.4 12.8 13.2 13.6
9.63		430	460	489	520	550	580	610	640	670	701	5 15.5 16.0 16.5 17.0 6 18.6 19.2 19.8 20.4
9.64 9.65	0.16	731 037	761 068	792 099	822 130	853	884 192	914 224	94 <u>5</u> 25 <u>5</u>	976	*007 317	7 21.7 22.4 23.1 23 8
9.66		349	380	411	443	474	506	538	569	601	633	8 24.8 25.6 26.4 27.2 9 27.9 28.8 29.7 30.6
9.67 9.68		66 <del>5</del> 986	697	729	761 *083	793	825	857	889	921	954	35   36   37   29
9.69	0.17	312	*018 345	*051 378	411	*116 444	*148 477	*181 510	*214 544	*247 577	*279 610	1 3.5 3.6 3.7 3 8 2 7.0 7.2 7.4 7.6
9.70		643	677	710	744	777	118	845	878	912	946	3 10.5 10.8 11.1 11.4
9.71		980	*014	*048	*082	*116	*150	*184	*218	*253	*287	5 17.5 18.0 18.5 19 0
9.72	0.18	322 668	356 703	390 738	425 773	460 808	494 844	529 879	564 914	599 949	63 <u>3</u> 98 <u>5</u>	6 21.0 21.6 22.2 22 8 7 24.5 25.2 25.9 26 6
9.74	0.19		056	100	127	163	198	234	270	306	342	8 28.0 28.8 29.6 30 4
9.75		378	414	450	486	522	558	595	631	667	704	9 31.5 32.4 33.3 34 2
9.76	0.20	740 108	777	813	850 220	887 257	9 <sup>2</sup> 3	960	997	*034 406	*071	1 3.9 4.0 4.1 4.2
9.77	0.20	481	145 519	557	594	632	670	331 708	746	784	822	2 7.8 8.0 8.2 8.4 3 11.7 12.0 12.3 12.6
9.79		860	898	937	975	*013	*052	*090		*167	*206	4 15.6 16.0 16.4 16.8
9.80	0.21	244	283	322	361	399	438	477	516	556	595	6 23.4 24.0 24.6 24.2
9.81	0.22	634	673 069	712	752 149	791 189	831	870 269	309	949	989 389	7 27.3 28 0 28.7 2 1.4 8 31.2 32.0 32.8 3 3.6
9.83		430	470	510	551	59í	632	673	713	754		9 35.1 36.0 36.9 37.8
9.84	0.23	836 247	877 289	918	959	*000 414	*04I	*082	*123	1 0	*206 623	1 43 44 45 46 1 4·3 4·4 4·5 4·6
9.86	0.23	665	707	330 749	372 791	833	455 875	497 918	539 960			e 8.6 8.8 9.0 9.2 3 12.9 13.2 13.5 1 1.8
9.87	C.24	088	130	173	216	258	301	344	387 819	430		4 17.2 17.6 18.0 13.4
9.88	-	516 950	559 994	! 603  *038	646 *082		733 *170	776 *214	*258	863 *302		5 21.5 22.0 22.5 23.0 6 25.8 26.4 27.0 27.6
9.90	0.25	390	434	479	523	568	612	657	701	746		7 30.1 30.8 31.5 : 2.2 8 34.4 35.2 36.0 6.8
9.91		836	188	926	970	*016	*061	*106	*151	*196	*242	9 38.7 39.6 40.5 41.4
9.9 <sup>2</sup> 9.93	0.26	287 744			423 882		974	*021	*067	652 *114	698 *160	47 48 49 50 1 4.7 4.8 4.9 5.0
9.93	0.27		253	1	346	-	440	487	534	581	628	2 9.4 9.6 9.8 10.0
9.95		675	722	769	817	864	911	959	*006	*054	*101	3 14.1 14.4 14.7 15.0. 4 18.8 19.2 19.6 20.0
9.96	0 58	620	197	245	292	1	388	ł	l		581 *o66	5 23.5 24.0 24.5 25.0 6 28.2 28.8 29.4 30.0
9.97	0 29	629	677 163	726	774 261	822	871 359	920 409		*017 507		7 32.9 33.6 34.3 35.0
9.99		606	655	705	754	804	854	903	953	*003	*053	8 37.6 38.4 39.2 40.0 9 42.3 43.2 44.1 45.0
$\frac{0.00}{\Lambda}$	0.30 B.	103	153	203	253 3	303	354 5	404	454	505 8	555 9	Prop. Pts.
						, <u>r</u>				. 0	1 0	. LIOP. LES.

Ap	D. {	log	g a – g (a •	- log + b)	b = = lo	A. og $b$ -	+ <i>B</i> .		Su	в. { 1	$og a \cdot og (a$	— log — b)	$b = B.$ $= \log b + A.$
A.	B		0	1	2	3	4	5	6	7	8	9	Prop. Pts.
0.00	0.	_	103	153	203	253	303	354	404	454	505	555	50   51   52   53
0.01	0.		606	656	707	758 268	809	859 371	910	961 474	*012 *	*063 577	1 5.0 5.1 5.2 5.3
0.03		-	629	681	732	784	836	888	940	992	*045		2 10.0 10.2 10.4 10.6 3 15.0 15.3 15.6 15.9
0.04	0.	32	149	201	254	306	359	411	464	517	569	622	4 20.0 20.4 20.8 21.2
0.05	0.	22	67 <u>5</u> 207	728	781 314	834 367	887 421	940	993 528	*046 582	*100	*153 690	6 30.0 30.6 31.2 31.8
0.07		))	744	798	852	906	960			*123		*232	7 35.0 35.7 36.4 37.1 8 40.0 40.8 41.6 42.4
0.08	0.	34	287	342	396	451	506	561	616	670	726	781	9 45.0 45.9 46.8 47.7
0.09	1	_ -	836	891		*001 558	*057 614	670	*168 726	$\frac{^{*223}}{782}$	838	*334 894	54 55 56 57 5 4 5 5 5 6 5 7
0.10		35 <u> </u>	390 950	446 *007	502 *063		*176	*233	<u> </u>	*346		*459	2 10.8 11.0 11.2 11.4
0.12		36	516	573	630	687	744	108	858	916		* <b>0</b> 30	3 16.2 16.5 16.8 17.1 4 21.6 22.0 22.4 22.8
0.13		37	088	145	203	260	318	375	433	491	549	607	5 27.0 27.5 28.0 28.5 6 32.4 33.0 33.6 34.2
0.14		38	66 <del>5</del> 247	723 306	781 36 <del>5</del>	839 423	897 482	955 541	*014 600	*072 659	*130 718	*189 j 777	7 37 .8 38 .5 39 .2 39 .9
0.16		,,	836	895		*013	*073	*132		*251			8 43.2 44.0 44.8 45.6 9 48.6 49.5 50.4 51.3
0.17			430	489	549	609	669	729	789	849	909	969	58   59   60   61
0.18		40	634	08 <u>9</u>	149 756	210 816	270 877	331 938	391 999	452 *061	512 *122	573 *183	1 5.8 5.9 6.0 6.1 2 11.6 11.8 12.0 12.2
0.20	0.	41	244	306	367	428	490	552	613	675	737	798	3 17.4 17.7 18.0 18.3 4 23.2 23.6 24.0 24.4
0.21		-	800	922	984	*046	*108	*170	*232	*294	*357	*419	5 29.0 29.5 30.0 30.5
0.23		42 43	481	544 171	606 234	669 297	731 360	794 423	857 487	920 550	1 > 1	*045 677	6 34.8 35.4 36.0 36.6 7 40.6 41.3 42.0 42.7
0.24	1	43	740	804	867	931	995	*058	*122		"	*314	8 46.4 47.2 48.0 48.8 9 52.2 53.1 54.0 54.9
0.2		14	378	442	506	570	634	698	763	827	891	956	62   63   64   65
0.26		45	668	085	149	214 864	279 929	344 994	408 *060	473 *125	1.	603 *256	1 6.2 6.3 6.4 6.5 2 12.4 12.6 12.8 13.0
0.2		46	322	73 <b>3</b> 387	799 453	518	584	650	716	782	848	914	3 18.6 18.9 19.2 19.5
0.20			980	*046	*112	*178		*311	*377	*444		*577	4 24.8 25.2 25.6 26.0 5 31.0 31.5 32.0 32.5
0.30		47		710	777	844	910	977	*044	*111	*178	*245	6 37.2 37.8 38.4 39.0 7 43.4 44.1 44.8 45.5
0.3	_	40	312 986	379 *054	447 *121	514 *189	581 *257	648 *325	716 *393	1	851 *529	918 *597	8 49.6 50.4 51.2 52.0
0.3		49	66 <del>5</del>	733	801	869	938	*006	*074	*143	*211	*280	9 55.8 56.7 57.6 58.5
0.3		50	349	417	486 176			692 384		830	899	968	I 6.6 6.7 6.8 6.9
0.3		51	037 731	801	870	940 940	314 *010	*080		*220	*289	*360	2 13.2 13.4 13.6 13.8 3 19.8 20.1 20.4 20.7
0.3	70	52	430			640	710	781	851				4 26.4 26.8 27.2 27.6
0.3		. 53	133 841	204	I .	34 <u>5</u> *05 <u>5</u>		486 *197			1	770 *483	5 33.0 33.5 34.0 34.5 6 39.6 40.2 40.8 41.4
0.4		. 54	554	I	1		-	912	1	-			7 46.2 46.9 47.6 48.3 8 52.8 53.6 54.4 55.2
0.4	-1	. 55	272	344	416	488	560	632	704	777	849	921	9 59.4 60.3 61.2 62.1
0.4	.2		994	*066	*139	*211	*284	*357	*429	×502	2 * 57 <del>5</del> 2   * 30 5	*648	70 71 72 73
0.4	~	. 56 . 57					746	819	1 - 1	1 7	1.	*114	2 14.0 14.2 14.4 14 6
0.4	5 0		188	262	336	410	484	558	632	70	5 780	854	3 21.0 21.3 21.6 21.9 4 28.0 28.4 28.8 29.2
0.4			928	1		1 .	1		*37	1			5 35.0 35.5 36.0 36.5 6 42.0 42.6 43.2 43.8
0.4			673 422					*047 798			7 *272 9 *024		7 49 0 49.7 50.4 51.1
0.4	19 0		175	251	327	402	478	554	630	70	781	857	8 56.0 56.8 57.6 58.4 9 63.0 63.9 64.8 65.7
0.5			933					*314			6 * 542		
A.		B.	0	1	2	3	4	5	6	1 7	8	9	Prop. Pts.

AD	D. { lo	g a - g (a	- log	(g b = 1)	$A.$ og $\boldsymbol{b}$	+ B.		Su	лв. {	$\log a$ $\log (a$	- lo	$g b = B.$ $0) = \log b + A.$
A.	В.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
0.50	0.61	933	*009		*161	*237	*314			1	*619	74   75   76
0.51	0.62 0.63		771 538	848   61 <del>5</del>	924 692	*001 768	*077 845	*1 54 923	*231 *000	*307 *077	*384 *154	1 7.4 7.5 7.6
0.53	0.64		308		463	540	618	695	773	850	928	2 14.8 15.0 15.2 3 22.2 22.5 22.8
0.54	0.65		083	160	238	316	394	472	549	627	705	4 29.6 30.0 30.4
0.55	0.66	783 565	861 644	939	801 801	*096 879	*174 958	*252 *037	*330	*409	*487 *273	5 37.0 37.5 38.0 6 44.4 45.0 45.6
0.57	0.67	351	430	509	588	667	746	825	904	983	*062	7 51.8 52.5 53.2 8 59.2 60.0 60.8
0.58	0.68	141	220	300	379	458	538	617	696	776	855	9 66.6 67.5 68.4
0.59	0.69	935	*014 812	*094 892	*174	*253	*333				*652	77   78   79 1   7.7   7.8   7.9
0.61	0.70		614	694	972 774	$\frac{*052}{85\overline{5}}$	*132 935	*212 *016	*293 *096	*373 *177	*453 *257	2 15.4 15.6 15.8
0.62	0.71	338	419	499	580	661	742	823	904		*065	3 23.1 23.4 23.7 4 30.8 31.2 31.6
0.63	0.72	146	227	308	390	471	552	633	714	796	877	5 38.5 39.0 39.5
0.64	0.73	958	*040 855	*121 937	*202 *019	*284 *101	*365 *183	*447 *264	*529 *246	*610 *428	*692	6 46.2 46.8 47.4 7 53.9 54.6 55.3
0.66	0.74	592	674	757	839	921	*003	*o85	*168	*250	*332	8 61.6 62.4 63.2 9 69.3 70.2 71.1
0.67	0.75	415	497	579	662	744	827	909	992	*075	*157	80   81   82
0.68	0.76		323 152	406 235	488 318	57 I 40 I	654 48 <u>5</u>	737 568	820 651	903	986 818	1 8.0 8.1 8.2
0.70	-	901	984	*068	*151	*235	*318	*402		734 *569	*653	2 16.0 16.2 16.4 3 24.0 24.3 24.6
0.71	0.78	<u> </u>	820	904	987	*071	*155	*239	*323	*407	*401	4 32.0 32.4 32.8 5 40.0 40.5 41.0
0.72	0.79	575	659	743	827	911	995	*079	*163	*248	*332	6 48.0 48.6 49.2
0.73	5 35	416 261	500	585	669 515	754 599	838 684	922 769	*007 854		*176	7   56.0   56.7   57.4 8   64.0   64.8   65.6
0.74	2 82	108	345 193	430 278	363	448	533	618	703	788	*023 873	9 72.0 72.9 73.8
0.76		959	*044	*129	*214		*385		*556		*727	83   84   85 1   8.3   8.4   8.5
0.77	0.83	668	898 754	983 840	*069 926	*154 *012	*240 *097	*325 *183	*411	*497 *355	*583	2 16.6 16.8 17.0
0.79	0 85		613	700	786	872	958	*044	*130	*217	*441 *303	3 24.9 25.2 25.5 4 33.2 33.6 34.0
0.80	0.86	389	476	562	648	735	821	908	994	1	*167	5 41.5 42.0 42.5 6 49.8 50.4 51.0
0.81	0.87	254	340	427	514	600	687	774	861	947	*034	7 58.1 58.8 59.5
0.82 3.83	0.88	991	208 * <b>07</b> 8	29 <u>5</u> *165	382 *252	*339	556 *427	643 *514	730 *601	817	904 *776	8   66.4   67.2   68.0 9   74.7   75.6   76.5
0.84	0.89	863	951	_	*125	*213		*388	*475			86   87   88
0.85	0.90		826	1	*001	*089	*177	*264	*352	*440	*528	1 8.6 8.7 8.8 2 17.2 17.4 17.6
o.86	0.91	496	704 584	791 672	879 760	967	*055 936	*143 *025		*319	1.	3 25.8 26.1 26.4
0.88	0.92	378	466	555	643	732	820	908	997	*201 *086	*290 *174	4 34.4 34.8 35.2 5 43.0 43.5 44.0
0.89	0.94	263	351	440	529	617	706	795	883	972	*061	6 51.6 52.2 52.8 7 60.2 60.9 61.6
0.90		150	239	327	416	505	594	683	772	861	950	8 68.8 69.6 70.4
0.91	0.96	931	128 *020	217 *109	306	395 *288	48 <u>5</u> *377	574 *467	663	752 *645	841	9   77.4   78.3   79.4
0.93	0.97	824	914			*182	*272	*362	*451	*541	*631	1 8 9 9 0 9.1
0.94	0.98		810	900		*079	*169	*259	*349	*439	*528	2 17.8 18.0 18.2 3 26.7 27.0 27.3
0.95	0.99		708 609		888 789	978 879	960	*158 *060	*150	*338	*428	4 35.6 36.0 36.4
0.97	10.1	421	511	601	692	782	873	963	l .	*144		5 44·5 45·0 45·5 6 53·4 54·0 54·6
0.98	1.02	325	415	506	597	687	778	868	959	*050	*140	7 62.3 63.0 63.7 8 71.2 72.0 72.8
<b>1.00</b>	1.03		322	413	503	594	685	776 685		957	*048	0 80.181.081.9
A.	1.04 B.	0	230	321	3	503	594 <b>5</b>	6	776	867	958	Prop. Pts.
1									_	1 3	0	1 Liop. Lts.

ADI	-	ga	- log		A. og $b$	+ B.	-	St	лв {	log a	- lo	$gb = B.$ $(a) = \log b + A.$
A.	В.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
1.00	1.04	139	230	321	412	503	594	685		867		
I.01 I.02	1.05	961	140 *053	232 *144	323 *235	*326	505 *418	596 *509	687 *601	779	870 *783	91   92
1.03	1.06		966	*058	*149	*241		*424	*516	*607	*699	1 9.1 9.2
1.04	1.07	790	882	974	*065	*157	*249	*341	*432	*524	*616	2 18.2 18.4 3 27.3 27.6
1.05	1.08		800 719		983   903	*07 <u>5</u>	*167	*259 *179	*351	*443	*535	4 36.4 36.8
1.07	1.10		640	732	824	916	* <b>0</b> 09			*285		5 45.5 46.0 6 54.6 55.2
1.08	1.11	470	562	655	747	839	932	*024	<b>*117</b>	*209	*301	7 63.7 64.4 8 72.8 73.6
1.09	-	394	486	579	671	764	857	949	*042	*134	*227	9 81.982.8
1.10	1.13		412	505	598 535	690	783	876 804		*061	*154	
1.12	1.14	175	340 268	432 361	525 454	547	711 640	733	897 826	990	*083 *013	93
1 13	1.16	106	199	292	385	478	571	665	758	851	944	1 9.3 2 18.6
1.14	1.17	971	131 *:64	224 *157	317 *251	411	504 *438	597	691	784	877	3 27.9
1.16	1.18		999	*092	*186	*344 *279	*373	*531 *467	*560	*718 *654	*748	4   37.2 5   46.5 6   55.8
1.17		841	235		*122	*216	*310	*403	*497	*591	*683	
1.18	1.20	779	872	966 905	*060 999	*154 *093	*248 *187	*342 *281	*435	*529 *469	*623	8 174.4
1.20	3.2	657	751	845	939	*034	*128		*37: *316		*504	9 183 7
1.21	1.23	599	693	787	188	975	*070	*164	*258		*447	
1.22	1.24	541	635	730	824	918	*013	*107	*202	*296	*390	94 I Q_4
1.23	1.25	485	579	674	768	863	957		*146		*335	2 18 8
1.24	1.26	430 376	524 471	619 565	714 660	808 755	903 8 <del>5</del> 0	997	*092 *039	*187	*281 *220	3   28. <b>2</b> 4   37.6
1.26	1.28	323	418	513	608	703	797	892	987	*082	*177	5 47.0 6 56.4
1.27	1.29	272 221	367 316	462	557	652	746 697	841	936 887	*031		7 65.8
I.29	1.31	172	267	362	507 458	553	648	792 743	838	933	*077 *029	8  75.2 9  84.6
1.00	1.32	124	219	314	410	505	600	695	791	886	981	
1.31	1.33	077	172	267	363	458	553	649	744	34c	935	95   96
1.32	1.34	985	126*	221 *176	317 *272	412 *367	508 *463	603 *559	699 *654	7 <u>9</u> 4 *750	890 *845	1 9.5 9.6
1.34	1.35	941	*037	*132	*228		*419	*515	*611	*706	*802	3 28.5 28.8
1.35	1.36	898	994	*089	*185	*281	*377	*472	*568			4 38.0 38.4 5 47.5 48.0
1.36	1.37 1.38	856 814	951	*047	*143 *102	*239	*33 <u>5</u> *294		*486		*718	6  57.0 57.6
1.37	I 39		870	966	*062	*158	*254	*350	*446	*542	*638	7 66.5 67.2 8 76.0 76.8
1.39	I 40	734	830	926	*022		*215	*311	*407	*503	*599	9  85.5 86.4
1.40	I 41		792	888		*080	*176	*273	*369	*465	*561	
1,41	I.42 I.43	621	754 717		940	*043 *006	*139	*199	*332 *205	*428 *301	*524 *488	1 9.7
1.43	1.44	584	681	777	874	970	* <b>o</b> 66	*163	*259	*356	*452	2 19.4
1.44		549			838	935	*031	*128	*225	*321	*418	3   29   1 4   38   8 5   48   5 6   58   2
I.45 I.46	1.46		577	674 674	804 770	901 867	964	*060	*157	*257	*384 *350	4 38.8 5 48.5 6 58 2
1.47	1.48		544	641	737	834	931	*028	*124	*221	*318	7 67 9 8 77 6
1.48	1.49	415	512 480	668	705	802	899 868	996	*093 *061	*185	*286	9 87.3
1.49 1.50	1.50	352	449	577 546	$\frac{674}{643}$	771	837	934		*128		
A.	B.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.

AD	D. { lo	ga	- log	g <i>b</i> = 1	A. og $b$	+ B.		St	јв. {	log a	$-\log a - b$	$g b = B.$ $0 = \log b + A.$
A.	B.	0	1	2	3	4	5	6	7	8	9	Prop. Pts.
1.50	1.51	352	449	546	643	740	837	934	*031		*225	
I.51	1.52	322 292	389	516 486	613 583	710 680	807 778	90 <u>4</u> 87 <u>5</u>	*001	*098 *069	*195	
1.53	1.54	-	360		555	652	749	846	943		*138	
1.54	1.55	235	332	429	526	624	721	818	915 888	*013	*110	
1.55	1.56 1.57	207 180	304 277	402 375	499 472	596 569	693 667	791 764	861		*083 *056	•
1.57	1.58	153	251	348	446	543	640	738	835		*030	1 9.7
1.58	1.59		225	322 297	420 395	517 492	61 <u>5</u> 590	712 687	810 78 <u>5</u>	907 882	*005 980	2 19.4
1.60	1.61	077	175	273	370	468	565	663	760	858	956	3   29.1 4   38.8
1.61	1.62		151	248	346	444	541	639	737	834	932	5 48 5 6 58.2
1.62	1.63 1.64		127	225	322	397	518 495	593	713 690	788	909 886	7 67.9 8 77.6
1.64		984	*081	*179	*277	*375	*473	*570	*668	*766	*864	9 87.3
1.65	1.05 1.66	962	*059	*157 *136	*255 *233	*353 *331	*451 *420	*548 *527	*646 *625	*744 *723	*842 *821	
1.67	1.67	919	*017	*115	*212			*506				•
1.68	1.68 1.69		996	*094 *074	*192	*290 *270	*388 *268	*486 *466	*584 *564	*682	*780 *760	
1.70	1.70			*054		*250		*446		*642		
1.71	1.71	839	937	*035	*133	*231	*329	*427	*525	*623	*722	j 98
1.72	I.72		899	*016 800	*114 *096	*212		*409 *390				1 9.8 2 19.6
1.74	1.74	_	881	980	*078	*176	*274	*373	*471	*569	*667	3 29.4
1.75 1.76	1.75 1.76	766 748	864 847	962	*060 *043	*159	*257 *240	*355 *338	*453	*552	*650	4   39.2 5   49.0 6   58.8
1.77	1.77	731	830	928	*026	*125	*223	*321	*420	*518	*616	7 68.6
1.78	1.78	715	813	912	*010	*108 *092	*207	*305	*403	*502	*600	8 78.4 9 88.2
1.79	1.79		797 781	896 880		*077		*274			*584 *569	
1.81	1.81	667	766	864	963	*061	*160	*258	*357	*455	÷554	-
1.82	1.82 1.83		751 736	84 <u>9</u> 83 <u>5</u>		*046 *032	*145	*244	*342	*441	*539 *525	
1.84	1.84	623		820	933	*018	*116	*215	*313	*412	*511	
1.85 1.86	1.85	609	708	806	905	*004	*102	*201 *187	*299	*398	*497	
1.87	1.86 1.87	595 582	694	793 779	891 878	990	*075	*174	*273	*371	*470	1 9.9
1.88	1.88	569	667	766	865	964	*062	*161	*260	*358	*457	2 19.8
1.89	1.89		655	753 741	852	951					*445 *432	3   29.7 4   39.6
1.91	1 90					936	*025	*124	*223	*321	*420	5  49·5 6  59·4
1.92	1.92	519	618	717	815	914	*013	*112	*211	*310	*408	7 69.3 8 79.2 9 89.1
I.93			1	, -	1						*397 *386	9  89.1
1.95	1.95	485	583	682	781	880	979	*078	*177	*276	*375	
1.96			1		770 760						*364 *353	
1.97				650	749	848	947	*046	*145	*244	*343	
1.99	1.99	442	541	640			937	*036	*135	*234	*333	
$\frac{2.00}{\Lambda}$	2.00 B.	432	531	630	729	828	$\frac{927}{5}$	*026 <b>6</b>	*125	*224	*323	Prop. Pts.
11.	D.	<u> </u>	1 1	1 4	1 0	, x	1 0	1 0	1	1 0	1 0	Trop. Pts.

$$\log a - \log b = A.$$

$$\log a - \log b = B.$$

 $\log(a+b) = \log a + (B-A). \qquad \log(a-b) = \log a - (B-A)$ 

A.	В.	B-A.	A.	В.	B-A.	A.	В.	В-А.
I 9823	1.9868	.00450	2.0337	2.0377	.00400	2.0920	2.0955	.00350
.9833	.9878 .9887	449 448	.0348	.0388	399	.0932	.0967	349 348
.9852	.9897	447	.0370	.0399	398 397	.0945	.0980	
.9862	.9907	446	.0381	.0421	396	.0970	.1005	347 346
1.9872	1.9917	.00445	2.0392	2.0432	.00395	2.0982	2.1017	.00345
.9882	.9926	444 443	.0403	.0443	394	.0995	.1029	344
.9901	•9945	443	.0414	.0454	393 392	.1008	.1042	343 342
.9911	.9955	441	.0437	.0476	391	.1033	.1067	341
1.9921		.00440	2.0448	2.0487	.00390	2.1046	2.1080	.00340
.9931	.9975	439 438	.0459	.0498	389 388	.1059	.1093	339
.9951	.9995	437	.0481	.0520	387	.10/2	.1119	338 337
1966.	2.0005	436	.0493	.0532	386	.1098	.1132	336
1.9971	2.0015	.00435	2.0504	2.0543	.00385	2.1111	2.1144	.00335
.9981	.0024	434 433	.0515	.0553	384 383	.1124	.1157	334
2,000	2014	432	.0538	.0576	382	.1137	.1170	333 332
.0011	.0054	431	.0550	.0588	381	.1163	.1196	331
2,0021	2.0065	.00430	2.0561	2.0600	.00380	2.1176	2.1209	00330
.0032	.0075	429	.0573	.0611	379	.1190	.1223	329
.0042	.0085	428 427	.0584 0596	.0622 .0634	378	.1203	.1236	328
.0062	.0105	426	.0607	.0645	377 376	.1210	.1249	327 326
2.0073	2.0115	.00425	2.0619	2.0656	.00375	2.1243	2.1275	.00325
.0083	.0125	424	.0630	.0667	374	.1256	.1288	324
.0093	.0135	423 422	.0642	.0679 .0691	373	.1270	.1302	323
.0114	.0156	421	.0666	.0703	372 371	.1203	.1315	322 321
2.0124	2.0166	.00420	2.0677	2.0714	.00370	2.1310	2.1342	.00320
.0135	.0177	419	.0689	.0726	369	.1324	.1356	310
.0145	.0187 .0198	418 417	.0701	.0738	368	.1338	.1370	318
0166	.0208	416	.0725	.0762	367 366	.1351	.1383	317 316
2.0177	2.0218	.00415	2.0737	2.0773	.00365	2.1379	2.1410	.00315
.0187	.0228	414	.0749	.0785	364	.1393	.1424	314
.0198	.0239	413	.0761	.0797	363	. 1407	. 1438	313
.0208	.0249	412 411	.0773	.0809	362 361	.1421	.1452	312
2.0229	2.0270	.00410	2.0797	2.0833	.00360	2.1449	<u> </u>	.00310
.0240	0281	409	.0809	.0845	359	.1463	.1494	309
.0251	.0292	408	.0821	.0857	358	.1477	.1508	308
.0261	.0302	407 406	.0833 .0845	.0869 .0881	357 356	.1491	.1522	307 306
2.0283	2.0324	.00405	2.0858	2.0893	.00355	2.1520	2.1550	.00305
.0294	.0334	404	.0870	.0905	354	.1534	.1564	304
.0305	.0345	403	.0882	.0917	353	.1548	. 1578	303
.0315	.0355 .0366	402 401	.0895	.0930	352 351	. 1563 1577	.1573	302 301
2.0337	2.0337	.00400	2.0920	2.0955	.00350	2.1592	2 1622	.00300
A.	В.	B-A.	A.	В.	B-A.	A.	В.	В-А.

$$\log a - \log b = A.$$

$$\log a - \log b = B.$$

$$\log (a + b) = \log a + (B - A).$$

$$\log (a - b) = \log a - (B - A).$$

A.	В.	В-А.	Α.	В.	В-А.	Λ.	В.	В-А.
2.1592	2.1622	.00300	2.2386	2.2411	.00250	2.3358	2.3378	20200
.1606	. 1636	299	. 2403	.2428	249	• 3379	.3399	199
.1621	.1651	298	.2421	.2446	248	.3401	.3421	198
.1635	. 1665 . 1680	297 296	.2439	.2464	247 246	.3423	.3443	197
2.1665	2.1694	.00295	2.2474	2.2498	.00245	2.3468	2.3487	.00195
. 1680	. 1709	294	. 2492	.2516	244	.3490	. 3509	194
.1694	.1723	293	.2510	.2534	243	.3513	.3532	193
.1710	. 1739 . 1753	292 291	.2528	.2552	242 241	·3535 .3558	·3554   ·3577	192 191
2.1739	2.1768	.00290	2.2564	2.2588	.00240	2.3581	2.3600	.00100
.1754	.1783	289	.2582	. 2606	239	. 3604	. 3623	289
.1770	. 1799	288	.2600	.2624	238	. 3627	. 3646	* <b>8</b> 8
.1785	. 1814	287	.2618	.2642	237	. 3650	. 3669	187
2.1815	2.1844	.00285	.2637 2.2656	2.2661	236	2.3697	.3692	.00185
.1830	. 1858	284	.2674	.2697	.00235	.3720	2.3715	184
.1846	.1874	283	.2693	.2716	233	.3744	.3762	183
.1861	. 1889	282	.2711	.2734	232	. 3768	. 3786	182
. 1877	. 1905	281	.2730	.2753	231	.3792	.3810	181
2.1892	2.1920	.00280	2.2749	2.2772	.00230	2.3816	2.3834	.00180
.1908	.1936	279 278	.2768	.2791	229   228	.384a .3865	.3858	179 178
.1923	.1951	277	.2806	.2829	227	3889	.3907	177
.1955	. 1983	276	.2825	.2848	226	.3914	.3932	176
2.1971	2.1998	.00275	2.2845	2.2867	.00225	2.3939	2.3956	.00175
.1987	.2014	274	.2864	.2886	224	.3964	.3981	174
.2002	.2029	273 272	.2004	.2906	223 222	.3989	.4006	173
.2035	. 2062	271	.2923	.2945	221	.4039	.4056	171
2.2051	2.2078	.00270	2.2943	2.2965	.00220	2.4065	2.4082	.00170
.2067	.2094	269	.2962	.2984	219	.4090	.4107	169
.2083	.2110	268 267	.2982	.3004	218 217	.4116	.4133	168 167
.2099	2143	266	.3022	.3044	216	.4142	.4185	166
2.2132	2.2159	00265	2.3043	2.3064	.00215	2.4195	2.4211	.00165
.2149	2175	264	.3063	. 3084	214	.4221	.4237	164
.2165	.2191	263	.3083	.3104	213	.4248	.4264	163 162
.2182	. 2208	261	.3104	.3125	212	.4275 .4302	.4291	161
2.2215	2,2241	.00260	2.3145	2.3166	.00210	2.4329	2.4345	,00160
.2232	.2258	259	.3166	.3187	209	.4356	.4372	159
.2249	.2275	258	.3187	.3208	208	.4383	•4399	158
.2266	.2292	257 256	.3208	.3229	207	.4411	.4427	157
2.2300	2.2325	.00255	2.3250	2.3271	.00205	2.4467	2.4482	.00155
.2317	.2342	254	.3271	.3291	20.1	.4495	.4510	154
.2334	.2359	253	.3293	.3313	203	.4523	.4538	153
.2351	.2376	252	.3314	-3334	202	.4552	.4567	152
2.2386	2.2411	.00250	2.3358	2.3356	.00200	2.4609	2 4624	.00150
A.	В.	B-A	A.	B.	B-A.	A.	В.	B-A.
A.	p.	D-A.	A.	. D.	D-A.	A.	ъ.	Б-A.

$$\log a - \log b = A.$$

$$\log a - \log b = B.$$

$$\log (a + b) = \log a + (B - A).$$

$$\log (a - b) = \log a - (B - A).$$

$$\log a - \log b = B.$$
  
$$\log (a - b) = \log a - (B - A).$$

A.	В.	B-A.	Α.	В.	В-А.	A.	В.	B-A.
2.4609 .4638	2.4624 .4653	.00150 149	2.6373	2.6383	.00100	2.9385	2.9390	.00050
.4668	.4683	148	.6461	.6471	98	.9563	.9568	49
.4697	.4712	147	.6505	.6515	97	.9655	.9660	47
.4727	.4742	146	.6550	.6560	96	.9748	-9753	46
2.4757	2.4772	.00145	2.6596	2.6606	.00095	2.9844	2.9848	.00045
.4787	.4801 .4831	144 143	.6642 .6688	.6651 .6697	94 93	2.9941 3.0041	2.9945	44
.4848	.4862	143	.6735	.6744	93	.0143	3.0045	43
.4878	.4892	141	.6783	.6792	91	.0248	.0252	41
2.4910	2.4924	.00140	2.6831	2.6840	.00090	3.0356	3.0360	.00040
·4941 '	4955	139	.6880	.6889	89 88	.0466	.0470	39 38
.4972,	.4986 .5018	138	.6928 .6978	.6937 .6987	87	.0578 .0694	.0582	. 38
.5036	. 5050	136	.7028	7037	86	.0813	.0817	36
2.5068	2.5081	.00135	2.7079	2.7088	.00085	3.0935	3.0939	.00035
.5100	.5113	134	.7131	.7139	84	.1061	.1064	34
.5133	.5146	133	.7183	.7191	83 82	.1191	.1194	33
.5165	.5178	132 131	.7236	.7244 .7297	81	.1324	.1327	32 31
2.5232	2.5245	.00130	2.7343	2.7351	.00080	3.1606	3.1609	.00030
.5266	.5279	129	.7398	.7406	79	.1753	.1756	29
.5299	.5312	128	.7453	.7461	78	.1905	.1908	28
• 5333	.5346	127 126	.7509	•7517.	77 76	.2063	.2066	27 26
.5368	2.5415	.00125	.7566 2.7623	·7574 2.7631	.00075	3.2396	3.2399	.00025
2.5402	.5449	124	.7682	.7689	74	.2575	.2577	24
.5472	. 5484	123	.7741	.7748	73	.2760	.2762	23
.5508	.5520	122	.7801	.7808	72	.2952	.2954	22
•5544	.5556	121	.7862	.7869	71	.3154	.3156	21
2.5580	2.5592 .5628	.00120	2.7923 .7985	2.7930	.00070	3.3366	3.3368	.00020
.5653	.5665	118	.8050	.8057	68	.3825	3827	18
.5690	.5702	117	.8114	.8121	67	.4072	.4074	17
.5727	•5739	116	.8180	.8187	66	.4335	-4337	. 16
2.5765	2.5776	.00115	2.8245	2.8252	.00065	3.4617	3.4619	.00015
.5803	.5814	114	.8313	.8319	64	.4917 .5237	.4918	14
.5880	.5891	113	.8451	.8457	62	.5587	.5588	12
.5919	.5930	111	.8521	.8527	61	. 5964	.5965	11
2.5958	2.5969	.00110	2.8593	2.8599	.00060	3.6377	3.6378	.00010
.5998	.6009	109	.8666	.8672	59 58	.6835	.6836	09 08
.6038	.6049	108	.8741	.8747	57	·7345	.7346	07
.6120	.6131	106	.8893	.8899	56	.8595	.8596	06
2.6161	2.6172	.00105	2.8971	2.8977	.00055	3.9390	3.9391	.00005
.6202	.6212	104	.9051	.9056	54	4.0355	4.0355	04
.6244	.6254	103	.9132	.9137	53 52	4.1600	4.1600	03
.6329	.6339	101	.9300	.9305	51	4.6367	4 6367	OI
2.6373	2.6383	.00100	2.9385	2.9390	.00050			.00000
Α.	В.	В-А.	A.	В.	В-А.	A.	В.	В-Л.

## TABLE VII.

## SQUARES OF NUMBERS.

No.	Square.	No.	Square.	No.	Square.	No.	Square.	No.	Square.
0	0	20	400	40	1600	60	3600	80	6400
ı	1	21	441	41	1681	61	3721	81	6561
2	4	22	484	42	1764	62	3844	82	6724
3	9	23	529	43	1849	63	3969	83	6889
4	16	24	576	44	1936	64	4096	84	7056
5	25	25	625	45	2025	65	4225	85	7225
6	36	26	676	46	2116	66	4356	86	7396
7	49	27	729	47	2209	67	4489	87	7569
8	64	28	784	48	2304	68	4624	88	7744
9	81	29	841	49	2401	69	4761	89	7921
10	100	30	900	50	2500	70	4900	90	8100
11	121	31	961	51	2601	71	5041	91	8281
I 2	144	32	1024	52	2704	72	5184	92	8464
13	169	33	1089	53	2809	73	5329	93	8649
14	196	34	1156	54	2916	74	5476	94	8836
15	225	35	1225	55	3025	75	5625	95	9025
16	256	36	1296	56	3136	76	5776	96	9216
17	289	37	1369	5/	3249	77	5929	97	9409
18	324	38	1444	58	3364	78	6084	98	9604
19	361	39	1521	<b>5</b> 9	3481	79	6241	99	9801
20	400	40	1600	60	3600	80	6400	100	10000

10											
	100	200	300	400	5 🍑	600	700	800	900		Diff.
00	1.0	400	900	1600	2500	3600	4900	6400	8100	00	1
01	102	404	906	1608	2510	3612	4914	6416	8118	01	3
02	104	408	912	1616	2520	3624	4928	6432	8136	04	5
03	106	412	918	1624	2530	3636	4942	6448	8154	09	7
04 05 06	108 110 112	416 420 424	924 930 936	1632 1640 1648	2540 2550 2560	3648 3660 3672	4956 4970 4984	6464 6480 6496	8172 8190 8208	16 25 36	9 11 -
07	114	428	942	1656	2570	3684	4998	6512	8226	49	15
08	116	432	948	1664	2580	3696	5012	6528	8244	64	17
09	118	436	954	1672	2590	3708	5026 ,	6544	8262	81	19*
10	121	441	961	1681	2601	3721	5041	6561	8281	00	21
11	123	445	967	1689	2611	3733	5055	6577	8299	21	23
12	125	449	973	1697	2621	3745	5069	6593	8317	44	25
13	127	453	979	1705	2631	3757	5083	6609	8335	69	27
14	129	457	985	1713	2641	3769	5097	6625	8353	96	29*
15	132	462	992	1722	2652	3782	5112	6642	8372	25	31
16	134	466	998	1730	2662	3794	5126	6658	8390	56	33
17	136	470	1004	1738	2672	3806	5140	6674	8408	89	35*
18	139	475	1011	1747	2683	3819	5155	6691	8427	24	37
19	141	479	1017	1 <b>75</b> 5	2693	3831	5169	6707	8445	61	39*
20	144	484	1024	1764	2704	3844	5184	6724	8464	oc l	41
2I	146	488	1030	1772	2714°	3856	5198	6740	8482	41	43
22	148	492	1036	1780	2724	3868	5212	6756	8500	84	45*
23	151	497	1043	1789	2735	3881	5227	6773	8519	29	47
24	153	501	1049	1797	2745	3893	5241	6789	8537	76	49*
25	156	506	1056	1806	2756	3906	5256	6806	8556	25	51
26	158	510	1062	1814	2766	3918	5270	6822	8574	76	53*
27	161	515	1069	1823	2777	3931	5285	6839	8593	29	55
28	163	519	1075	1831	2787	3943	5299	6855	8611	84	57*
29	166	524	1082	1840	2798	3956	5314	6872	8630	41	59*
30	169	529	1089	1849	2809	3969	5329	6889	8649	00	61
31	171	533	1095	1857	2819	3981	5343	6905	8667	61	63*
32	174	538	1102	1866	2830	3994	5358	6922	8686	24	65
33	176	542	1108	1874	2840	4006	5372	6938	8704	89	67*
34	179	547	1115	1883	2851	4019	53 <sup>8</sup> 7	6955	8723	56	69*
35	182	552	1122	1892	2862	4032	5402	6972	8742	25	71
36	184	556	1128	1900	2872	4044	5416	6988	8760	96	73*
37	187	561	1135	1909	2883	4057	5431	7005	8779	69	75*
38	190	566	1142	1918	2894	4070	5446	7022	8798	44	77*
39	193	571	1149	1927	2905	4083	5461	7039	8817	21	79*
40	196	576	1156	1936	2916	4096	5476	7056	8836	00	81
41	198	580	1162	1944	2926	4108	5490	7072	8854	81	83*
42	201	585	1169	1953	2937	4121	5505	7089	8873	64	85*
43	204	-590	1176	1962	2948	4134	5520	7106	8892	49	87*
44	207	595	1183	1971	2959	4147	5535	7123	8911	36	89*
45	210	600	1190	1980	2970	4160	5550	7140	8930	25	91*
46	213	605	1197	1989	2981	4173	5565	7157	8949	16	93*
47	216	610	1204	1998	2992	4186	5580	7174	8968	09	95*
48	219	615	1211	2007	3003	4199	5595	7191	8987	04	97*
49	222	620	1218	2016	3014	4212	5610	7208	9006	01	99*
50	225	625	1225	2025	3025	4225	5625	7225	9025	00	1

-	-	-								. 1000	95
	100	200	300	400	5 <b>4</b>	6	700	800	944		Diff.
50	225	625	1225	2025	3025	4225	5625	7225	9025	00	ı
51	228	630	1232	2034	3036	4238	5640	7242	9044	01	3
52	231	635	1239	2043	3047	4251	5055	7259	9063	04	5
53	234	640	1246	2052	3058	4264	5670	7276	9082	09	7
54	237	645	1253	2061	3069	427 <b>7</b>	5685	7293	9101	16	9
55	240	650	1260	2070	3080	4290	5700	7310	9120	25	11
56	243	555	1267	2079	3091	4303	5715	7327	9139	36	13
57	246	565	1274	2088	3102	4316	5730	7344	9158	49	15
58	249	555	1281	2097	3113	4329	5745	7361	9177	64	17
59	252	670	1288	2106	3124	4342	5760	7378	91 <b>96</b>	<b>81</b>	19*
60	256	676	1296	2116	3136	4356	5776	7396	9216	00	21
61	259	681	1303	2125	3147	4369	5791	7413	9235	21	23
62	262	686	1310	2134	3158	4382	5806	7430	9254	44	25
63	265	691	1317	2143	3169	4395	5821	7447	9273	69	27
64	268	696	1324	2152	3180	4408	5836	7464	9292	96	29**
65	272	702	1332	2162	3192	4422	5852	7482	9312	25	31
66	275	707	1339	2171	3203	4435	5 <sup>86</sup> 7	7499	9331	56	33
67	278	712	1346	2180	3214	4448	5882	7516	9350	89	35*
68	282	718	1354	2190	3226	4462	5898	7534	9370	24	37
69	285	723	1361	2199	3237	4475	5913	7551	9389	61	39**
70	289	729	1369	2209	3249	4489	5929	7569	9409	00	48
71	292	734	1376	2218	3260	4502	5944	7586	9428	41	45 45 47
72	295	739	1383	2227	3271	4515	5959	7603	9447	84	
73	299	745	1391	2237	=3283	4529	5975	7621	9467	29	
74	302	750	1398	2246	3294	4542	5990	7638	9486	76	49*
75	306	756	1406	2256	3306	4556	6006	7656	9506	25	57
76	309	761	1413	2265	3317	4569	6021	7673	9525	76	53*
77	313	767	1421	2275	3329	4583	6037	7691	9545	29	55
78	316	772	1428	2284	3340	4596	6052	7708	9564	84	57*
79	320	778	1436	2294	3352	4610	6068	7726	9584	41	59*
80	324	784	1444	2304	3364	4624	6084	7744	9604	00	61
81	327	789	1451	2313	3375	4637	6099	7761	9623	61	63*
82	331	795	1459	2323	3387	4651	6115	7779	9643	24	6;
83	334	800	1466	2332	3398	4664	6130	7796	9662	89	67*
84	338	806	1474	2342	3410	4678	6146	7814	9682	56	69**
85	342	812	1482	2352	3422	4692	6162	7832	9702	25	71
86	345	817	1489	2361	3433	4705	6177	7849	9721	96	73*
87	349	823	1497	2371	3445	4719	6193	7867	9741	69	75**
88	353	829	1505	2381	3457	4733	6209	7885	9761	44	77**
89	357	835	1513	2391	3469	4747	6225	7903	9781	21	79**
90	361	841	1521	2401	3481	4761	6241	7921	9801	00	81
91	364	846	1528	2410	3492	4774	6256	7938	9820	81	83**
92	368	852	1536	2420	3504	4788	6272	7956	9840	64	85**
93	372	858	1544	2430	3516	4802	6288	7974	9860	49	87*
94 95 96	376 380 384	864 870 876	1552 1560 1568	2440 2450 2460	3528 3540 3552	4816 4830 4844	6304 6320 6336	\$010 8028	9880 9900 9920	36 25 46	89* 91* 93*
97	388	882	1576	2470	3564	4858	6352	8046	9940	09	95"
98	392	888	1584	2480	3576	4872	6368	8064	9960	04	97"
99	396	894	1592	2490	3588	4886	6384	8082	9 <b>9</b> 80	01	92"
100	400	900	1600	2500	3600	4900	6400	8100	10000	00	



D.	H. M. S.	H. M. S.	H.M.S.	D,	H. M. S.	H. M. S.	H.M.S.
d.	h. m. s.	m, $s$ ,	5.	d.	h. m. s.	m, s.	s.
0.01	0 14 24	o 8.64	0.09	0.51	12 14 24	7 20.64	4.41
0.02	0 28 48	o 17:28	0.17	0.52	12 28 48	7 29.28	4.49
0.03	0 43 12	o 25.92	0.26	0.53	12 43 12	7 37.92	4.58
0.04	0 57 36	o 34.56	0.35	0.54	12 57 36	7 46.56	4.67
0.05	1 12 0	o 43.20	0.43	0.55	13 12 0	7 55.20	4.75
0.06	1 26 24	o 51.84	0.52	o.56	13 26 24	8 3.84	4.84
0.07	1 40 48	1 0.48	0.60	o.57	13 40 48	8 12.48	4.92
0.08	1 55 12	1 9.12	0.69	o.58	13 55 12	8 21.12	5.01
0.09	2 9 36	1 17.76	0.78	o.59	14 9 36	8 29.76	5.10
0.10	2 24 0	1 26.40	0.86	o.60	14 24 0	8 38.40	5.18
0.11	2 38 24	1 35.04	0.95	0.61	14 38 24	8 47.04	5.27
0.12	2 52 48	1 43.68	1.04	0.62	14 52 48	8 55.68	5.36
0.13	3 7 12	1 52.32	1.12	0.63	15 7 12	9 4.32	5.44
0.14	3 21 36	2 0.96	1.21	0.64	15 21 36	9 12.96	5.53
0.15	3 36 0	2 9.60	1.30	0.65	15 36 0	9 21.60	5.62
0.16 0.17 0.18 0.19 0.20	3 50 24 4 4 48 4 19 12 4 33 36 4 48 0	2 18.24 2 26.88 2 35.52 2 44.16 2 52.80	1.38 1.47 1.56 1.64	o.66 o.67 o.68 o.69 o.70	15 50 24 16 4 48 16 19 12 16 33 36 16 48 0	9 30.24 9 38.88 9 47.52 9 56.16 10 4.80	5.70 5.79 5.88 5.96 6.05
0.21	5 2 24	3 1.44	1.81	0.71	17 2 24	10 13.44	6.13
0.22	5 16 48	3 10.08	1.90	0.72	17 16 48	10 22.08	6.22
0.23	5 31 12	3 18.72	1.99	0.73	17 31 12	10 30.72	6.31
0.24	5 45 36	3 27.36	2.07	0.74	17 45 36	10 39.36	6.39
0.25	6 0 0	3 36.00	2.16	0.75	18 0 0	10 48.00	6.48
0.26	6 14 24	3 44.64	2.25	0.76	18 14 24	10 56.64	6.57
0.27	6 28 48	3 53.28	2.33	0.77	18 28 48	11 5.28	6.65
0.28	6 43 12	4 1.92	2.42	0.78	18 43 12	11 13.92	6.74
0.29	6 57 36	4 10.56	2.51	0.79	18 57 36	11 22.56	6.83
0.30	7 12 0	4 19.20	2.59	0.80	19 12 0	11 31.20	6.91
0.31	7 26 24	4 27.84	2.68	0.81	19 26 24	11 39.84	7.00
0.32	7 40 48	4 36.48	2.76	0.82	19 40 48	11 48.48	7.08
0.33	7 55 12	4 45.12	2.85	0.83	19 55 12	11 57.12	7.17
0.34	8 9 36	4 53.76	2.94	0.84	20 9 36	12 5.76	7.26
0.35	8 24 0	5 2.40	3.02	0.85	20 24 0	12 14.40	7.34
0.36	8 38 24	5 11.04	3.11	o.86	20 38 24	12 23.04	7·43
0.37	8 52 48	5 19.68	3.20	o.87	20 52 48	12 31.68	7·52
0.38	9 7 12	5 28.32	3.28	o.88	21 7 12	12 40.32	7·60
0.39	9 21 36	5 36.96	3.37	o.89	21 21 36	12 48.96	7·69
0.40	9 36 0	5 45.60	3.46	o.90	21 36 0	12 57.60	7·78
0.41	9 50 24	5 54.24	3.54	0.91	21 50 24	13 6.24	7.86
0.42	10 4 48	6 2.88	3.63	0.92	22 4 48	13 14.88	7.95
0.43	10 19 12	6 11.52	3.72	0.93	22 19 12	13 13.52	8.04
0.44	10 33 36	6 20.16	3.80	0.94	22 33 36	13 2.16	8.12
0.45	10 48 0	6 28.80	3.8 <sub>1</sub>	0.95	22 48 0	15 40.80	8.21
0.46	11 2 24	6 37.44	3.97	0.96	23 2 24	13 49.44	8.29
0.47	11 16 48	6 46.08	4.06	0.97	23 16 48	13 58.08	8.38
0.48	11 31 12	6 54.72	4.15	0.98	23 31 12	14 6.72	8.47
0.49	11 45 36	7 3.36	4.23	0.99	23 45 36	14 15.36	8.55
0.50	12 0 0	7 12.00	4.32	1.00	24 0 0	14 24.00	8.64

	1	h.	111.	o	h.	1/2.	0	h. 1	п.	0	h.	m.	0	h.	112.	0	1.	111.	,	m	. 5.	1	ل	r.
	0 1 2 3 4	00000	0 4 8 12 16	60 61 62 63 64	4 4 4 4	0 4 8 12 16	120 121 122 123 124	8 8 8 8	0 4 8 12 16	180 181 182 183 184	12 12 12 12	0 4 8 12 16	240 241 242 243 244	16 16 16 16	0 4 8 12 16	300 301 302 303 304	20 20 20 20 20	0 4 8 12 16	0 1 2 3 4	0 0 0 0	0 4 8 12 16	0 1 2 3 4	0 2	
	56 78 9	00000	20 24 28 32 36	65 66 67 68 69		24 28 32	125 126 127 128 129	8 8 8 8	20 24 28 32 36	185 186 187 188 189	12 12 12 12 12	20 24 28 32 36	245 246 247 248 249	16 16 16 16	20 24 28 32 36	305 306 307 308 309	20 20 20 20 20	20 24 28 32 36	5 7 8 9	00000	20 24 28 32 36	5 6 7 8 9	0.4 0.4 0.5 0.6	33
	10 11 12 13	00000	40 44 48 52 56	70 71 72 73 74	4 4 4 4 4	44 48	130 131 132 133 134	8	40 44 48 52 56	190 191 192 193 194	12 12 12	40 44 48 52 56	250 251 252 253 254	16 16	40 44 48 52 56	310 311 312 313 314	20 20	40 44 48 52 56	10 11 12 13 14	000	40 44 48 52 56	10 11 12 13 14	o.6 o.7 o.8 o.8	33. 366
	15 16 17 18	I I I I	0 4 8 12 16	75 76 77 78 79	5 5 5 5 5	0 4 8 12 16	135 136 137 138 139	9 9 9 9	0 4 8 12 16	195 196 197 198 199	13 13 13 13	0 4 8 12 16	255 256 257 258 259	17 17 17 17		315 316 317 318 319	21 21 21 21 21 21	0 4 8 12 16	15 16 17 18	I I I I	0 4 8 12 16	15 16 17 18	I.C I.I I.I I.2 I.2	33
	20 21 22 23 24	I I I I	20 24 28 32 36	80 81 82 83 84	5	20 24 28 32 36	140 141 142 143 144	9	20 24 28 32 36	200 201 202 203 204	13 13 13 13	20 24 28 32 36	260 261 262 263 264	17 17 17 17	20 24 28 32 36	320 321 322 323 324	2I 2I 2I 2I 2I	20 24 28 32 36	20 21 22 23 24	1 1 1 1	20 24 28 32 36	20 21 22 23 24	I.3 I 4 I.4 I.5 I.6	100 166 133
	25 26 27 28 29	I I I I	40 44 48 52 <b>5</b> 6	85 86 87 88 89	5	40 44 45 52 56	145 146 147 148 149	9	40 44 48 52 56	205 206 207 208 209	13 13	40 44 48 52 56	265 266 267 268 269		40 44 48 52 56	325 326 327 328 329	21 21 21 21 21	40 44 48 52 56	25 26 27 28 29		40 44 48 52 56	25 26 27 28 29	1.6 1.7 1.8 1.8 1.9	733 300 366
	30 31 32 33 34	2 2 2 2	0 4 8 12 16	90 91 92 93 94	6 6 6 6		150 151 152 153 154		0 4 8 12 16		14 14 14 14	0 4 8 12 16	270 271 272 273 274	18 18 18 18	0 4 8 12 16	330 331 332 333 334	22 22 22 22 22	0 4 8 12 16	30 31 32 33 34	1	0 4 8 12 16	30 31 32 33 34	2 C 2 C 2 . I 2 . 2 2 . 2	33
A STATE OF THE PARTY OF THE PAR	35 36 37 38 39	2 2 2 2 •2	20 24 28 32 36	95 96 97 98 99	6	24 28 32	155 156 157 158 159	10	20 24 28 32 36	215 216 217 218 219	14 14 14	20 24 28 32 36	275 276 277 278 279	18 18 18 18	20 24 28 32 36	335 336 337 338 339		20 24 28 32 36	35 36 37 38 39	2 2 2 2 2	20 24 28 32 36	35 36 37 38 39	2.3 2.4 2.4 2.5 2.6	100 166 533
A STATE OF THE PARTY OF THE PAR	47 41 42 43 44	2 2 2 2	40 44 48 52 56	100 101 102 103 104	6 6	44 48	160 161 162 163 164	10	40 44 48 52 56	220 221 222 223 224	14 14	52	280 281 282 283 284	18 18 18 18	40 44 48 52 56	340 341 342 343 344	22 22 22 22 22	40 44 48 52 56	40 41 42 43 44	2 2 2 2 2	40 44 48 52 56	40 41 42 43 44		366
The second second second	45 46 47 48 49	3 3 3 3	0 4 8 12 16	108	777		165 166 167 168 169		0 4 8 12 16		15	0 4 8 12 16	288	19 19	0 4 8 12 16	348	23 23	0 4 8 12 16	48	3	0 4 8 12 10	45 46 47 48 49	3 (	000 066 133 200 266
	50 51 52 53 54	3 3 3 3	20 24 28 32 36	110 111 112 113 114	7 7 7	24 28	170 171 172 173 174		20 24 28 32 36	230 231 232 233 234	15 15 15 15	28 32	290 291 292 293 294		32	350 351 352 353 354	23	28 32	50 5° 52 53 54	3	20 24 28 32 36	50 51 52 53 54	3 4 3 4 3 5 3	100
	55 56 57 58 59	3 3 3 3	40 44 48 52 56	115 116 117 118 119	7 7 7	44 48 52	175 176 177 178 179		40 44 48 52 56		15 15 15 15	40 44 48 52 56	295 296 297 298 299	19 19	44 48 52		23 23 23 23 23	48 52	55 56 57 58 59	3	40 44 48 52 56	55 56 57 58 59	3 3	

Mea	n T.	Cor	rection.	Mea	n T.	Cor	теction.	Mea	n T.	Cor	rection.		rr. fo	or min.
h.	m.	m.	s.	h.	m.	m.		h.	m.	172.	-		s.	s.
0	0 10 20 30 40 50	0	0.00 1.64 3.29 4.93 6.57 8.21	8	0 10 20 30 40 50	I	18.85 20.50 22.14 23.78 25.42 27.07	16	0 10 20 30 40 50	2	37.70 39.35 40.99 42 63 44.28 45.92	0		0.03 0.05 0.08 0.11 0.14 0.16 0.19
Ī	0 10 20 30 40 50	0	9.86 11.50 13.14 14.78 16.43 18.07	9	0 10 20 30 40 50	ī	28.71 30.35 31.99 33.64 35.28 36.92	ΙŢ	0 10 20 30 40 50	2	47.56 49.20 50.85 52.49 54.13 55.77	2	20 30 40 50 0 10 20 30	0.22 0.25 0.27 0.30 0.33 0.36 0.38
2	0 10 20 30 40 50	0	19.71 21.36 23.00 24.64 26.28 27.93	10	0 10 20 30 40 50	1	38.56 40.21 41.85 43.49 45.14 46.78	18	0 10 20 30 40 50	3	57.42 59.06 0.70 2.34 3.99 5.63	3	40 50 0 10 20 30 40 50	0.44 0.47 0.49 0.52 0.55 0.57 0.60 0.63
3	0 10 20 30 40 50	0	29.57 31.21 32.86 34.50 36.14 37.78	11	0 10 20 30 40 50	I	48.42 50.06 51.71 53.35 54.99 56.64	19	0 10 20 30 40 50	3	7.27 8.92 10.56 12.20 13.84 15.49	5	0 10 20 30 40 50	0.66 0.68 0.71 0.74 0.77 0.79
4	0 10 20 30 40 50	0	39.43 41.07 42.71 44.35 46.00 47.64	12	0 10 20 30 40 50	I 2	58.28 59.92 1.56 3.21 4.85 6.49	20	0 10 20 30 40 50	3	17.13 18.77 20.42 22.06 23.70 25.34	6	10 20 30 40 50 0	0.85 0.88 0.90 0.93 0.96
5	0 10 20 30 40 50	0	49.28 50.92 52 57 54.21 55.85 \$7.50	13	0 10 20 30 40 50	2	8.13 9.78 11.42 13.06 14.70 16.35	21	0 10 20 30 40 50	3	26.99 28.63 30.27 31.91 33.56 35.20	7	20 30 40 50 0 10 20 30	1.04 1.07 1.10 1.12 1.15 1.18 1.21 1.23
6	0 10 20 30 40 50	0 1	59.14 c. 78 2.42 4.07 5.71 7.35	14	0 10 20 30 40 50	2	17.99 19.63 21.28 22.92 24.56 26.20	22	0 10 20 30 40 50	3	36.84 38.48 40.13 41.77 43.41 45.06	8	40 50 0 10 20 30 40	I.26 I.29 I.31 I 34 I 37 I 40 I 42
7	0 10 20 30 40 50	I	9.00 10.64 12.28 13.92 15.57 17.21	15	0 10 20 30 40 50	2	27.85 29.49 31.13 32.77 34.42 36.06	23	0 10 20 30 40 50	3	46.70 48.34 49.98 51.63 53.27 54.91	9	50 0 10 20 30 40 50	1.45 1.48 1.50 1.53 1.56 1.59 1.62

Sid	Sid. T. Correction.		Sid. T. Correction.			Sid. T. Correction.			Corr. for min.					
			-	h.	m.	_		h.	m.	m. $s.$		and sec.		
h.	m.	m.	s.	12.	m.	n. m. s.		n.	m.	s.		m. s. s.		
0	0 10 20 30 40 30	a	0.00 1.64 3.28 4.92 6.55 8 19	8	0 10 20 30 40 50	I	18.64 20.28 21.91 23.55 25.19 26.83	16	0 10 20 30 40 50	2	37.27 38.91 40.55 42.19 43.83 45.46	0	10 20 30 40 50	0.03 0.05 0.08 0.11 0.14 0.16 0.19
1	0 10 20 30 40 50	0	9.83 11.47 13.11 14.74 16.38 18.02	9	0 10 20 30 40 50	1	28.47 30.10 31.74 33.38 35.02 36.66	17	0 10 20 30 40 50	2	47.10 48.74 50.38 52.02 53.66 55.29	2	20 30 40 50 0 10 20 30	0.22 0.25 0.27 0.30 0.33 0.35 0.38 0.41
2	0 10 20 30 40 50	0	19.66 21.30 22.94 24.57 26.21 27.85	10	0 10 20 30 40 50	1	38.30 39.93 41.57 43.21 44.85 46.49	18	0 10 20 30 40 50	3	56.93 58.57 0.21 1.85 3.48 5.12	3	40 50 0 10 20 30 40 50	0.44 0.47 0.49 0.52 0.55 0.57 0.60 0.63
3	0 10 20 30 40 50	0	29.49 31.13 32.76 34.40 36.04 37.68	11	0 10 20 30 40 50	I	48.12 49.76 51.40 53.04 54.68 56.32	19	0 10 20 30 40 50	3	6.76 8.40 10.04 11.68 13.32 14.95	4	0 10 20 30 40 50	0.66 0.68 0.71 0.74 0.76 0.79
4	0 10 20 30 40 50	0	39.32 40.96 42.60 44.23 45.87 47.51	12	0 10 20 30 40 50	1 2	57.96 59.59 1.23 2.87 4.51 6.15	20	0 10 20 30 40 50	3	16.59 18.23 19.87 21.51 23.14 24.78	6	10 20 30 40 50	0.85 0.87 0.90 0.93 0.96 0.98
5	0 10 20 30 40 50	0	49.15 50.79 52 42 54.06 55.70 57.34	13	0 10 20 30 40 50	2	7.78 9.42 11.06 12.70 14.34 15.98	21	0 10 20 30 40 50	3	26.42 28.06 29.70 31.34 32.97 34.61	7	20 30 40 50 0 10 20 30	1.04 1.06 1.09 1.12 1.15 1.17 1.20 1.23
6	0 10 20 30 40 50	OI	58.98 0.62 2.25 3.89 5.53 7.17	14	0 10 20 30 40 50	2	17.61 19.25 20.89 22.53 24.17 25.80	22	0 10 20 30 40 50	3	36.25 37.89 39.53 41.16 42.80 44.44.	8	40 50 0 10 20 30 40 50	1.26 1.28 1.31 1.34 1.37 1.39 1.42 1.45
7	0 10 20 30 40 50	1	8.81 10.44 12.08 13.72 15.36 17.00	15	0 10 20 30 40 50	2	27.44 29.08 30.72 32.36 34.00 35.64	23	0 10 20 30 40 50	3	46.08 47.72 49.36 51.00 52.63 54.27	9	0 10 20 30 40 50	1.47 1.50 1.53 1.56 1.58 1.61







